

# ACURA

Application	Engine	Cyl	CC	Years	Set Number		Line No
	Model	Bore			Chrome	Plain	
2.3CL	F23A1	86.00	2254	98-99	C5005 <sup>+</sup>		6
2.5TL	G25A4	85.00	2456	96-98	C5007 <sup>+</sup>		5
3.0CL	J30A1	86.00	3000	97-99	C5006 <sup>+</sup>		7
Integra	D16A1	75.00	1590	86-89	C1676 <sup>+</sup>		1
Integra	B17A1	81.00	1678	91-93	C1780 <sup>+</sup>		2
Integra	B18A1	81.00	1834	90-01	C1780 <sup>+</sup>		3
Integra	B18B1	81.00	1834	94-01	C1780 <sup>+</sup>		3
Legend	C25A1	84.00	2493	86-87	C1677 <sup>+</sup>		4
Legend	C27A1	87.00	2675	87-97	C1678 <sup>+</sup>		8
Legend	C32A1	90.00	3206	91-05	C1783 <sup>+</sup>		9
Legend, CL, TC	C32A6	90.00	3206	91-98	C5008 <sup>+</sup>		11
NSX, NSX-T	C30A1	90.00	2977	96-05	C5008 <sup>+</sup>		10
NSX, NSX-T	C32B1	93.00	3179	97-05	C1957 <sup>+</sup>		13
RL C35A1	C35A1	90.00	3474	96-04	C5009 <sup>+</sup>		12
Vigor	G25A1	85.00	2456	92-94	C5007 <sup>+</sup>		5

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
1	Integra	(1.6L)	1590	C1676 <sup>+</sup>	4	2.953	75.00	4 - 1.20 4 - 1.50	4 - 2.80
2	Integra	(1.7L)	1678	C1780 <sup>+</sup>	4	3.189	81.00	4 - 1.00 4 - 1.20	4 - 2.80
3	Integra	(1.8L)	1834	C1780 <sup>+</sup>	4	3.189	81.00	4 - 1.00 4 - 1.20	4 - 2.80
4	Legend	(2.5L)	2493	C1677 <sup>+</sup>	6	3.307	84.00	6 - 1.20 6 - 1.20	6 - 4.00
5	Vigor 2.5TL	(2.5L)	2456	C5007 <sup>+</sup>	5	3.346	85.00	5 - 1.20 5 - 1.20	5 - 2.80
6	2.3CL	(2.3L)	2254	C5005 <sup>+</sup>	4	3.386	86.00	4 - 1.20 4 - 1.20	4 - 2.80
7	3.0CL	(3.0L)	3000	C5006 <sup>+</sup>	6	3.386	86.00	6 - 1.20 6 - 1.20	6 - 2.80
8	Legend	(2.7L)	2675	C1678 <sup>+</sup>	6	3.425	87.00	6 - 1.20 6 - 1.20	6 - 4.00
9	Legend	(3.2L)	3206	C1783 <sup>+</sup>	6	3.543	90.00	6 - 1.20 6 - 1.20	6 - 2.80
10	NSX, NSX-T	(3.0L)	2977	C5008 <sup>+</sup>	6	3.543	90.00	6 - 1.20 6 - 1.20	6 - 2.80
11	Legend, CL, TC	(3.2L)	3206	C5008 <sup>+</sup>	6	3.543	90.00	6 - 1.20 6 - 1.20	6 - 2.80
12	RL C35A1	(3.5L)	3474	C5009 <sup>+</sup>	6	3.543	90.00	6 - 1.50 6 - 1.20	6 - 2.80
13	NSX, NSX-T	(3.2L)	3179	C1957 <sup>+</sup>	6	3.661	93.00	6 - 1.20 6 - 1.20	6 - 2.50

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone