

ALFA ROMEO

Application	Engine	Cyl	Set Number		Line No		
	Model	Bore	CC	Years		Chrome	Plain
145, 146 Twin Spark, 16v	AR33503	82.00	1370	1997	C1695	P1695	10
145, 146 Twin Spark, 16v	AR67601	82.00	1598	1997	C1695	P1695	11
145, 146 Twin Spark, 16v	AR32102	82.00	1598	1997	C1695	P1695	11
145, 146 Twin Spark, 16v	AR67106	82.00	1747	1997	C1695	P1695	12
145, 146 Twin Spark, 16v	AR32201	82.00	1747	1997	C1695	P1695	12
145, 146 Twin Spark, 16v	AR67199	82.00	1747	1997	C1695	P1695	12
145, 146, 147, 156 Twin Spark, 16v	116 747	82.00	1370	98-On	S5208⁺		8
145, 146, 155, 166, Spider, Twin Spark, 16v	AR16201-AR67202-AR67299	83.00	1970	1995	S5217⁺		13
145, 146, Twin Spark, 16v	AR32201	82.00	1747	98-01	S5208⁺		9
145, Twin Spark, 16v	AR38401	82.00	1747	96-98	S5208⁺		9
145, Twin Spark, 16v	AR67106	82.00	1747	96-98	S5208⁺		9
146, Twin Spark, 16v	AR38401	82.00	1747	96-01	S5208⁺		9
146, Twin Spark, 16v	AR67106	82.00	1747	96-01	S5208⁺		9
147 Twin Spark Eco, 16v	AR37203	82.00	1598	01-On	S5208⁺		7
147 Twin Spark, 156, 156 Sportwagon Twin Spark, 16v	AR32104	82.00	1598	97-On	S5208⁺		7
147 Twin Spark, 16v	AR32104	82.00	1598	01-On	S5208⁺		7
147, 166, GTV, Spider, Twin Spark, 16v	AR32301-AR34103	83.00	1970	1998	S5217⁺		13
155, Twin Spark, 16v	AR67106	82.00	1747	96-97	S5208⁺		9
156 Twin Spark, 16v	M647LA.19.T	83.00	1970	1997	S5217⁺		13
156, 156 Sportwagon, Twin Spark, 16v	AR32103	82.00	1598	97-On	S5208⁺		7
156, 156 Sportwagon, Twin Spark, 16v	AR32201	82.00	1747	97-00	S5208⁺		9
156, 156 Sportwagon, Twin Spark, 16v	AR32205	82.00	1747	00-On	S5208⁺		9
164 3.0, 12V	M624AA30.A-195.2	93.00	2959	1992	C5210		21
164 4 x 4 Q4	06410	93.00	2959	1993	C5210		21
164 LS (U.S. only)	06410	93.00	2959	1994	C5210		21
164 Quadrifoglio Verde, 12V	64301-M624AB30.A	93.00	2959	1987	C5210		21
164 Super	06410	93.00	2959	1992	C5210		21
164 V6, 12V	834F.000-M624AA30.A-195.2	93.00	2959	87-90	C5210		21
1750 GT	105	80.00	1779	68-71	C1328	P1328	4
2000 Berlina	115	84.00	1962	72-82	C1339	P1339	16
2000 GTV, Spider	115	84.00	1962	72-85	C1339	P1339	16
2600 Berlina	106	83.00	2584	62-68		P1261	14
33 1.8TD (Diesel)	VM392HT	92.00	1779	86-94	S5137⁺		19
75	64301-M624AB30.A	93.00	2959	85-92	C5210		21
75 2.4TD (Diesel)	VM492HT/HI	92.00	2393	88-92	S5137⁺		20
75 V6 America	834F.000-M624AA30.A-195.2	93.00	2959	87-90	C5210		21
90 2.4TD (Diesel)	VM492HT/HI	92.00	2393	84-87	S5137⁺		20
Alfasud	301	80.00	1186	72-79	C1328	P1328	5
Alfasud	301	84.00	1490	75-85	C1713	P1713	17
Alfetta	115	84.00	1962	76-77	C1339	P1339	16
Alfetta 2.4TD (Diesel)	VM492HT/HI	92.00	2393	83-85	S5137⁺		20
Alfetta GT	115	84.00	1962	76-77	C1339	P1339	16
Berlina	115	84.00	1962	72-81	C1339	P1339	16
GT, Twin Spark, 16v	AR32205	82.00	1747	03-On	S5208⁺		9
GTV	115	84.00	1962	72-81	C1339	P1339	16
GTV, Spider, 16v	AR32201	82.00	1747	98-On	S5208⁺		9
GTV-6	116	88.00	2492	81-86	C1638		18
Giulia GTA	105	78.00	1570	1967	C1347^A	P1347^A	3
Giulia GTV	105	78.00	1570	67-69	C1347^A	P1347^A	3
Giulia Sedan, Spider, Sprint, GT 1600	105	78.00	1570	62-68		P1235	2
Giulia Spider Duetto	105	78.00	1570	67-69	C1347^A	P1347^A	3

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

ALFA ROMEO

Application	Engine	Cyl		Years	Set Number		Line No	
	Model	Bore	CC		Chrome	Plain		
Giulia Sprint Spcl, Ti, Ti Super		105	78.00	1570	65-69	C1347^A	P1347^A	3
Giulia TZ		105	78.00	1570	65-66	C1347^A	P1347^A	3
Giulietta Spider		101	74.00	1290	55-63		P1013	1
Quadrifoglio (U.S.only)		06410	93.00	2959		C5210		21
Spider		106	83.00	2584	62-68		P1261	14
Spider Veloce		105	80.00	1779	69-71	C1328	P1328	6
Sprint		101	74.00	1290	55-63		P1013	1
Sprint		106	83.00	2584	62-68		P1261	14
Ti		101	74.00	1290	55-63		P1013	1
Twin Spark, Motronic			84.00	1962	1987	C1916		15

Line		CC	Set No	Cyl	Bore Diameter		Ring Size		
No	Application				Inch	MM	Comp	Oil	
1	Ti Giulietta Spider Sprint	(1.3L)	1290	P1013	4	2.913	74.00	4 - 2.00 4 - 2.00	4 - 4.00
2	Giulia Sedan, Spider, Sprint, GT 1600	(1.6L)	1570	P1235	4	3.071	78.00	4 - 1.75 4 - 1.75	4 - 4.00
3	Giulia GTA Giulia GTV Giulia Spider Duetto Giulia Sprint Spcl, Ti, Ti Super Giulia TZ	(1.6L)	1570	P1347^A C1347^A	4	3.071	78.00	4 - 1.50 4 - 1.75	4 - 4.00
4	1750 GT	(1.8L)	1779	P1328 C1328	4	3.150	80.00	4 - 1.50 4 - 1.75	4 - 4.00
5	Alfasud	(1.2L)	1186	P1328 C1328	4	3.150	80.00	4 - 1.50 4 - 1.75	4 - 4.00
6	Spider Veloce	(1.8L)	1779	P1328 C1328	4	3.150	80.00	4 - 1.50 4 - 1.75	4 - 4.00
7	147 Twin Spark Eco, 16v 156, 156 Sportwagon, Twin Spark, 16v 147 Twin Spark, 16v 147 Twin Spark, 156, 156 Sportwagon Twin Spark, 16v	(1.6L)	1598	S5208⁺	4	3.228	82.00	4 - 1.20 4 - 1.20	4 - 2.00
8	145, 146, 147, 156 Twin Spark, 16v	(1.4L)	1370	S5208⁺	4	3.228	82.00	4 - 1.20 4 - 1.20	4 - 2.00
9	145, 146, Twin Spark, 16v 156, 156 Sportwagon, Twin Spark, 16v GTV, Spider, 16v 156, 156 Sportwagon, Twin Spark, 16v GT, Twin Spark, 16v 145, Twin Spark, 16v 146, Twin Spark, 16v 145, Twin Spark, 16v 146, Twin Spark, 16v 155, Twin Spark, 16v	(1.8L)	1747	S5208⁺	4	3.228	82.00	4 - 1.20 4 - 1.20	4 - 2.00
10	145, 146 Twin Spark, 16v	(1.4L)	1370	P1695 C1695	4	3.228	82.00	4 - 1.50 4 - 1.50	4 - 3.00
11	145, 146 Twin Spark, 16v	(1.6L)	1598	P1695 C1695	4	3.228	82.00	4 - 1.50 4 - 1.50	4 - 3.00
12	145, 146 Twin Spark, 16v	(1.8L)	1747	P1695 C1695	4	3.228	82.00	4 - 1.50 4 - 1.50	4 - 3.00
13	156 Twin Spark, 16v 145, 146, 155, 166, Spider, Twin Spark, 16v 147, 166, GTV, Spider, Twin Spark, 16v	(2.0L)	1970	S5217⁺	4	3.268	83.00	4 - 1.20 4 - 1.50	4 - 3.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

ALFA ROMEO

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
14	Sprint 2600 Berlina Spider	(2.6L)	2584	P1261	6	3.268	83.00	6 - 1.60 6 - 1.60	6 - 4.00
15	Twin Spark, Motronic	(2.0L)	1962	C1916	4	3.307	84.00	4 - 1.50 4 - 1.50	4 - 3.50
16	Alfetta GT Berlina GTV 2000 Berlina 2000 GTV, Spider Alfetta	(2.0L)	1962	P1339 C1339	4	3.307	84.00	4 - 1.50 4 - 1.75	4 - 4.50
17	Alfasud	(1.5L)	1490	P1713 C1713	4	3.307	84.00	4 - 1.50 4 - 1.75	4 - 4.00
18	GTV-6	(2.5L)	2492	C1638	6	3.465	88.00	6 - 1.50 6 - 1.75	6 - 4.00
19	33 1.8TD (Diesel)	(1.8L)	1779	S5137 *	1	3.622	92.00	1 - 2.50 ^{FK} 1 - 2.00	1 - 4.00
20	75 2.4TD (Diesel) 90 2.4TD (Diesel) Alfetta 2.4TD (Diesel)	(2.4L)	2393	S5137 *	1	3.622	92.00	1 - 2.50 ^{FK} 1 - 2.00	1 - 4.00
21	75 164 Quadrifoglio Verde, 12V 75 V6 America 164 V6, 12V 164 Super 164 4 x 4 Q4 164 LS (U.S. only) Quadrifoglio (U.S. only) 164 3.0, 12V	(3.0L)	2959	C5210	6	3.661	93.00	6 - 1.50 6 - 1.50	6 - 3.50

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone