

# CLIMAX

Cubic Inch	Year	Application	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
		C46 (10 H.P.)	P3685 <sup>A</sup>	1	5.000	127.00	1 - 1/4 1 - 1/4 1 - 1/4	1 - 1/4
		C66 (4-Ring) (14 H.P.)	P3686 <sup>A</sup>	1	5.750	146.10	1 - 1/4 1 - 1/4 1 - 1/4	1 - 1/4
		C66 (5-Ring)	P3687 <sup>A</sup>	1	5.750	146.10	4 - 1/4	1 - 1/4
		(5-Ring Double Oil)	P0257	1	7.000	177.80	1 - 1/4 1 - 1/4 1 - 1/4	1 - 1/4 1 - 1/4
		C96 (4-Ring) (20 H.P.)	P0542 <sup>A</sup>	1	7.000	177.80	1 - 1/4 1 - 1/4 1 - 1/4	1 - 1/4
		(5-Ring Single Oil)	P0545 <sup>A</sup>	1	7.000	177.80	4 - 1/4	1 - 1/4
		C106 (32 H.P.)	P0544 <sup>A</sup>	1	7.500	190.50	1 - 1/4 1 - 1/4 1 - 1/4	1 - 1/4

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone