

# FIAT (IVECO) TRUCK

Application	Engine	Cyl	Set Number		Line No		
	Model	Bore	CC	Years		Chrome	Plain
(DI30, DI40) DIM 30, DIM 35 (3 Cyl.) (Diesel)	CN3	110.00	3705			<b>C1674</b>	36
35.10 TD (Diesel)	8140.21	93.00	2445	85-89		<b>S5133+</b>	12
4 X 4 C (4 Cyl.) (Diesel)	CO3.020/CO3-41	110.00	4940			<b>C1674</b>	35
40.10 TD (Diesel)	8140.21	93.00	2445	85-89		<b>S5133+</b>	12
45.10 TD (Diesel)	8140.21	93.00	2445	85-89		<b>S5133+</b>	12
49.10 S (Diesel)	8140.21	93.00	2445	1989		<b>S5133+</b>	12
49.10 TD (Diesel)	8140.21	93.00	2445	85-89		<b>S5133+</b>	12
625N2, 650E1, 662N1, DA450, DA550 (Diesel)	802.000	95.00	1560			<b>C5001</b>	17
625N2, 650E1, 662N1, DA450, DA550 (Diesel)	806.000	95.00	1560	66-71		<b>C5001</b>	17
A 40.10 (Diesel)	8140.212.214.290	93.00	2445	1989		<b>S5108+</b>	8
Cerbiatto (4 Cyl.) (Diesel)	CO3	110.00	4559			<b>C1674</b>	33
Cerbiatto (4 Cyl.) (Diesel)	CO3.020/CO3.041	110.00	4562			<b>C1674</b>	34
Cerbiatto (4 Cyl.) (Diesel)	CO21/CO60	110.00	4562			<b>C1674</b>	34
DM12, DM15 (3 Cyl.) (Diesel)	8035.01/8035.01.265	95.00	2338			<b>C5001</b>	18
Daily (Diesel)	8140.27.S.2801/2811/2885	93.00	2499	1989		<b>S5108+</b>	9
Daily 2.5TD (Diesel)	8140.21	93.00	2445	85-89		<b>S5133+</b>	12
Daily 30.10 TD (Diesel)	8140.97.2781/2783	93.00	2499			<b>S5108+</b>	9
Daily 35.10 TD (Diesel)	8140.212.214.290	93.00	2445	1989		<b>S5108+</b>	8
Daily 35.10 TD (Diesel)	8140.27R/S.2700	93.00	2499	1991		<b>S5108+</b>	9
Daily 35.10 TD (Diesel)	8140.21.200-203	93.00	2445	89-94		<b>S5133+</b>	12
Daino (4 Cyl.) (Diesel)	CO3	110.00	4559			<b>C1674</b>	33
Daino (4 Cyl.) (Diesel)	CO3.020/CO3.041	110.00	4562			<b>C1674</b>	34
Daino (4 Cyl.) (Diesel)	CO21/CO60	110.00	4562			<b>C1674</b>	34
Ducato (Diesel)	XUD9A	83.00	1905	1995		<b>C1974+</b>	3
Ducato 10, TD. (Diesel)	203A3/A4.000-280A1.000	82.60	1929	1988		<b>S5132+</b>	2
Ducato 18Q 2.5TD (Diesel)	8140.47	93.00	2499	1994		<b>S5108+</b>	11
Ducato 2.5DS (Diesel)	8140.21	93.00	2445	86-89		<b>S5108+</b>	10
Ducato 2.5DS, TDi (Diesel)	8140.21	93.00	2445	86-89		<b>S5133+</b>	12
Ducato 2.5TD (Diesel)	8140.212.214.290	93.00	2445	86-89		<b>S5108+</b>	8
Ducato 2.5TD 4x4, Maxi 2.5TD (Diesel)	8144.21	93.00	2445	85-90		<b>S5108+</b>	6
Ducato 2.5TD id (Diesel)	8144.21	93.00	2445	1985		<b>S5108+</b>	6
Ducato 2.5TD id 4x4 (Diesel)	8140.27.S.2801/2811/2885	93.00	2499	1989		<b>S5108+</b>	5
Ducato 2.5TD, 2.5TD 4x4 (Diesel)	8140.212.214.290	93.00	2445	1989		<b>S5108+</b>	6
Ducato 2.5TD, 2.5TD 4x4 (Diesel)	8140.21.200.201.202.203	93.00	2499	1989		<b>S5108+</b>	11
Ducato 2.8D	8140.63.3700	94.40	2798	98-99		<b>S5135+</b>	14
Ducato 4x4 Turbo id (Diesel)	8140.27/R/S.2700	93.00	2499	1989		<b>S5108+</b>	7
Ducato DS 2500	8140.61	93.00	2445	81-86		<b>C1890</b>	4
Ducato Minibus 2.5TD id (Diesel)	8144.21	93.00	2445	86-90		<b>S5108+</b>	6
Forklift (3 Cyl.) (Diesel)	CN3	110.00	3705			<b>C1674</b>	32
Leoncino (4 Cyl.) (Diesel)	CO3	110.00	4559			<b>C1674</b>	33
Leoncino (4 Cyl.) (Diesel)	CO3.020/CO3.041	110.00	4562			<b>C1674</b>	34
Leoncino (4 Cyl.) (Diesel)	CO21/CO60	110.00	4562			<b>C1674</b>	34
Lupetto (4 Cyl.) (Diesel)	CO3	110.00	4559			<b>C1674</b>	33
Lupetto (4 Cyl.) (Diesel)	CO3.020/CO3.041	110.00	4562			<b>C1674</b>	34
Lupetto (4 Cyl.) (Diesel)	CO21/CO60	110.00	4562			<b>C1674</b>	34
Maxi 2.8D	8140.63.3700	94.40	2798	98-99		<b>S5135+</b>	14
Maxi Turbo id (Diesel)	8140.27/R/S.2700	93.00	2499	1989		<b>S5108+</b>	7
Orsetto (4 Cyl)	8025.06	100.00	3455			<b>C1910</b>	27
Orsetto (4 Cyl.) (Diesel)	8045.02	100.00	3456			<b>C1911</b>	28
Orsetto, Series 550 (4 Cyl.) (Diesel)	804A/.401/854	95.00	3117	69-On		<b>C5001</b>	15

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# FIAT (IVECO) TRUCK

Application	Engine	Cyl	CC	Years	Set Number		Line No
	Model	Bore			Chrome	Plain	
Pick-Up	E201	76.00	1500	92-On	C1895		1
Scudo (Diesel)	XUD9A	83.00	1905	1995	C1974*		3
Series 1200, 1300, S, U (6 Cyl.) (Diesel)	CP3	110.00	7412		C1674		42
Series 30, 40, 50, 100 (4 Cyl.) (Diesel)	CO3.020/CO3.041	110.00	4562		C1674		38
Series 30, 40, 50, 300 (4 Cyl.) (Diesel)	CO3/CO41	110.00	4559		C1674		37
Series 30, 40, 50, 300, 800 (4 Cyl.) (Diesel)	CO21/CO60	110.00	4562		C1674		40
Series 30, 40, 50, 60, 600, 605, 640, 680, DI, DIM (4 Cyl.) (Diesel)	8045.02	100.00	3456		C1911		28
Series 30, 40, 50, 60, DI, DIM, (4 Cyl)	8025.06	100.00	3455		C1910		24
Series 300 (6 Cyl)	8060.12	100.00	5181	73-On	C1910		19
Series 300 (6 Cyl)	8060.12	100.00	5181	73-On	C1910		25
Series 300 (6 Cyl.) (Diesel)	8060.12	100.00	5181		C1911		31
Series 300, 350 (2 Cyl)	8025.02	100.00	1728	74-On	C1910		20
Series 300, Bus (6 Cyl.) (Diesel)	213.000/213H	95.00	4678	69-On	C5001		16
Series 350 (2 Cyl)	8025.06	100.00	1953	72-On	C1910		21
Series 350 (2 Cyl.) (Diesel)	8025.06	100.00	1953		C1911		29
Series 480, 500, 505, 540, DI, DIM (3 Cyl)	8035.02	100.00	2592	72-On	C1910		22
Series 480, 500, 505, 540, DI, DIM (3 Cyl.) (Diesel)	8035.02	100.00	2592		C1911		30
Series 50, 60, 70, 80, 90, 300, 700, 800, 850 DI, FR (4 Cyl.) (Diesel)	CO3.020/CO3-41	110.00	4940		C1674		41
Series 50, 700, 750 (4 Cyl.) (Diesel)	CO3.70/CO3/D	110.00	4940		C1674		39
Series 500, 600, 650, A (3 Cyl.) (Diesel)	CN3	110.00	3705		C1674		36
Series 600, 605, 640, 680 (4 Cyl)	8045.02	100.00	3454	74-On	C1910		23
Series 70, 90, 100, 1000 (6 Cyl)	8060.02/8065.02	100.00	5184	67-On	C1910		26
Series 70, 90, 100, 1000 (6 Cyl.) (Diesel)	8060.02/8065.02	100.00	5181		C1911		31
Series 800, 850, 940 (4 Cyl.) (Diesel)	CO80	110.00	4940		C1674		39
Tigrotto (4 Cyl.) (Diesel)	CO3.020/CO3-41	110.00	4940		C1674		35
Truck (Diesel)	XUD9A	83.00	1905	1995	C1974*		3
Turbodaily	8140.23	94.40	2798	1996	S5134*		13

Line No	Application	Bore	CC	Set No	Cyl	Bore Diameter		Ring Size	
						Inch	MM	Comp	Oil
1	Pick-Up	(1.5L)	1500	C1895	4	2.992	76.00	4 - 1.50 4 - 1.50	4 - 3.00
2	Ducato 10, TD. (Diesel)	(1.9L)	1929	S5132*	4	3.252	82.60	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 3.00
3	Ducato (Diesel) Truck (Diesel) Scudo (Diesel)	(1.9L)	1905	C1974*	4	3.268	83.00	4 - 2.00 4 - 2.00	4 - 3.00
4	Ducato DS 2500	(2.5L)	2445	C1890	4	3.661	93.00	4 - 3.00 4 - 2.00	4 - 4.00
5	Ducato 2.5TD id 4x4 (Diesel)	(2.5L)	2499	S5108*	4	3.661	93.00	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 3.00
6	Ducato 2.5TD, 2.5TD 4x4 (Diesel) Ducato 2.5TD id (Diesel) Ducato 2.5TD 4x4, Maxi 2.5TD (Diesel) Ducato Minibus 2.5TD id (Diesel)	(2.5L)	2445	S5108*	4	3.661	93.00	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 3.00
7	Ducato 4x4 Turbo id (Diesel) Maxi Turbo id (Diesel)	(2.5L)	2499	S5108*	4	3.661	93.00	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 3.00
8	A 40.10 (Diesel) Daily 35.10 TD (Diesel)	(2.5L)	2445	S5108*	4	3.661	93.00	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 3.00

Continued On Next Page

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# FIAT (IVECO) TRUCK

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
	< Continued > Ducato 2.5TD (Diesel)							
9	Daily (Diesel) (2.5L) Daily 35.10 TD (Diesel) Daily 30.10 TD (Diesel)	2499	<b>S5108 *</b>	4	3.661	93.00	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 3.00
10	Ducato 2.5DS (Diesel) (2.5L)	2445	<b>S5108 *</b>	4	3.661	93.00	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 3.00
11	Ducato 2.5TD, 2.5TD 4x4 (Diesel) (2.5L) Ducato 18Q 2.5TD (Diesel)	2499	<b>S5108 *</b>	4	3.661	93.00	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 3.00
12	Ducato 2.5DS, TDi (Diesel) (2.5L) Daily 2.5TD (Diesel) 35.10 TD (Diesel) 40.10 TD (Diesel) 45.10 TD (Diesel) 49.10 TD (Diesel) 49.10 S (Diesel) Daily 35.10 TD (Diesel)	2445	<b>S5133 *</b>	4	3.661	93.00	4 - 3.00 4 - 2.00	4 - 3.00
13	Turbodaily (2.8L)	2798	<b>S5134 *</b>	4	3.716	94.40	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 3.00
14	Maxi 2.8D (2.8L) Ducato 2.8D	2798	<b>S5135 *</b>	4	3.716	94.40	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 2.50
15	Orsetto, Series 550 (4 Cyl.) (Diesel) (3.1L)	3117	<b>C5001</b>	1	3.740	95.00	1 - 2.50 1 - 2.50	1 - 5.50
16	Series 300, Bus (6 Cyl.) (Diesel) (4.7L)	4678	<b>C5001</b>	1	3.740	95.00	1 - 2.50 1 - 2.50	1 - 5.50
17	625N2, 650E1, 662N1, DA450, DA550 (Diesel) (1.6L)	1560	<b>C5001</b>	1	3.740	95.00	1 - 2.50 1 - 2.50	1 - 5.50
18	DM12, DM15 (3 Cyl.) (Diesel) (2.3L)	2338	<b>C5001</b>	1	3.740	95.00	1 - 2.50 1 - 2.50	1 - 5.50
19	Series 300 (6 Cyl) (5.2L)	5181	<b>C1910</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 5.50
20	Series 300, 350 (2 Cyl) (1.7L)	1728	<b>C1910</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 5.50
21	Series 350 (2 Cyl) (2.0L)	1953	<b>C1910</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 5.50
22	Series 480, 500, 505, 540, DI, DIM (3 Cyl) (2.6L)	2592	<b>C1910</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 5.50
23	Series 600, 605, 640, 680 (4 Cyl) (3.5L)	3454	<b>C1910</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 5.50
24	Series 30, 40, 50, 60, DI, DIM, (4 Cyl) (3.5L)	3455	<b>C1910</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 5.50
25	Series 300 (6 Cyl) (5.2L)	5181	<b>C1910</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 5.50
26	Series 70, 90, 100, 1000 (6 Cyl) (5.2L)	5184	<b>C1910</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 5.50
27	Orsetto (4 Cyl) (3.5L)	3455	<b>C1910</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 5.50
28	Orsetto (4 Cyl.) (Diesel) (3.4L) Series 30, 40, 50, 60, 600, 605, 640, 680, DI, DIM (4 Cyl.) (Diesel)	3456	<b>C1911</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 4.00
29	Series 350 (2 Cyl.) (Diesel) (1.9L)	1953	<b>C1911</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 4.00
30	Series 480, 500, 505, 540, DI, DIM (3 Cyl.) (Diesel) (2.6L)	2592	<b>C1911</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# FIAT (IVECO) TRUCK

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
31	Series 70, 90, 100, 1000 (6 Cyl.) (Diesel) Series 300 (6 Cyl.) (Diesel)	(5.2L)	5181	<b>C1911</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 4.00
32	Forklift (3 Cyl.) (Diesel)	(3.7L)	3705	<b>C1674</b>	1	4.331	110.00	1 - 2.50 1 - 2.50 1 - 2.50	1 - 5.00
33	Cerbiatto (4 Cyl.) (Diesel) Daino (4 Cyl.) (Diesel) Leoncino (4 Cyl.) (Diesel) Lupetto (4 Cyl.) (Diesel)	(4.6L)	4559	<b>C1674</b>	1	4.331	110.00	1 - 2.50 1 - 2.50 1 - 2.50	1 - 5.00
34	Lupetto (4 Cyl.) (Diesel) Leoncino (4 Cyl.) (Diesel) Daino (4 Cyl.) (Diesel) Cerbiatto (4 Cyl.) (Diesel) Daino (4 Cyl.) (Diesel) Leoncino (4 Cyl.) (Diesel) Lupetto (4 Cyl.) (Diesel)	(4.6L)	4562	<b>C1674</b>	1	4.331	110.00	1 - 2.50 1 - 2.50 1 - 2.50	1 - 5.00
35	Tigrotto (4 Cyl.) (Diesel) 4 X 4 C (4 Cyl.) (Diesel)	(4.9L)	4940	<b>C1674</b>	1	4.331	110.00	1 - 2.50 1 - 2.50 1 - 2.50	1 - 5.00
36	Series 500, 600, 650, A (3 Cyl.) (Diesel) (DI30, DI40) DIM 30, DIM 35 (3 Cyl.) (Diesel)	(3.7L)	3705	<b>C1674</b>	1	4.331	110.00	1 - 2.50 1 - 2.50 1 - 2.50	1 - 5.00
37	Series 30, 40, 50, 300 (4 Cyl.) (Diesel)	(4.6L)	4559	<b>C1674</b>	1	4.331	110.00	1 - 2.50 1 - 2.50 1 - 2.50	1 - 5.00
38	Series 30, 40, 50, 100 (4 Cyl.) (Diesel)	(4.6L)	4562	<b>C1674</b>	1	4.331	110.00	1 - 2.50 1 - 2.50 1 - 2.50	1 - 5.00
39	Series 800, 850, 940 (4 Cyl.) (Diesel) Series 50, 700, 750 (4 Cyl.) (Diesel)	(4.9L)	4940	<b>C1674</b>	1	4.331	110.00	1 - 2.50 1 - 2.50 1 - 2.50	1 - 5.00
40	Series 30, 40, 50, 300, 800 (4 Cyl.) (Diesel)	(4.6L)	4562	<b>C1674</b>	1	4.331	110.00	1 - 2.50 1 - 2.50 1 - 2.50	1 - 5.00
41	Series 50, 60, 70, 80, 90, 300, 700, 800, 850 (4.9L) DI, FR (4 Cyl.) (Diesel)	(4.9L)	4940	<b>C1674</b>	1	4.331	110.00	1 - 2.50 1 - 2.50 1 - 2.50	1 - 5.00
42	Series 1200, 1300, S, U (6 Cyl.) (Diesel)	(7.4L)	7412	<b>C1674</b>	1	4.331	110.00	1 - 2.50 1 - 2.50 1 - 2.50	1 - 5.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone