

# FORD (NON U.S. APPLICATIONS)

Application	Engine	Cyl		Years	Set Number		Line No
	Model	Bore	CC		Chrome	Plain	
2000 Turnier	TL20H	90.80	1993	72-75	C1746	P1746	64
Belina II (Brazil)		75.30	1372	68-92	C1721 <sup>+</sup>		21
Belina II (Brazil)		75.30	1372	69-82	C1723	P1723	22
Belina II (Brazil)		77.00	1555	1979	C1722 <sup>+</sup>		27
Capri		84.00	1998	69-74	C1907	P1907	48
Capri 2300	HF23	90.00	2293	67-79	C1316	P1316	60
Capri 2600		90.00	2550	1970	C1316	P1316	59
Capri II 1300		79.00	1300	1970	C1894		33
Capri L, GL, GT, Ghia, LS, S	N8D	90.80	1993	74-86	C1746	P1746	64
Consul 2000L	N8D	90.80	1993	70-82	C1746	P1746	64
Corcel GT (Brazil)		73.00	1289	68-72	C1313	P1313	10
Corcel II (Brazil)		75.30	1372	68-92	C1721 <sup>+</sup>		21
Corcel II (Brazil)		75.30	1372	69-82	C1723	P1723	22
Corcel II (Brazil)		77.00	1555	1979	C1722 <sup>+</sup>		27
Corcel II (Brazil)		77.00	1555	79-85	C1299	P1299	30
Cortina GL(X), Ghia, L, S, XL	N8D	90.80	1993	70-82	C1746	P1746	64
Coupe		82.50	2308	88-89	C1906		43
Courier 1.8 TDdi (Diesel)	LD18LTCI	82.50	1753	1999	S5258 <sup>+</sup>		45
Delrey (Brazil)		77.00	1600	1986	C1826 <sup>+</sup>		29
Escort	BL11CFI, GUF	68.68	1118	89-94	C1934		3
Escort		70.30	1000		C1867		6
Escort	JLA	73.94	1297	86-90	C1935	P1935	13
Escort	JLB	73.94	1297	86-90	C1935	P1935	13
Escort	ZH16/Zetec E	76.00	1597	1992	C5087		23
Escort	CVH	77.25	1396	85-86	C1817	P1817	32
Escort		79.00	1300	1971	C1894		33
Escort	RDB	80.60	1796	92-98	S5205 <sup>+</sup>		38
Escort	RKA Zetec	80.60	1796	92-98	S5205 <sup>+</sup>		38
Escort	RQB	80.60	1796	92-98	S5205 <sup>+</sup>		38
Escort (Brazil)		77.00	1600	1986	C1826 <sup>+</sup>		29
Escort (Brazil) (Alcohol)		71.50	1341	1983	C1729 <sup>+</sup>		7
Escort 1.8i Ghia 16V	ZH18N/M/P/Zetec E	80.60	1796	1992	S5187 <sup>+</sup>		37
Escort 1100 GL, Ghia, L, S	CVH	74.00	1117	80-82	C1835	P1835	15
Escort 1300 (Gasoline)		71.50	1300		C1829	P1829	8
Escort 1300 Popular L, Combi Van	JLA	74.00	1297	86-88	C1835	P1835	19
Escort E, GL, Ghia, L, LE	GSF	74.00	1117	80-87	C1835	P1835	18
Escort Orion 1300 L	JLA	74.00	1297	1986	C1835	P1835	16
Escort Popular	GSF	74.00	1117	80-87	C1835	P1835	18
Escort RS2000	TL20H	90.80	1993	74-80	C1746	P1746	64
Escort V GLX, LX, Mk IV L (Diesel)	RTA	82.50	1753	88-96	C1874 <sup>+</sup>		42
Escort V GLX, LX, Mk IV L (Diesel)	RTB	82.50	1753	88-96	C1874 <sup>+</sup>		42
Escort V GLX, LX, Mk IV L (Diesel)	RTF	82.50	1753	88-96	C1874 <sup>+</sup>		42
Escort, Escort Van (Diesel)	D18TC	82.50	1753	1996	S5138 <sup>+</sup>		44
Fairlane (Australia)	ED, NC	92.25	3984	92-94	S5233 <sup>+</sup>	P5233 <sup>+</sup>	67
Fairlane (Australia)	ZL	93.47	4100	86-87	C1720	P1720	70
Fairlane (Australia) (Hi-Comp.)	NC	92.25	3984	92-98	S5233 <sup>+</sup>	P5233 <sup>+</sup>	67
Falcon (Australia)	EA	91.86	3900	88-92	C1792	P1792	65
Falcon (Australia)	AU	92.25	4000	98-02	S5196 <sup>+</sup>		66
Falcon (Australia)	EB, ED	92.25	3984	92-94	S5233 <sup>+</sup>	P5233 <sup>+</sup>	67
Falcon (Australia)	EF, EL	92.25	3984	94-98	S5233 <sup>+</sup>	P5233 <sup>+</sup>	67
Falcon (Australia)	XF	93.47		86-87	C1793		69
Falcon (Australia)	XF	93.47	4100	86-87	C1720	P1720	70
Falcon (Australia) (Hi-Comp.)	EB, EF, EL	92.25	3984	92-98	S5233 <sup>+</sup>	P5233 <sup>+</sup>	67
Fiesta	G6A/GUE, GUD	68.68	1118	89-95	C1934		3

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# FORD (NON U.S. APPLICATIONS)

Application	Engine	Cyl			Set Number		Line
	Model	Bore	CC	Years	Chrome	Plain	No
Fiesta	TLB	68.68	999	89-95	C1934		4
Fiesta	Rocam	68.68	1000		S5206+		5
Fiesta	TKA	73.94	1297	76-89	C1935	P1935	13
Fiesta	TKB	73.94	1297	76-89	C1935	P1935	13
Fiesta	TKW	73.94	1297	76-89	C1935	P1935	13
Fiesta	TLA	73.94	1297	76-89	C1935	P1935	13
Fiesta	GSF	73.94	1297	76-89	C1935	P1935	13
Fiesta	ZH16/Zetec E	76.00	1597	94-95	C5087		23
Fiesta	CVH	77.25	1396	85-86	C1817	P1817	32
Fiesta	RDA	80.60	1796	92-98	S5205+		38
Fiesta	RDB	80.60	1796	92-98	S5205+		38
Fiesta	RKA Zetec	80.60	1796	92-98	S5205+		38
Fiesta	RQB	80.60	1796	92-98	S5205+		38
Fiesta (16v)	ZH16/Zetec S	79.00	1597	2000	S5262+		34
Fiesta 1.25 Trend	ZH12 Zetec S	71.90	1242		S5242+		9
Fiesta 1.8 TDDi (Diesel)	LD18LTCI	82.50	1753	2000	S5258+		45
Fiesta 1.8i RS1800 16V	ZH18N/M/P/Zetec E	80.60	1796	92-95	S5187+		37
Fiesta 16V Ghia	ZH14/Zetec S	76.00	1388	1996	S5186+		24
Fiesta GL, Ghia, L, S		74.00	957	1976	C1835	P1835	14
Fiesta GL, Ghia, L, S	GSF	74.00	1117	1976	C1835	P1835	18
Fiesta Mk V L, Mk V LX, Popular Plus (Diesel)	RTA	82.50	1753	89-95	C1874+		42
Fiesta Mk V L, Mk V LX, Popular Plus (Diesel)	RTC	82.50	1753	89-95	C1874+		42
Fiesta Popular	GSF	74.00	1117	1976	C1835	P1835	18
Fiesta Popular		74.00	957	1976	C1835	P1835	20
Fiesta TDCi (16v) (Diesel)	DV4TED	73.70	1399	2002	S5247+		11
Fiesta TDCi (Diesel)	DV4TD	73.70	1399	2002	S5247+		11
Focus	ZH14/Zetec S	76.00	1388	1998	S5186+		24
Focus	RDA	80.60	1796	92-98	S5205+		38
Focus	RDB	80.60	1796	92-98	S5205+		38
Focus	RKA Zetec	80.60	1796	92-98	S5205+		38
Focus	RQB	80.60	1796	92-98	S5205+		38
Focus (16v)	ZH16/Zetec S	79.00	1597	1998	S5262+		34
Focus 1.8 TDCi (Diesel)	YD18TCI DURATORQ	82.50	1753	2001	S5258+		45
Focus 1.8 TDDi (Diesel)	LD18TCI Lynx	82.50	1753	1998	S5258+		45
Focus 1.8 TDDi (Diesel)	LD18LTCI	82.50	1753	1999	S5258+		45
Focus 1.8i, 16V	Zetec E	80.60	1796	1998	C5088		36
Ford Contour, Mondeo	G, L	82.42		95-99	C3929+		41
Fusion (16v)	ZH16/Zetec S	79.00	1597	2006	S5262+		34
Granada		84.00	1998	64-70	C1907	P1907	48
Granada	HF23	90.00	2293	67-79	C1316	P1316	60
Granada 1.8GL		86.20	1796	1985	C1834	P1834	54
Granada D, GL, L (Diesel)	XD88	88.00	1948	1977	C1441		57
Granada D, GL, L (Diesel)	XD90	90.00	2112	1977	C1462 <sup>A</sup>		58
Granada GL, LS, GHIA		93.00	2792	1976	C1309	P1309	68
Granada Ghia	ZH20/Zetec	84.80	1988	1993	S5080+		50
Granada Ghia	TL20H	90.80	1993	75-82	C1746	P1746	64
Granada Ghia 1.6 Si, 16V	ZH16/Zetec E	76.00	1597	92-95	C5087		23
Ikon	ZL13	73.94	1299	00-On	S5213+		12
Ikon	ZL16	82.07	1600	00-On	S5183+		40
Ka	Rocam	68.68	1000		S5206+		5
Ka	J4D	73.94	1297	96-02	C1935	P1935	13
Ka	K	73.94	1297	96-02	C1935	P1935	13
Ka	M	73.94	1297	96-02	C1935	P1935	13
Ka	N	73.94	1297	96-02	C1935	P1935	13

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# FORD (NON U.S. APPLICATIONS)

Application	Engine	Cyl			Set Number		Line	
	Model	Bore	CC	Years	Chrome	Plain	No	
Ka		P	73.94	1297	96-02	C1935	P1935	13
Ka		S	73.94	1297	96-02	C1935	P1935	13
Kombi		TL20H	90.80	1993	75-82	C1746	P1746	64
LTD (Australia)		FE	93.47	4100	86-87	C1720	P1720	70
Laser (Australia)		E3	77.00	1296	1981	C1514+		25
Laser (Australia)		E5	77.00	1490	83-85	C1514+		26
Laser (Australia)		E5	77.00	1490	1981	C1541	P1541	31
Mondeo		RDA	80.60	1796	92-98	S5205+		38
Mondeo		RDB	80.60	1796	92-98	S5205+		38
Mondeo		RKA Zetec	80.60	1796	92-98	S5205+		38
Mondeo		RQB	80.60	1796	92-98	S5205+		38
Mondeo		ZH20/Zetec E	84.80	1988	1993	C5089+		49
Mondeo		ZH20/Zetec	84.80	1988	1993	S5080+		50
Mondeo			84.86	1998		C5012+		52
Mondeo (Diesel)		D18TI	82.50	1753	1993	S5138+		44
Mondeo 1.8GLXi 16V, 1.8LXi 16V		Zetec E	80.60	1796	1993	C5088		36
Mondeo 16V			84.86	1998	95-00	C5011+		51
Orion		JLB	73.94	1297	85-90	C1935	P1935	13
Orion		ZH16/Zetec E	76.00	1597	92-93	C5087		23
Orion		RDA	80.60	1796	92-98	S5205+		38
Orion		RDB	80.60	1796	92-98	S5205+		38
Orion		RKA Zetec	80.60	1796	92-98	S5205+		38
Orion		RQB	80.60	1796	92-98	S5205+		38
Orion 1.8 LXi 16V		ZH18N/M/P/Zetec E	80.60	1796	92-93	S5187+		37
Orion Mk L, Mk V GLX, Ghia, LX (Diesel)		RTA	82.50	1753	88-93	C1874+		42
Orion Mk L, Mk V GLX, Ghia, LX (Diesel)		RTE	82.50	1753	88-93	C1874+		42
Orion Mk L, Mk V GLX, Ghia, LX (Diesel)		RTF	82.50	1753	88-93	C1874+		42
Popular Plus		GSF	74.00	1117	80-87	C1835	P1835	18
Popular Plus		GSF	74.00	1117	1976	C1835	P1835	18
Popular Plus			74.00	957	1976	C1835	P1835	20
Puma (16v)		ZH16/Zetec S	79.00	1597	2000	S5262+		34
Puma Coupe 3DR		ZH14/Zetec S	76.00	1388	1998	S5186+		24
Scala (Brazil)			77.00	1600	1986	C1826+		29
Scorpio		2.0L	86.00	1998	1988	C1896		53
Scorpio 2.4i		ARC	84.00	2394	85-94	C1886		46
Scorpio 2.4i		ARD	84.00	2394	85-94	C1886		46
Sierra			86.00	1998	1988	C1896		53
Sierra 1600 E, Ghia GLE, LE, Laser		LSD	81.30	1593	82-93	C1832		39
Sierra 1600 E, Ghia GLE, LE, Laser		LSE	81.30	1593	82-93	C1832		39
Sierra 1600 Ghia, GL, L			87.65	1594	1982	C1833	P1833	56
Sierra 2.4i		ARC	84.00	2394	1987	C1886		46
Sierra 2.4i		ARD	84.00	2394	1987	C1886		46
Sierra C, CL, GL, Ghia, L, LX, S		N8D	90.80	1993	82-89	C1746	P1746	64
Sierra GL, GLX, Ghia		CVH	77.00	1769	88-93	C1769+		28
Sierra Ghia, GL, L			86.20	1796	1985	C1834	P1834	54
Sierra L, LX		CVH	80.00	1769	88-93	C1876	P1876	35
Sierra Sapphire 1.8TD (Diesel)		D18T	82.50	1753	90-93	S5138+		44
Sierra Sapphire, LX		CVH	80.00	1769	88-93	C1876	P1876	35
Sierra, EFi Ghia, GLS, S		TL20	90.80	1993	85-89	C1746	P1746	64
Sierra, GL, GLX		CVH	80.00	1769	88-93	C1876	P1876	35
Sportka		ZL16	82.07	1600	03-On	S5183+		40
Streetka		ZL16	82.07	1600	03-On	S5183+		40
Taunus 12M			63.50	1172	52-62		P1019	1
Taunus 12M (4-Ring Replc.)			63.50	1172			P1024	2

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# FORD (NON U.S. APPLICATIONS)

Application	Engine	Cyl			Set Number		Line
	Model	Bore	CC	Years	Chrome	Plain	No
Taurus 1300		79.00	1300	1970	<b>C1894</b>		33
Taurus 15M	P-4	90.00	1498	67-74	<b>C1392</b>	<b>P1392</b>	62
Taurus 17M		84.00	1698	57-64	<b>C1114</b>	<b>P1114</b>	47
Taurus 17M	P-5	90.00	1699	63-67	<b>C1373</b>	<b>P1373</b>	61
Taurus 2000		90.80	1998	1971	<b>C1296</b>	<b>P1296</b>	63
Taurus GLS	N8D	90.80	1993	75-82	<b>C1746</b>	<b>P1746</b>	64
Taurus OHC		87.65	1593	1971	<b>C1509</b>	<b>P1509</b>	55
Transit 100,120,130,160,190	4RC	90.80	1993	78-94	<b>C1746</b>	<b>P1746</b>	64
Van		74.00	957	1976	<b>C1835</b>	<b>P1835</b>	17
Van	GSF	74.00	1117	1976	<b>C1835</b>	<b>P1835</b>	18

Line No	Application		CC	Set No	Cyl	Bore Diameter		Ring Size	
						Inch	MM	Comp	Oil
1	Taurus 12M	(1.2L)	1172	<b>P1019</b>	4	2.500	63.50	4 - .075" 4 - .0937"	4 - .156"
2	Taurus 12M (4-Ring Replc.)	(1.2L)	1172	<b>P1024</b>	4	2.500	63.50	4 - .075" 4 - .0937"	4 - .156"
3	Fiesta Escort	(1.1L)	1118	<b>C1934</b>	4	2.704	68.68	4 - 1.50 4 - 1.75	4 - 3.00
4	Fiesta	(1.0L)	999	<b>C1934</b>	4	2.704	68.68	4 - 1.50 4 - 1.75	4 - 3.00
5	Fiesta Ka	(1.0L)	1000	<b>S5206</b> *	4	2.704	68.68	4 - 1.20 4 - 1.50	4 - 2.00
6	Escort	(1.0L)	1000	<b>C1867</b>	4	2.768	70.30	4 - 1.75 4 - 2.00	4 - 4.00
7	Escort (Brazil) (Alcohol)	(1.3L)	1341	<b>C1729</b> *	4	2.815	71.50	4 - 1.75 4 - 2.00	4 - 4.00
8	Escort 1300 (Gasoline)	(1.3L)	1300	<b>P1829</b> <b>C1829</b>	4	2.815	71.50	4 - 1.75 4 - 2.00	4 - 4.00
9	Fiesta 1.25 Trend	(1.25L)	1242	<b>S5242</b> *	4	2.831	71.90	4 - 1.20 4 - 1.50	4 - 2.50
10	Corcel GT (Brazil)	(1.3L)	1289	<b>P1313</b> <b>C1313</b>	4	2.874	73.00	4 - 1.75 4 - 2.00	4 - 4.00
11	Fiesta TDCi (Diesel) Fiesta TDCi (16v) (Diesel)	(1.4L)	1399	<b>S5247</b> *	4	2.901	73.70	4 - 2.50 <sup>FK</sup> 4 - 1.95	4 - 2.50
12	Ikon	(1.3L)	1299	<b>S5213</b> *	4	2.911	73.94	4 - 1.20 4 - 1.50	4 - 2.00
13	Ka Fiesta Escort Orion Fiesta Escort	(1.3L)	1297	<b>P1935</b> <b>C1935</b>	4	2.911	73.94	4 - 1.50 4 - 1.75	4 - 3.00
14	Fiesta GL, Ghia, L, S	(1.0L)	957	<b>P1835</b> <b>C1835</b>	4	2.913	74.00	4 - 1.60 4 - 2.00	4 - 4.00
15	Escort 1100 GL, Ghia, L, S	(1.1L)	1117	<b>P1835</b> <b>C1835</b>	4	2.913	74.00	4 - 1.60 4 - 2.00	4 - 4.00
16	Escort Orion 1300 L	(1.3L)	1297	<b>P1835</b> <b>C1835</b>	4	2.913	74.00	4 - 1.60 4 - 2.00	4 - 4.00
17	Van	(1.0L)	957	<b>P1835</b> <b>C1835</b>	4	2.913	74.00	4 - 1.60 4 - 2.00	4 - 4.00
18	Escort E, GL, Ghia, L, LE Popular Plus Van Popular Plus	(1.1L)	1117	<b>P1835</b> <b>C1835</b>	4	2.913	74.00	4 - 1.60 4 - 2.00	4 - 4.00

**Continued On Next Page**

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# FORD (NON U.S. APPLICATIONS)

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
	< Continued > Escort Popular Fiesta GL, Ghia, L, S Fiesta Popular							
19	Escort 1300 Popular L, Combi Van (1.3L)	1297	<b>P1835</b> <b>C1835</b>	4	2.913	74.00	4 - 1.60 4 - 2.00	4 - 4.00
20	Popular Plus (1.0L) Fiesta Popular	957	<b>P1835</b> <b>C1835</b>	4	2.913	74.00	4 - 1.60 4 - 2.00	4 - 4.00
21	Corcel II (Brazil) (1.4L) Belina II (Brazil)	1372	<b>C1721</b> *	4	2.965	75.30	4 - 1.75 4 - 2.00	4 - 4.00
22	Corcel II (Brazil) (1.4L) Belina II (Brazil)	1372	<b>P1723</b> <b>C1723</b>	4	2.965	75.30	4 - 1.75 4 - 2.00	4 - 4.00
23	Escort (1.6L) Granada Ghia 1.6 Si, 16V Fiesta Orion	1597	<b>C5087</b>	4	2.992	76.00	4 - 1.50 4 - 1.60	4 - 2.50
24	Fiesta 16V Ghia (1.4L) Focus Puma Coupe 3DR	1388	<b>S5186</b> *	4	2.992	76.00	4 - 1.20 4 - 1.50	4 - 2.50
25	Laser (Australia) (1.3L)	1296	<b>C1514</b> *	4	3.031	77.00	4 - 1.20 4 - 1.50	4 - 4.00
26	Laser (Australia) (1.5L)	1490	<b>C1514</b> *	4	3.031	77.00	4 - 1.20 4 - 1.50	4 - 4.00
27	Belina II (Brazil) (1.6L) Corcel II (Brazil)	1555	<b>C1722</b> *	4	3.031	77.00	4 - 1.75 4 - 2.00	4 - 4.00
28	Sierra GL, GLX, Ghia (1.8L)	1769	<b>C1769</b> *	4	3.031	77.00	4 - 1.20 4 - 1.20	4 - 2.80
29	Scala (Brazil) (1.6L) Escort (Brazil) Delrey (Brazil)	1600	<b>C1826</b> *	4	3.031	77.00	4 - 1.50 4 - 1.50	4 - 3.00
30	Corcel II (Brazil) (1.6L)	1555	<b>P1299</b> <b>C1299</b>	4	3.031	77.00	4 - 1.75 4 - 2.00	4 - 4.00
31	Laser (Australia) (1.5L)	1490	<b>P1541</b> <b>C1541</b>	4	3.031	77.00	4 - 1.50 4 - 2.00	4 - 4.00
32	Escort (1.4L) Fiesta	1396	<b>P1817</b> <b>C1817</b>	4	3.041	77.25	4 - 1.60 4 - 2.00	4 - 4.00
33	Capri II 1300 (1.3L) Escort Taurus 1300	1300	<b>C1894</b>	4	3.110	79.00	4 - 2.00 4 - 2.50	4 - 4.00
34	Focus (16v) (1.6L) Fiesta (16v) Puma (16v) Fusion (16v)	1597	<b>S5262</b> *	4	3.110	79.00	4 - 1.20 4 - 1.50	4 - 2.00
35	Sierra L, LX (1.8L) Sierra, GL, GLX Sierra Sapphire, LX	1769	<b>P1876</b> <b>C1876</b>	4	3.150	80.00	4 - 1.50 4 - 1.50	4 - 3.00
36	Focus 1.8i, 16V (1.8L) Mondeo 1.8GLXi 16V, 1.8LXi 16V	1796	<b>C5088</b>	4	3.173	80.60	4 - 1.50 4 - 1.60	4 - 2.50
37	Escort 1.8i Ghia 16V (1.8L) Fiesta 1.8i RS1800 16V Orion 1.8 LXi 16V	1796	<b>S5187</b> *	4	3.173	80.60	4 - 1.20 4 - 1.60	4 - 2.50
38	Fiesta (1.8L) Focus Mondeo	1796	<b>S5205</b> *	4	3.173	80.60	4 - 1.50 4 - 1.60	4 - 3.00

**Continued On Next Page**

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# FORD (NON U.S. APPLICATIONS)

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
	< Continued > Orion Escort Fiesta Focus Mondeo Orion							
39	Sierra 1600 E, Ghia GLE, LE, Laser (1.6L)	1593	<b>C1832</b>	4	3.201	81.30	4 - 1.60 4 - 2.00	4 - 4.00
40	Sportka (1.6L) Ikon Streetka	1600	<b>S5183</b> *	4	3.231	82.07	4 - 1.20 4 - 1.50	4 - 2.00
41	Ford Contour, Mondeo (2.5L)		<b>C3929</b> *	6	3.245	82.42	6 - 1.20 6 - 1.50	6 - 3.00
42	Orion Mk L, Mk V GLX, Ghia, LX (Diesel) (1.8L) Escort V GLX, LX, Mk IV L (Diesel) Fiesta Mk V L, Mk V LX, Popular Plus (Diesel) Orion Mk L, Mk V GLX, Ghia, LX (Diesel) Escort V GLX, LX, Mk IV L (Diesel) Fiesta Mk V L, Mk V LX, Popular Plus (Diesel)	1753	<b>C1874</b> *	4	3.248	82.50	4 - 2.00 4 - 2.00	4 - 3.00
43	Coupe (2.3L)	2308	<b>C1906</b>	5	3.248	82.50	5 - 1.50 5 - 1.75	5 - 3.00
44	Sierra Sapphire 1.8TD (Diesel) (1.8L) Escort, Escort Van (Diesel) Mondeo (Diesel)	1753	<b>S5138</b> *	4	3.248	82.50	4 - 2.50 <sup>FK</sup> 4 - 2.00	4 - 3.00
45	Focus 1.8 TDDi (Diesel) (1.8L) Focus 1.8 TDCi (Diesel) Focus 1.8 TDDi (Diesel) Courier 1.8 TDDi (Diesel) Fiesta 1.8 TDDi (Diesel)	1753	<b>S5258</b> *	4	3.248	82.50	4 - 2.50 <sup>HK</sup> 4 - 2.00	4 - 3.00
46	Scorpio 2.4i (2.4L) Sierra 2.4i Scorpio 2.4i Sierra 2.4i	2394	<b>C1886</b>	6	3.307	84.00	6 - 1.60 6 - 1.75	6 - 3.50
47	Taurus 17M (1.7L)	1698	<b>P1114</b> <b>C1114</b>	4	3.307	84.00	4 - 2.00 4 - 3.00	4 - 5.00
48	Capri (2.0L) Granada	1998	<b>P1907</b> <b>C1907</b>	6	3.307	84.00	6 - 2.00 6 - 3.00	6 - 5.00
49	Mondeo (2.0L)	1988	<b>C5089</b> *	4	3.339	84.80	4 - 1.50 4 - 1.75	4 - 3.00
50	Mondeo (2.0L) Granada Ghia	1988	<b>S5080</b> *	4	3.339	84.80	4 - 1.20 4 - 1.50	4 - 3.00
51	Mondeo 16V (2.0L)	1998	<b>C5011</b> *	4	3.341	84.86	4 - 1.20 4 - 1.75	4 - 3.00
52	Mondeo (2.0L)	1998	<b>C5012</b> *	4	3.341	84.86	4 - 1.20 4 - 1.50	4 - 2.50
53	Scorpio (2.0L) Sierra	1998	<b>C1896</b>	4	3.386	86.00	4 - 1.60 4 - 1.75	4 - 3.00
54	Granada 1.8GL (1.8L) Sierra Ghia, GL, L	1796	<b>P1834</b> <b>C1834</b>	4	3.394	86.20	4 - 1.60 4 - 2.00	4 - 4.00
55	Taurus OHC (1.6L)	1593	<b>P1509</b> <b>C1509</b>	4	3.451	87.65	4 - 2.00 4 - 2.50	4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

## FORD (NON U.S. APPLICATIONS)

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
56	Sierra 1600 Ghia, GL, L	(1.6L)	1594	<b>P1833</b> <b>C1833</b>	4	3.451	87.65	4 - 1.60 4 - 2.00	4 - 4.00
57	Granada D, GL, L (Diesel)	(2.0L)	1948	<b>C1441</b>	4	3.465	88.00	4 - 2.00 4 - 2.00 4 - 2.00	4 - 4.50
58	Granada D, GL, L (Diesel)	(2.1L)	2112	<b>C1462<sup>A</sup></b>	4	3.543	90.00	4 - 2.00 4 - 2.00 4 - 2.00	4 - 4.50
59	Capri 2600	(2.6L)	2550	<b>P1316</b> <b>C1316</b>	6	3.543	90.00	6 - 2.00 6 - 3.00	6 - 4.00
60	Granada Capri 2300	(2.3L)	2293	<b>P1316</b> <b>C1316</b>	6	3.543	90.00	6 - 2.00 6 - 3.00	6 - 4.00
61	Taurus 17M	(1.7L)	1699	<b>P1373</b> <b>C1373</b>	4	3.543	90.00	4 - 2.00 4 - 3.00	4 - 5.00
62	Taurus 15M	(1.5L)	1498	<b>P1392</b> <b>C1392</b>	4	3.543	90.00	4 - 2.00 4 - 3.00	4 - 4.00
63	Taurus 2000	(2.0L)	1998	<b>P1296</b> <b>C1296</b>	4	3.575	90.80	4 - 2.00 4 - 2.50	4 - 4.00
64	Capri L, GL, GT, Ghia, LS, S 2000 Turnier Cortina GL(X), Ghia, L, S, XL Escort RS2000 Sierra, EFi Ghia, GLS, S Sierra C, CL, GL, Ghia, L, LX, S Transit 100,120,130,160,190 Consul 2000L Taurus GLS Kombi Granada Ghia	(2.0L)	1993	<b>P1746</b> <b>C1746</b>	4	3.575	90.80	4 - 1.60 4 - 2.00	4 - 4.00
65	Falcon (Australia)	(4.0L)	3900	<b>P1792</b> <b>C1792</b>	6	3.617	91.86	6 - 1.50 6 - 1.50	6 - 4.00
66	Falcon (Australia)	(4.0L)	4000	<b>S5196<sup>+</sup></b>	6	3.632	92.25	6 - 1.20 6 - 1.50	6 - 3.00
67	Fairlane (Australia) (Hi-Comp.) Falcon (Australia) (Hi-Comp.) Falcon (Australia) Fairlane (Australia)	(4.0L)	3984	<b>P5233<sup>+</sup></b> <b>S5233<sup>+</sup></b>	6	3.632	92.25	6 - 1.50 6 - 1.50	6 - 3.00
68	Granada GL, LS, GHIA	(2.8L)	2792	<b>P1309</b> <b>C1309</b>	6	3.661	93.00	6 - 2.00 6 - 2.50	6 - 4.00
69	Falcon (Australia)			<b>C1793</b>	6	3.680	93.47	6 - 1.50 6 - 1.50	6 - 4.75
70	LTD (Australia) Fairlane (Australia) Falcon (Australia)	(4.1L)	4100	<b>P1720</b> <b>C1720</b>	6	3.680	93.47	6 - 1.50 6 - 1.50	6 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone