

HYUNDAI

Application	Engine	Cyl	Set Number		Line No		
	Model	Bore	CC	Years		Chrome	Plain
Accent	G4EA	71.50	1300	1994	C1981	P1981	7
Accent	G4EK	75.50	1468	96-97	S5185 ⁺		11
Accent	G4AE	75.50	1468	95-99	C1936	P1936	13
Accent	G4EB	75.50	1468	00-03	C1936	P1936	13
Accent	G4DE, G4ED, G4GR, G4KC	76.50	1599	01-10	S5125 ⁺		14
Alpha ES	G4EA	71.50	1300	1994	C1981	P1981	7
Atos	G4HA, Epsilon	63.00	798		S5311 ^N		1
Atos	G4HC	66.00	998		C5044 ⁺		2
Atos	G4HC	67.00	1100	05-08	S5291 ^{+N}		5
Atos (2.5mm oil groove)	G4HC	67.00	1100	05-08	S5278 ^{+N}		4
Atos (2mm oil groove)	G4HC	67.00	1100	05-08	S5276 ^{+N}		3
Avente	G4EK	75.50	1468	96-97	S5185 ⁺		11
Beta, GLI	G4DR	82.00	1836	1994	C5043		20
ERA (Diesel)		75.00	1500	2006	S5246 ⁺		10
Elantra	G4JP	82.00	1997	99-08	C5020 ⁺		18
Elantra	G4CN, M	82.00	1800	96-99	C5020 ⁺		19
Elantra 16V DOHC	G4CR	82.30	1595	92-95	C1724 ⁺		21
Elantra, 16V, DOHC	G4JN	81.50	1836	93-98	C1967 ⁺		17
Elantra, GLI	G4DR	82.00	1836	1994	C5043		20
Elantra, GLS, DOHC, 16 valve	J2	77.40	1599	1994	S5042 ⁺		16
Excel	4G15	75.50	1468	86-95	C1602	P1602	12
Excel (Unleaded)	X11	71.00	1300		C5128		6
Galloper, 1.5 ton(new) (Diesel)	D4BF	91.10	2476	88-94	C1530 ⁺		25
Grace	D4BA	91.10	2500	1996	C5002 ⁺		26
Grace (ZETA)	2.8	94.00	2800	1997	C5046		28
Grace, 1.5 ton(new) (Diesel)	D4BF	91.10	2476	88-94	C1530 ⁺		25
H100	D4BA	91.10	2500	1996	C5002 ⁺		26
Multi	G4EA	71.50	1300	1994	C1981	P1981	7
Pony	4G33	73.00	1439	79-85	C1521	P1521	8
Pony	4G36	73.00	1238	75-78	C1521	P1521	9
Pony	4G15	75.50	1468	1985	C1602	P1602	12
Pony	4G32	76.90	1597	1984	C1298	P1298	15
Porter	D4BA	91.10	2500	1996	C5002 ⁺		26
Porter, 1.5 ton(new) (Diesel)	D4BF	91.10	2476	1994	C1530 ⁺		25
RS	G4EA	71.50	1300	1994	C1981	P1981	7
Scoupe	4G15	75.50	1468	90-92	C1602	P1602	12
Scoupe	G4AE	75.50	1468	93-95	C1936	P1936	13
Sonata	EF, EF2	85.00			C1951 ⁺		23
Sonata		84.00	2493	99-02	C5021 ⁺		22
Sonata	4G64	86.50	2351	89-91	C1652	P1652	24
Sonata	G6	91.10	2972	90-95	C1664	P1664	27
Sonata, 16V, DOHC	G4JN	81.50	1836	93-98	C1967 ⁺		17
Starex (ZETA)	2.8	94.00	2800	1997	C5046		28
Starex 1, 1.5 ton(new) (Diesel)	D4BF	91.10	2476	88-94	C1530 ⁺		25
Stellar	4G33	73.00	1439	1984	C1521	P1521	8
Stellar	4G32	76.90	1597	1984	C1298	P1298	15
Tiburon	F	82.00	1997	97-00	C5020 ⁺		18
Tiburon	G4CN, M	82.00	1800	96-99	C5020 ⁺		19

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
1	Atos	(.8L)	798	S5311 ^N	4	2.480	63.00	4 - 1.20 4 - 1.50	4 - 2.80
2	Atos	(1.0L)	998	C5044 ⁺	4	2.598	66.00	4 - 1.20 4 - 1.20	4 - 2.50

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

HYUNDAI

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
3	Atos (2mm oil groove)	(1.1L)	1100	S5276 ^{+N}	4	2.638	67.00	4 - 1.20 4 - 1.20	4 - 2.00
4	Atos (2.5mm oil groove)	(1.1L)	1100	S5278 ^{+N}	4	2.638	67.00	4 - 1.20 4 - 1.20	4 - 2.50
5	Atos	(1.1L)	1100	S5291 ^{+N}	4	2.638	67.00	4 - 1.20 4 - 1.20	4 - 2.80
6	Excel (Unleaded)	(1.3L)	1300	C5128	4	2.795	71.00	4 - 1.50 4 - 1.50	4 - 4.00
7	Accent Alpha ES Multi RS	(1.3L)	1300	P1981 C1981	4	2.815	71.50	4 - 1.50 4 - 1.50	4 - 3.00
8	Pony Stellar	(1.4L)	1439	P1521 C1521	4	2.874	73.00	4 - 1.50 4 - 1.50	4 - 4.00
9	Pony	(1.2L)	1238	P1521 C1521	4	2.874	73.00	4 - 1.50 4 - 1.50	4 - 4.00
10	ERA (Diesel)	(1.5L)	1500	S5246 ⁺	4	2.953	75.00	4 - 1.75 4 - 1.75	4 - 3.00
11	Avente Accent	(1.5L)	1468	S5185 ⁺	4	2.972	75.50	4 - 1.20 4 - 1.50	4 - 3.00
12	Excel Pony Scoupe	(1.5L)	1468	P1602 C1602	4	2.972	75.50	4 - 1.50 4 - 1.50	4 - 4.00
13	Accent Scoupe Accent	(1.5L)	1468	P1936 C1936	4	2.972	75.50	4 - 1.50 4 - 1.50	4 - 3.00
14	Accent	(1.6L)	1599	S5125 ⁺	4	3.012	76.50	4 - 1.20 4 - 1.20	4 - 2.50
15	Pony Stellar	(1.6L)	1597	P1298 C1298	4	3.028	76.90	4 - 2.00 4 - 2.00	4 - 4.00
16	Elantra, GLS, DOHC, 16 valve	(1.6L)	1599	S5042 ⁺	4	3.047	77.40	4 - 1.20 4 - 1.20	4 - 2.50
17	Sonata, 16V, DOHC Elantra, 16V, DOHC	(1.8L)	1836	C1967 ⁺	4	3.209	81.50	4 - 1.20 4 - 1.50	4 - 3.00
18	Elantra Tiburon	(2.0L)	1997	C5020 ⁺	4	3.228	82.00	4 - 1.20 4 - 1.20	4 - 2.50
19	Elantra Tiburon	(1.8L)	1800	C5020 ⁺	4	3.228	82.00	4 - 1.20 4 - 1.20	4 - 2.50
20	Elantra, GLI Beta, GLI	(1.8L)	1836	C5043	4	3.228	82.00	4 - 2.00 4 - 2.00	4 - 3.00
21	Elantra 16V DOHC	(1.6L)	1595	C1724 ⁺	4	3.240	82.30	4 - 1.20 4 - 1.50	4 - 3.00
22	Sonata	(2.5L)	2493	C5021 ⁺	6	3.307	84.00	6 - 1.20 6 - 1.20	6 - 2.50
23	Sonata			C1951 ⁺	4	3.346	85.00	4 - 1.20 4 - 1.50	4 - 2.80
24	Sonata	(2.4L)	2351	P1652 C1652	4	3.406	86.50	4 - 1.50 4 - 1.50	4 - 4.00
25	Starex 1, 1.5 ton(new) (Diesel) Grace, 1.5 ton(new) (Diesel) Porter, 1.5 ton(new) (Diesel) Gallopier, 1.5 ton(new) (Diesel)	(2.5L)	2476	C1530 ⁺	4	3.587	91.10	4 - 2.50 ^{HK} 4 - 2.00 ^{HK}	4 - 4.00
26	Grace Porter	(2.5L)	2500	C5002 ⁺	4	3.587	91.10	4 - 2.00 4 - 2.00	4 - 3.00

Continued On Next Page

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

HYUNDAI

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
	< Continued > H100							
27	Sonata (3.0L)	2972	P1664 C1664	6	3.587	91.10	6 - 1.50 6 - 1.50	6 - 4.00
28	Starex (ZETA) Grace (ZETA) (2.8L)	2800	C5046	4	3.701	94.00	4 - 2.00 4 - 1.50	4 - 3.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone