

ISUZU

Application	Engine	Cyl			Set Number		Line
	Model	Bore	CC	Years	Chrome	Plain	No
(Diesel)	TC4EE1	79.00	1700		C5003⁺		3
117 Coupe	G200	87.00	2000	1982	C1523	P1523	19
Amigo	4ZD1	89.30	2254	87-93	C1663	P1663	28
Amigo	4ZE1	92.60	2559	86-97	C1679	P1679	29
Amigo	6VE1	93.40	3500	98-00	C5018⁺		36
Axiom	6VE1	93.40	3500	02-04	C5018⁺		36
Bellet	G161Z	82.00	1584	82-92	C1700	P1700	7
Bighorn (Use w/ Chrome liner) (Diesel)	C223/4FD1	88.00	2238			P5123	24
Bus	G201	86.00	1951	1968	C1625	P1625	14
Bus	DA120	100.00	6126	66-69	C1900		38
Bus 20P, BA20, BF30	DA640	102.00	6373	66-69	C1852	P1852	43
Bus BA, BB, BX New DA120 for industrial mach.	DA120	100.00	6126	66-69	C1900		38
Elf	G161	82.00	1584	68-80	C1379	P1379	5
Elf (Diesel)	C221	83.00	2207	68-71	C1534	P1534	8
Elf (Diesel)	4JA1	93.00	2499	1984		P1964^A	33
Elf (Diesel)	4JB1	93.00	2771	1984		P1964^A	34
Elf (Diesel)	4HG1	115.00	4751		S7003^{+A}		47
Elf, Do Not Use W/Chrome Liners (Diesel)	C240	86.00	2369	69-75	C1605	P1605	13
Elf, Do Not Use Chrome Set W/Chrome Liners (Diesel)	4BB1	102.00	3595	77-79	C1751	P1751	41
Elf, Do Not Use Chrome Set W/Chrome Liners (Diesel)	4BC1	102.00	3268	79-81	C1751	P1751	42
Elf, Do Not Use Chrome Set W/Chrome Liners (Diesel)	4BE1	105.00	3636	1987		P1716	45
Elf, Do not use with Chrome Liners (Check top groove for ring type) (Diesel)	4HF1	112.00	4334		S7046^{+A}		46
Elf, For Chrome Cyls. Only (Diesel)	4BA1	98.00	2775	1974	C1819		37
Elf, Late Chrome Liners (Diesel)	C190	86.00	1951			P1689	15
Elf, Late Chrome Liners (Diesel)	C240	86.00	2369			P1689	16
Elf, Late For Cast Iron Cyls. Only (Diesel)	C240	86.00	2369		C1675		12
Elf, Late For Chrome Cyls. Only (Diesel)	C190	86.00	1951			P1706	17
Elf, Late For Chrome Cyls. Only (Diesel)	C240	86.00	2369			P1706	18
Faster Truck	G161Z	82.00	1584	82-92	C1700	P1700	7
Florian	G161	82.00	1584	68-73	C1379	P1379	5
Florian	G161Z	82.00	1817	76-79	C1700	P1700	6
Florian	G180Z	84.00	1817	71-80	C1331	P1331	9
Forward, Do Not Use Chrome Set W/Chrome Liners (Diesel)	6BB1	102.00	5393	72-92		P1701	39
Forward, Do Not Use Chrome Set W/Chrome Liners (Diesel)	6BD1	102.00	5785	72-92		P1701	40
Forward, Do Not Use Chrome Set W/Chrome Liners (Diesel)	6BF1	105.00	6130	79-92		P1702	44
Gemini	G161Z	82.00	1584	82-92	C1700	P1700	7
Gemini (Diesel)	4EC1	76.00	1487	1985	C1908		1
Hombre, LN2		89.00	2197	96-99	C3859	P3859	26
I-Mark	4XE1	80.00	1588	89-93	C1768⁺		4
I-Mark	G180Z	84.00	1817	1981	C1331	P1331	9
I-Mark	G180Z	84.00	1817	82-84	C1601	P1601	11
I-Mark (Diesel)	4FB1	84.00	1817	81-84	C1495	P1495	10
I-Mark FWD	4XC1	77.00	1471	85-89	C1586	P1586	2
Impulse	4XE1W	80.00	1588	90-91	C1768⁺		4
Impulse	G200Z	87.00	1949	83-87	C1554	P1554	20
Impulse (Turbo)	4ZC1	88.00	1994	85-89	C1726⁺		22

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

ISUZU

Application	Engine	Cyl	Set Number		Line No		
	Model	Bore	CC	Years		Chrome	Plain
Journey, Do Not Use Chrome Set W/Chrome Liners (Diesel)	6BB1	102.00	5393	72-92	P1701	39	
Journey, Do Not Use Chrome Set W/Chrome Liners (Diesel)	6BD1	102.00	5785	72-92	P1701	40	
Journey, Do Not Use Chrome Set W/Chrome Liners (Diesel)	4BB1	102.00	3595	77-79	C1751	P1751	41
Journey, Do Not Use Chrome Set W/Chrome Liners (Diesel)	4BC1	102.00	3268	79-81	C1751	P1751	42
KB250D eng. (Diesel)	4JA1	93.00	2499			P1964 ^A	33
KBD 23/28 (Do not use with Chrome Liners) (Diesel)	4JA1	93.00	2500		C5035 ⁺		30
KBD 23/28, TFR54 (Diesel)	4JA1	93.00	2499		C5035 ⁺		31
NPR (Diesel)	4HG1	115.00	4751		S7003 ⁺ A		47
Pick-Up	4ZE1	92.60	2559	86-98	C1679	P1679	29
Pick-Up	G180Z	84.00	1817	1981	C1331	P1331	9
Pick-Up	G180Z	84.00	1817	1982	C1601	P1601	11
Pick-Up	G200Z	87.00	1949	83-87	C1554	P1554	20
Pick-Up	4ZD1	89.30	2254	86-94	C1663	P1663	28
Pick-Up (Diesel)	C223	88.00	2238	81-82	C1494	P1494	23
Pick-Up (Diesel)	C223	88.00	2238	83-87		P5123	24
Rodeo	6VD1	93.40	3156	92-96	C1930 ⁺		35
Rodeo (LG6)		89.00	3097	91-93	C3860	P3860	27
Rodeo, Rodeo Sport	6VE1	93.40	3500	98-04	C5018 ⁺		36
Rodio (Use w/ Chrome liner) (Diesel)	C223/4FD1	88.00	2238			P5123	24
Trooper	6VD1	93.40	3156	92-96	C1930 ⁺		35
Trooper	6VE1	93.40	3500	98-02	C5018 ⁺		36
Trooper II	G200Z	87.00	1949	83-87	C1554	P1554	20
Trooper II		89.00	2827	89-91	C1773	P1773	25
Trooper II	4ZD1	89.30	2254	86-93	C1663	P1663	28
Trooper II	4ZE1	92.60	2559	86-97	C1679	P1679	29
Trooper II Turbo (Diesel)	C223T	88.00	2238	86-87	C1680		21
Truck (Diesel)	4JB1	93.00	2771		C5035 ⁺		32
Truck SFR 320, 420,460,500,600	DA640	102.00	6373	66-69	C1852	P1852	43
Truck TDX 13/23/53/60	DA640	102.00	6373	66-69	C1852	P1852	43
Truck, Do not use with Chrome Liners (Check top groove for ring type) (Diesel)	4HF1	112.00	4334		S7046 ⁺ A		46
VehiCross	6VE1	93.40	3500	99-01	C5018 ⁺		36

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
1	Gemini (Diesel)	(1.5L)	1487	C1908	4	2.992	76.00	4 - 2.00 4 - 1.50	4 - 3.00
2	I-Mark FWD	(1.5L)	1471	P1586 C1586	4	3.031	77.00	4 - 1.50	4 - 2.80
3	(Diesel)	(1.7L)	1700	C5003 ⁺	4	3.110	79.00	4 - 2.00 4 - 1.50	4 - 3.00
4	I-Mark Impulse	(1.6L)	1588	C1768 ⁺	4	3.150	80.00	4 - 1.20 4 - 1.20	4 - 3.00
5	Elf Florian	(1.6L)	1584	P1379 C1379	4	3.228	82.00	4 - 2.00 4 - 2.00	4 - 4.00
6	Florian	(1.8L)	1817	P1700 C1700	4	3.228	82.00	4 - 1.50 4 - 1.50	4 - 4.00
7	Bellet Gemini Faster Truck	(1.6L)	1584	P1700 C1700	4	3.228	82.00	4 - 1.50 4 - 1.50	4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

ISUZU

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
8	Elf (Diesel)	(2.2L)	2207	4	3.268	83.00	4 - 2.00 4 - 2.00 4 - 2.00	4 - 5.00 4 - 5.00
9	Pick-Up Florian I-Mark	(1.8L)	1817	4	3.307	84.00	4 - 2.00 4 - 2.00	4 - 4.00
10	I-Mark (Diesel)	(1.8L)	1817	4	3.307	84.00	4 - 2.50 4 - 2.00	4 - 4.00
11	I-Mark Pick-Up	(1.8L)	1817	4	3.307	84.00	4 - 1.50 4 - 1.50	4 - 4.00
12	Elf, Late For Cast Iron Cyls. Only (Diesel)	(2.4L)	2369	4	3.386	86.00	4 - 2.50 4 - 2.00	4 - 5.00
13	Elf, Do Not Use W/Chrome Liners (Diesel)	(2.4L)	2369	4	3.386	86.00	4 - 2.00 4 - 2.00 4 - 2.00	4 - 5.00
14	Bus	(2.0L)	1951	4	3.386	86.00	4 - 2.50 4 - 2.50	4 - 5.00
15	Elf, Late Chrome Liners (Diesel)	(2.0L)	1951	4	3.386	86.00	4 - 2.00 4 - 2.00 4 - 2.00	4 - 5.00
16	Elf, Late Chrome Liners (Diesel)	(2.4L)	2369	4	3.386	86.00	4 - 2.00 4 - 2.00 4 - 2.00	4 - 5.00
17	Elf, Late For Chrome Cyls. Only (Diesel)	(2.0L)	1951	4	3.386	86.00	4 - 2.50 4 - 2.00	4 - 5.00
18	Elf, Late For Chrome Cyls. Only (Diesel)	(2.4L)	2369	4	3.386	86.00	4 - 2.50 4 - 2.00	4 - 5.00
19	117 Coupe	(2.0L)	2000	4	3.425	87.00	4 - 2.00 4 - 2.00	4 - 4.00
20	Pick-Up Impulse Trooper II	(1.9L)	1949	4	3.425	87.00	4 - 1.50 4 - 1.50	4 - 4.00
21	Trooper II Turbo (Diesel)	(2.2L)	2238	4	3.465	88.00	4 - 2.50 4 - 2.00	4 - 4.00
22	Impulse (Turbo)	(2.0L)	1994	4	3.465	88.00	4 - 1.50 4 - 1.50	4 - 4.00
23	Pick-Up (Diesel)	(2.2L)	2238	4	3.465	88.00	4 - 2.50 4 - 2.00	4 - 4.50
24	Bighorn (Use w/ Chrome liner) (Diesel) Rodio (Use w/ Chrome liner) (Diesel) Pick-Up (Diesel)	(2.2L)	2238	4	3.465	88.00	4 - 2.00 4 - 2.00	4 - 4.00
25	Trooper II	(2.8L)	2827	6	3.504	89.00	6 - 1.50 6 - 2.00	6 - 4.75
26	Hombre, LN2	(2.2L)	2197	4	3.504	89.00	4 - 1.50 4 - 1.50	4 - 3.00
27	Rodeo (LG6)	(3.1L)	3097	6	3.504	89.00	6 - 1.50 6 - 1.50	6 - 4.00
28	Trooper II Pick-Up Amigo	(2.3L)	2254	4	3.516	89.30	4 - 1.50 4 - 1.50	4 - 4.00
29	Trooper II Pick-UP Amigo	(2.6L)	2559	4	3.646	92.60	4 - 1.50 4 - 1.50	4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

ISUZU

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
30	KBD 23/28 (Do not use with Chrome Liners) (Diesel) (2.5L)	2500	C5035 ⁺	4	3.661	93.00	4 - 2.00 4 - 2.00	4 - 4.00
31	KBD 23/28, TFR54 (Diesel) (2.5L)	2499	C5035 ⁺	4	3.661	93.00	4 - 2.00 4 - 2.00	4 - 4.00
32	Truck (Diesel) (2.8L)	2771	C5035 ⁺	4	3.661	93.00	4 - 2.00 4 - 2.00	4 - 4.00
33	Elf (Diesel) (2.5L) KB250D eng. (Diesel)	2499	P1964 ^A	4	3.661	93.00	4 - 2.00 4 - 2.00	4 - 4.00
34	Elf (Diesel) (2.8L)	2771	P1964 ^A	4	3.661	93.00	4 - 2.00 4 - 2.00	4 - 4.00
35	Trooper Rodeo (3.2L)	3156	C1930 ⁺	6	3.677	93.40	6 - 1.50 6 - 1.50	6 - 4.00
36	Axiom Trooper VehiCross Amigo Rodeo, Rodeo Sport (3.5L)	3500	C5018 ⁺	6	3.677	93.40	6 - 1.50 6 - 1.50	6 - 3.00
37	Elf, For Chrome Cyls. Only (Diesel) (2.8L)	2775	C1819	4	3.858	98.00	4 - 3.00 4 - 2.50	4 - 5.00
38	Bus Bus BA, BB, BX New DA120 for industrial mach. (6.1L)	6126	C1900	6	3.937	100.00	6 - 2.50 6 - 2.50 6 - 2.50	6 - 5.00
39	Journey, Do Not Use Chrome Set W/Chrome Liners (Diesel) Forward, Do Not Use Chrome Set W/Chrome Liners (Diesel) (5.4L)	5393	P1701	6	4.016	102.00	6 - 3.00 6 - 2.50	6 - 5.00
40	Journey, Do Not Use Chrome Set W/Chrome Liners (Diesel) Forward, Do Not Use Chrome Set W/Chrome Liners (Diesel) (5.8L)	5785	P1701	6	4.016	102.00	6 - 3.00 6 - 2.50	6 - 5.00
41	Journey, Do Not Use Chrome Set W/Chrome Liners (Diesel) Elf, Do Not Use Chrome Set W/Chrome Liners (Diesel) (3.6L)	3595	P1751 C1751	4	4.016	102.00	4 - 3.00 4 - 2.50	4 - 5.00
42	Journey, Do Not Use Chrome Set W/Chrome Liners (Diesel) Elf, Do Not Use Chrome Set W/Chrome Liners (Diesel) (3.3L)	3268	P1751 C1751	4	4.016	102.00	4 - 3.00 4 - 2.50	4 - 5.00
43	Bus 20P, BA20, BF30 Truck SFR 320, 420,460,500,600 Truck TDX 13/23/53/60 (6.4L)	6373	P1852 C1852	6	4.016	102.00	6 - 2.50 6 - 2.50 6 - 2.50	6 - 5.00
44	Forward, Do Not Use Chrome Set W/Chrome Liners (Diesel) (6.1L)	6130	P1702	6	4.134	105.00	6 - 3.00 6 - 2.50	6 - 5.00
45	Elf, Do Not Use Chrome Set W/Chrome Liners (Diesel) (3.6L)	3636	P1716	4	4.134	105.00	4 - 3.00 4 - 2.50	4 - 5.00
46	Truck, Do not use with Chrome Liners (Check top groove for ring type) (Diesel) Elf, Do not use with Chrome Liners (Check top groove for ring type) (Diesel) (4.3L)	4334	S7046 ⁺ ^A	4	4.410	112.00	4 - 3.00 4 - 2.50	4 - 4.00
47	NPR (Diesel) Elf (Diesel) (4.8L)	4751	S7003 ⁺ ^A	4	4.528	115.00	4 - 3.00 ^{HK} 4 - 2.50	4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone