

JEEP

Cubic Inch	Year	Application	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
89-90	(1.5L) Summit (Eagle) 4G15		P1602	4	2.972	75.50	4 - 1.50	4 - 4.00
			C1602				4 - 1.50	
75-81	Jeep 4G53		P1703	4	3.465	88.00	4 - 2.00	4 - 4.00
			C1703				4 - 2.00	
148	02-05	(2.4L) Liberty B, G, X, 1	C3918 ⁺	4	3.445	87.50	4 - 1.20 4 - 1.50	4 - 3.00
150	96-02	(2.5L) P	P3898	4	3.875	98.40	4 - 1.50	4 - 4.00
			C3898				4 - 1.50	
182	88-92	(3.0L) Eagle Premier (Renault)	P1774 ^A	6	3.661	93.00	6 - 1.75	6 - 3.50
			C1774 ^A				6 - 1.75	
231	01-10	(3.8L) Wrangler 1	C3887 ⁺	6	3.780	96.00	6 - 1.20 6 - 1.50	6 - 3.00
239	92-99	(3.9L)	P3912	6	3.910	99.30	6 - 2.00	6 - 4.00
			C3912				6 - 2.00	
242	96-05	(4.0L) S	P3899	6	3.875	98.40	6 - 1.50	6 - 4.00
			C3899				6 - 1.50	
287	1999	(4.7L) Eagle	P3927	8	3.661	93.00	8 - 1.50	8 - 3.00
			C3927				8 - 1.50	
318	91-99	(5.2L) Shallow Oil Ring Groove	P3911	8	3.910	99.30	8 - 2.00	8 - 4.00
			C3911				8 - 2.00	

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone