

MAZDA

Application	Engine	Cyl		Years	Set Number		Line No
	Model	Bore	CC		Chrome	Plain	
(Diesel)	PN	78.00	1720		C1926 ⁺		17
(Diesel)	J155A/WL	93.00	2499	1997	S5053 ⁺		64
1000	PB	68.00	987	67-78	C1510	P1510	1
1200	TB	70.00	1169	68-76	C1456	P1456	3
1300	B3	71.00	1323	1985	C1643 ⁺		4
1300	TC	73.00	1272	70-78	C1170	P1170	5
1500	UB	78.00	1490	66-70	C1262	P1262	19
1600	NA	78.00	1586	72-78	C1330	P1330	23
1800	VC	80.00	1769	1962	C1244	P1244	31
323	PA	70.00	985	66-68	C1456	P1456	2
323	PC	70.00	985	71-78	C1456	P1456	2
323	TC	73.00	1272	72-78	C1170	P1170	5
323	E3	77.00	1296	80-82	C1514 ⁺		11
323	E5	77.00	1490	81-85	C1514 ⁺		12
323	UC	77.00	1415	79-81	C1446	P1446	13
323	E3	77.00	1296	83-85	C1541	P1541	14
323	E5	77.00	1490	83-85	C1541	P1541	15
323	B6	78.00	1597	86-95	C1330	P1330	22
323	BP	83.00	1839	90-95	C1790	P1790	39
616	NA	78.00	1586	72-78	C1330	P1330	23
618	VB	78.00	1796	72-73	C1330	P1330	24
626	MA	80.00	1970	79-81	C1458 ⁺		30
626	MA	80.00	1970	1982	C1540	P1540	32
626	F6	81.00	1587	1982	C1666	P1666	34
626	F2	86.00	2184	88-92	C1542	P1542	46
626	FE	86.00	1998	83-87	C1542	P1542	48
626 (Diesel)	R2	86.00	2184	1988	C1657 ⁺		42
626 LX, ES	KL	84.50	2497	93-99	C1882	P1882	41
626, DOHC	FS	83.00	1931	93-02	C1939 ⁺		38
626, DOHC (24V)	KF	78.00	1970	93-On	C5085	P5085	28
626, KL, MX-6, DOHC	KL	84.50	2507	93-02	C1882	P1882	40
808	TC	73.00	1272	76-78	C1170	P1170	5
808	UB	78.00	1490	72-77	C1262	P1262	19
808	NA	78.00	1586	72-78	C1330	P1330	23
929	MA	80.00	1970	79-81	C1458 ⁺		30
929	VC	80.00	1769	73-82	C1244	P1244	31
929,S	JE	90.00	2954	88-95	C1711	P1711	57
Aeva	VA	82.00	1985	62-71	C1814	P1814	37
B-1600	NA	78.00	1586	71-82	C1608 ⁺		16
B1600	NA	78.00	1586	72-78	C1330	P1330	20
B1600	NA	78.00	1586	1983	C1607	P1607	25
B1800	VB	78.00	1796	77-78	C1330	P1330	21
B2000	MA	80.00	1970	79-81	C1458 ⁺		30
B2000	MA	80.00	1970	82-84	C1540	P1540	32
B2000	FE	86.00	1998	85-87	C1542	P1542	48
B2200	F2	86.00	2184	86-93	C1542	P1542	46
B2200 (Diesel)	R2	86.00	2184	87-88	C1657 ⁺		42
B2200 (Diesel)	S2	88.90	2209	82-85	C1503	P1503	53
B2300	A	96.00	2300	94-97	C1613	P1613	66
B2600	AM	91.10	2555	86-88	C1529	P1529	58
B2600	G6	92.00	2605	89-94	C1589	P1589	62
B3000	AJ, V	89.00	2967	98-02	C1950	P1950	55
B3000	U	89.00	2954	94-97	C1950	P1950	56
Bongo	R2	86.00	2184		S5312 ^N		45

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MAZDA

Application	Engine	Cyl		Years	Set Number		Line No
	Model	Bore	CC		Chrome	Plain	
Bongo	FE	86.00	1998	83-87	C1542	P1542	48
Bongo (Diesel)	R2	86.00	2184	87-88	C1657 ⁺		42
Bongo (Diesel)	R2	86.00	2184		S5174 ⁺		44
Bongo Van (Diesel)	R2	86.00	2184	87-88	C1657 ⁺		42
Brawny (Diesel)	R2	86.00	2184	87-88	C1657 ⁺		42
CX-7	L3-VE	87.50	2261	07-10	S5282 ^{+N}		52
Capella	F8	86.00	1789		C1542	P1542	47
Cosmo	F8	86.00	1789		C1542	P1542	47
Craft (New)	UA	75.00	1484	71-On	C1300	P1300	7
E2000 (Diesel)	RF	86.00	1998	84-86	C1657 ⁺		43
Eunos300	FE	86.00	1998		C1542	P1542	48
Familia	PB	68.00	987	67-74	C1510	P1510	1
Familia	TC	73.00	1272	78-80	C1521	P1521	6
GLC	TC	73.00	1272	76-78	C1170	P1170	5
GLC	E5	77.00	1490	81-85	C1514 ⁺		12
GLC	UC	77.00	1415	79-81	C1446	P1446	13
GLC	E5	77.00	1490	83-85	C1541	P1541	15
Laser	B6	78.17	1568	89-93	C1821	P1821	29
Luce	F8	86.00	1789		C1542	P1542	47
Luce	FE	86.00	1998		C1542	P1542	48
MPV	GY	81.66	2498	00-01	S5103 ⁺		35
MPV (4 Cyl.)	G6	92.00	2606	89-95	C1589	P1589	63
MPV (6 Cyl.)	JE	90.00	2954	89-95	C1711	P1711	57
MX3	K8	75.00	1844	92-94	C1848	P1848	9
MX3	B6	78.00	1597	92-94	C1847	P1847	27
MX5 Miata (Automatic Trans.)	B6	78.00	1597	89-93	C1847	P1847	27
MX6 DX, LX	F2	86.00	2184	88-92	C1542	P1542	46
MX6 LS	KL	84.50	2497	93-99	C1882	P1882	41
MX6 Miata (Manual Trans.)	B6	78.00	1597	90-93	C1846	P1846	26
MX6, DOHC	FS	83.00	1931	93-02	C1939 ⁺		38
Mazda 3	LF-DE	87.50	1998	04-10	S5282 ^{+N}		49
Mazda 3	L3-VE	87.50	2261	02-10	S5282 ^{+N}		50
Mazda 5	L3-VE	87.50	2261	06-10	S5282 ^{+N}		52
Mazda 6	LF-DE	87.50	1998	02-06	S5282 ^{+N}		51
Mazda 6	L3-VE	87.50	2261	02-08	S5282 ^{+N}		52
Miata MX5	LF-DE	87.50	1998	06-10	S5282 ^{+N}		51
Millenia	KJ	80.29	2255	95-02	C5026		33
Mizer	TC	73.00	1272	76-78	C1170	P1170	5
Navajo	XS	100.40	4018	89-94	C3870	P3870	68
New Craft	UA	75.00	1484	60-65	C1624	P1624	8
Protege	Z5	75.30	1498	95-98	C5025 ⁺		10
Protege	ZL	78.00	1597	99-01	S5271 ^{+N}		18
Protege	BP	83.00	1839	90-95	C1790	P1790	39
SR29V (Diesel)	R2	86.00	2184		S5174 ⁺		44
T4100, Trader (Diesel)	ZB	92.00	4052		C5127		61
Titan	VA	82.00	1985	71-76	C1606	P1606	36
Titan (Diesel)	SL	100.00	3455	1986	C5038 ⁺		67
Titan 2500 (Diesel)	XA	88.90	2522	81-84	C1503	P1503	54
Titan E2000	VA	82.00	1985	62-71	C1814	P1814	37
Titan E2700 (Diesel)	XB	92.00	2701	72-77	C1617		59
Titan E3000 (Diesel)	HA	95.00	2977	77-83	C1626	P1626	65
Titan E4000 (Diesel)	ZB	92.00	4052	72-77	C1799 ^A		60
Tribute	AJ, V	89.00	2967	01-06	C1950	P1950	55
Truck (Diesel)	R2	86.00	2184	87-88	C1657 ⁺		42

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MAZDA

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
1	1000 Familia	(1.0L)	987	P1510 C1510	4	2.677	68.00	4 - 2.00 4 - 2.00	4 - 4.00
2	323	(1.0L)	985	P1456 C1456	4	2.756	70.00	4 - 2.00 4 - 2.00	4 - 4.00
3	1200	(1.2L)	1169	P1456 C1456	4	2.756	70.00	4 - 2.00 4 - 2.00	4 - 4.00
4	1300	(1.3L)	1323	C1643 +	4	2.795	71.00	4 - 1.20 4 - 1.50	4 - 3.00
5	323 808 1300 GLC Mizer	(1.3L)	1272	P1170 C1170	4	2.874	73.00	4 - 2.00 4 - 2.00	4 - 4.00
6	Familia	(1.3L)	1272	P1521 C1521	4	2.874	73.00	4 - 1.50 4 - 1.50	4 - 4.00
7	Craft (New)	(1.5L)	1484	P1300 C1300	4	2.953	75.00	4 - 2.00 4 - 2.00	4 - 4.00
8	New Craft	(1.5L)	1484	P1624 C1624	4	2.953	75.00	4 - 2.50 4 - 2.50	4 - 4.00
9	MX3	(1.9L)	1844	P1848 C1848	6	2.953	75.00	6 - 1.50 6 - 1.50	6 - 3.00
10	Protege	(1.5L)	1498	C5025 +	4	2.965	75.30	4 - 1.00 4 - 1.20	4 - 2.50
11	323	(1.3L)	1296	C1514 +	4	3.031	77.00	4 - 1.20 4 - 1.50	4 - 4.00
12	323 GLC	(1.5L)	1490	C1514 +	4	3.031	77.00	4 - 1.20 4 - 1.50	4 - 4.00
13	323 GLC	(1.4L)	1415	P1446 C1446	4	3.031	77.00	4 - 1.50 4 - 1.50	4 - 4.00
14	323	(1.3L)	1296	P1541 C1541	4	3.031	77.00	4 - 1.50 4 - 2.00	4 - 4.00
15	GLC 323	(1.5L)	1490	P1541 C1541	4	3.031	77.00	4 - 1.50 4 - 2.00	4 - 4.00
16	B-1600	(1.6L)	1586	C1608 +	4	3.071	78.00	4 - 1.20 4 - 1.50	4 - 4.00
17	(Diesel)	(1.7L)	1720	C1926 +	4	3.071	78.00	4 - 2.00 4 - 1.50	4 - 3.00
18	Protege	(1.6L)	1597	S5271 + ^N	4	3.071	78.00	4 - 1.20 4 - 1.50	4 - 3.00
19	808 1500	(1.5L)	1490	P1262 C1262	4	3.071	78.00	4 - 2.00 4 - 2.00	4 - 4.00
20	B1600	(1.6L)	1586	P1330 C1330	4	3.071	78.00	4 - 1.50 4 - 1.50	4 - 4.00
21	B1800	(1.8L)	1796	P1330 C1330	4	3.071	78.00	4 - 1.50 4 - 1.50	4 - 4.00
22	323	(1.6L)	1597	P1330 C1330	4	3.071	78.00	4 - 1.50 4 - 1.50	4 - 4.00
23	616 808 1600	(1.6L)	1586	P1330 C1330	4	3.071	78.00	4 - 1.50 4 - 1.50	4 - 4.00
24	618	(1.8L)	1796	P1330 C1330	4	3.071	78.00	4 - 1.50 4 - 1.50	4 - 4.00
25	B1600	(1.6L)	1586	P1607 C1607	4	3.071	78.00	4 - 1.50 4 - 2.00	4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MAZDA

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
26	MX6 Miata (Manual Trans.)	(1.6L)	1597	4	3.071	78.00	4 - 1.50 4 - 1.50	4 - 4.00
27	MX3 MX5 Miata (Automatic Trans.)	(1.6L)	1597	4	3.071	78.00	4 - 1.50 4 - 1.50	4 - 3.00
28	626, DOHC (24V)	(2.0L)	1970	6	3.071	78.00	6 - 1.50 6 - 1.50	6 - 3.00
29	Laser	(1.6L)	1568	4	3.078	78.17	4 - 1.50 4 - 1.50	4 - 4.00
30	626 929 B2000	(2.0L)	1970	4	3.150	80.00	4 - 1.20 4 - 1.50	4 - 4.00
31	929 1800	(1.8L)	1769	4	3.150	80.00	4 - 2.00 4 - 2.00	4 - 4.00
32	626 B2000	(2.0L)	1970	4	3.150	80.00	4 - 1.50 4 - 2.00	4 - 4.00
33	Millenia	(2.3L)	2255	6	3.161	80.29	6 - 1.50 6 - 1.50	6 - 3.00
34	626	(1.6L)	1587	4	3.189	81.00	4 - 1.50 4 - 1.50	4 - 4.00
35	MPV	(2.5L)	2498	6	3.215	81.66	6 - 1.20 6 - 1.50	6 - 3.00
36	Titan	(2.0L)	1985	4	3.228	82.00	4 - 2.00 4 - 2.00	4 - 4.50
37	Titan E2000 Aeva	(2.0L)	1985	4	3.228	82.00	4 - 2.50 4 - 2.50	4 - 4.50
38	MX6, DOHC 626, DOHC	(2.0L)	1931	4	3.268	83.00	4 - 1.20 4 - 1.50	4 - 3.00
39	323 Protege	(1.9L)	1839	4	3.268	83.00	4 - 1.50 4 - 1.50	4 - 3.00
40	626, KL, MX-6, DOHC	(2.5L)	2507	6	3.327	84.50	6 - 1.50 6 - 1.50	6 - 3.00
41	626 LX, ES MX6 LS	(2.5L)	2497	6	3.327	84.50	6 - 1.50 6 - 1.50	6 - 3.00
42	Truck (Diesel) 626 (Diesel) B2200 (Diesel) Bongo Van (Diesel) Bongo (Diesel) Brawny (Diesel)	(2.2L)	2184	4	3.386	86.00	4 - 2.00 4 - 2.00	4 - 4.00
43	E2000 (Diesel)	(2.0L)	1998	4	3.386	86.00	4 - 2.00 4 - 2.00	4 - 4.00
44	SR29V (Diesel) Bongo (Diesel)	(2.2L)	2184	4	3.386	86.00	4 - 2.00 4 - 2.00	4 - 3.00
45	Bongo	(2.2L)	2184	4	3.389	86.00	4 - 2.00 4 - 2.00	4 - 3.00
46	626 B2200 MX6 DX, LX	(2.2L)	2184	4	3.386	86.00	4 - 1.50 4 - 1.50	4 - 4.00
47	Cosmo Capella Luce	(1.8L)	1789	4	3.386	86.00	4 - 1.50 4 - 1.50	4 - 4.00
48	626 B2000 Eunos300	(2.0L)	1998	4	3.386	86.00	4 - 1.50 4 - 1.50	4 - 4.00

Continued On Next Page

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MAZDA

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
	< Continued > Bongo Luce							
49	Mazda 3 (2.0L)	1998	S5282 ^{+N}	4	3.445	87.50	4 - 1.20 4 - 1.20	4 - 2.50
50	Mazda 3 (2.3L)	2261	S5282 ^{+N}	4	3.445	87.50	4 - 1.20 4 - 1.20	4 - 2.50
51	Mazda 6 Miata MX5 (2.0L)	1998	S5282 ^{+N}	4	3.445	87.50	4 - 1.20 4 - 1.20	4 - 2.50
52	Mazda 6 CX-7 Mazda 5 (2.3L)	2261	S5282 ^{+N}	4	3.445	87.50	4 - 1.20 4 - 1.20	4 - 2.50
53	B2200 (Diesel) (2.2L)	2209	P1503 C1503	4	3.500	88.90	4 - 2.38 4 - 2.38	4 - 4.75
54	Titan 2500 (Diesel) (2.5L)	2522	P1503 C1503	4	3.500	88.90	4 - 2.38 4 - 2.38	4 - 4.75
55	Tribute B3000 (3.0L)	2967	P1950 C1950	6	3.504	89.00	6 - 1.50 6 - 1.50	6 - 4.00
56	B3000 (3.0L)	2954	P1950 C1950	6	3.504	89.00	6 - 1.50 6 - 1.50	6 - 4.00
57	929,S MPV (6 Cyl.) (3.0L)	2954	P1711 C1711	6	3.543	90.00	6 - 1.50 6 - 1.50	6 - 4.00
58	B2600 (2.6L)	2555	P1529 C1529	4	3.587	91.10	4 - 1.50 4 - 1.50	4 - 4.00
59	Titan E2700 (Diesel) (2.7L)	2701	C1617	4	3.622	92.00	4 - 2.38 4 - 2.38 4 - 2.38	4 - 4.75 4 - 4.75
60	Titan E4000 (Diesel) (4.0L)	4052	C1799 ^A	6	3.622	92.00	6 - 2.38 6 - 2.38 6 - 2.38	6 - 4.75 6 - 4.75
61	T4100, Trader (Diesel) (4.0L)	4052	C5127	6	3.622	92.00	6 - 2.38 6 - 2.38	6 - 4.75
62	B2600 (2.6L)	2605	P1589 C1589	4	3.622	92.00	4 - 1.50 4 - 1.50	4 - 4.00
63	MPV (4 Cyl.) (2.6L)	2606	P1589 C1589	4	3.622	92.00	4 - 1.50 4 - 1.50	4 - 4.00
64	(Diesel) (2.5L)	2499	S5053 ⁺	4	3.661	93.00	4 - 2.50 4 - 2.00	4 - 3.00
65	Titan E3000 (Diesel) (3.0L)	2977	P1626 C1626	4	3.740	95.00	4 - 2.38 4 - 2.38	4 - 4.75
66	B2300 (2.3L)	2300	P1613 C1613	4	3.780	96.00	4 - 1.50 4 - 1.50	4 - 4.00
67	Titan (Diesel) (3.5L)	3455	C5038 ⁺	4	3.937	100.00	4 - 2.50 4 - 2.00	4 - 4.50
68	Navajo (4.0L)	4018	P3870 C3870	6	3.953	100.40	6 - 1.60 6 - 1.75	6 - 3.50

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone