

MITSUBISHI

Application	Engine	Cyl	Set Number		Line			
	Model	Bore	CC	Years		Chrome	Plain	No
(Diesel)	S6KT	102.00	6380			S7093 ⁺ A		63
Bus (Diesel)	4D30	100.00	3298	1979		C1816	P1816	62
Canter (Diesel)	4D31T	100.00	3298			S7138 ⁺		61
Canter (Diesel)	4D30	100.00	3298	1979		C1816	P1816	62
Canter (Diesel)	4D32	104.00	3567			S7002 ⁺		66
Canter (Diesel)	4D33	108.00	4214			S7137 ⁺		67
Carisma	4G16	81.00	1600			C1842 ⁺		31
Celeste 1400	4G12	74.00	1410	78-81		C1417	P1417	14
Celeste 2600	4G54	91.10	2555	83-85		C1438	P1438	54
Chaiot (Shallow Oil Ring Groove), 16 V, DOHC	4G63	85.00	1997	89-97		C1947 ⁺		40
Challenger	4G54B	91.10	2555	79-83			P1958	58
Colt	4G31	74.50	1499	69-74		C1623	P1623	15
Colt	4G16	81.00	1600			C1842 ⁺		31
Colt 1000	KE43	72.00	997	63-67		C1224	P1224	6
Colt 1100	KE44	73.00	1088	67-73		C1170	P1170	9
Colt 1200	KE46	73.00	1189	69-73		C1170	P1170	10
Colt 1400	4G12	74.00	1410	80-82		C1417	P1417	14
Colt 1500	KE45	85.00	1498	65-70		C1372	P1372	42
Colt 1600	4G32	76.90	1597	71-83		C1298	P1298	21
Colt 2000	4G63	85.00	1997	1980		C1528	P1528	43
Colt C14A (Diesel)	4D65	80.60	1795			C1945 ⁺		26
Cordia	4G62	80.60	1795	1983		C1527	P1527	28
Cordia (Turbo)	4G62	80.60	1795	84-88		C1645	P1645	30
Debonair	KE64	80.00	1991			C1319	P1319	25
Debonair	4G54B	91.10	2555	79-83			P1958	58
Debonair 2000	6G34	73.00	1994	1971		C1596	P1596	13
Debonair 2600	4G54	91.10	2555	1978		C1438	P1438	54
Diamante	6G72	91.10	2972	91-96		C1841 ⁺		52
Diamante, DOHC	6G74	93.00	3496	97-04		C1984	P1984	59
Eclipse (DOHC & Turbo)	4G63	85.00	1997	89-93		C1775 ⁺		39
Eclipse (Sohc)	4G37	80.60	1755	89-94		C1645	P1645	29
Eclipse, DOHC	420A	87.50	1997	95-99		C3896 ⁺		50
Eterna	4G67	81.50	1836			C1967 ⁺		34
Eterna/SAVA (Shallow Oil Ring Groove), 16V, DOHC	4G63	85.00	1997	89-97		C1947 ⁺		40
Executive 2600	4G54	91.10	2555	1998		C1438	P1438	54
Expo	G64B	86.50	2350	1992		C1652	P1652	49
Expo LRV 2WD	4G93	81.00	1834	92-95		C1842 ⁺		32
Expo, LRV	4G64	86.50	2400	93-95		C1883 ⁺		46
Forklift	4G33	73.00	1439	75-78		C1521	P1521	11
Forklift	4G41	76.50	1378	71-76		C1511	P1511	20
Forklift	4G52	84.00	1995	1976		C1331	P1331	37
Forklift (Diesel)	4DQ5	84.00	2084	1974		C1495	P1495	38
Forklift (Diesel)	S4E, S4S	94.00	2609			S5176 ⁺		60
Galant	4G67	81.50	1836			C1967 ⁺		34
Galant	4G63	85.00	1997	95-99		C1951 ⁺		41
Galant	4G64	86.50	1468	92-96		C1946 ⁺		47
Galant	4G64, G, Y	86.50	2350	93-04		C3894 ⁺		48
Galant	G64B	86.50	2350	84-88		C1652	P1652	49
Galant	6G72	91.10	2972	88-90		C1664	P1664	56
Galant	6G72	91.10	2962	88-90		C1664	P1664	57
Galant	4G54B	91.10	2555	79-83			P1958	58
Galant (DOHC)	4G63	85.00	1997	89-93		C1775 ⁺		39
Galant (Diesel)	4D65	80.60	1795			C1945 ⁺		26

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MITSUBISHI

Application	Engine	Cyl			Set Number		Line
	Model	Bore	CC	Years	Chrome	Plain	No
Galant (Shallow Oil Ring Groove), 16V, DOHC	4G63	85.00	1997	89-97	C1947 ⁺		40
Galant 1300	4G30	73.00	1289	69-71	C1170	P1170	7
Galant 1400	4G33	73.00	1439	71-75	C1170	P1170	8
Galant 1400	4G41	76.50	1378	71-73	C1511	P1511	20
Galant 1500	4G31	74.50	1499	69-74	C1623	P1623	15
Galant 1600	4G32	76.90	1597	70-83	C1298	P1298	21
Galant 1800	4G51	81.00	1855	73-77	C1520	P1520	33
Galant 2000	4G52	84.00	1995	73-80	C1331	P1331	37
Galant 2600	4G54	91.10	2555	1979	C1438	P1438	54
Galant 8V	4G63	85.00	1997	89-93	C1755	P1755	44
Galant Dual Cam 16V	4G64, G, Y	86.50	2350	93-04	C1883 ⁺		45
Galant Single Cam 16V	4G64, G, Y	86.50	2350	93-04	C1883 ⁺		45
Galant, Pajero, Pick-Up (Diesel)	4D55	91.10	2346	1983	C5131		53
Galant, V-6	6G72S	91.10	2972	93-03	C1841 ⁺		52
Jupiter	JH4	79.37	2199	56-72	C2161	P2161	24
Lancer	4G11	69.50	1244	77-83	C1610	P1610	1
Lancer	4G13	71.00	1298	1984	C1761	P1761	5
Lancer	4G16	81.00	1600		C1842 ⁺		31
Lancer	4G94	81.50	1999	02-06	S5273 ^{+ N}		35
Lancer 1200	4G36	73.00	1238	75-78	C1521	P1521	12
Lancer 1400	4G12	74.00	1410	79-81	C1417	P1417	14
Lancer 1800 D (Diesel)	4D65	80.60	1795	1983	S5162 ⁺		27
Lancer Break (Diesel)	4D65	80.60	1795	84-89	S5162 ⁺		27
Magna	4G54	91.10	2555	1985	C1529	P1529	55
Minica 55	2G23	70.00	550	76-92	C1692	P1692	2
Mirage	4G11	69.50	1244	1977	C1610	P1610	1
Mirage	4G13	71.00	1298	1984	C1761	P1761	5
Mirage	4G15	75.50	1468	89-90	C1602	P1602	18
Mirage	4G91	78.40	1496		C5031 ⁺		23
Mirage	4G16	81.00	1600		C1842 ⁺		31
Mirage (Diesel)	4D65	80.60	1795		C1945 ⁺		26
Mirage (Turbo)	4G32	76.90	1597	84-88	C1604	P1604	22
Mirage (Turbo)	4G61	82.30	1595	89-92	C1724 ⁺		36
Mirage 12V	4G15	75.50	1468	91-96	C1778 ⁺		16
Mirage 1800 D (Diesel)	4D65	80.60	1795	1983	S5162 ⁺		27
Mirage Also w/CA ECS 12 V	4G15	75.50	1468	97-02	C1983 ⁺		17
Mirage, Lancer	4G13	71.00	1298		S5310 ^N		4
Mirage, Lancer	4G13	71.00	1298		C1643 ⁺		3
Montero	4G54B	91.10	2555	1983	C1438	P1438	54
Montero	4G54	91.10	2555	84-89	C1529	P1529	55
Montero	6G72	91.10	2972	89-94	C1664	P1664	56
Montero V-6	6G72	91.10	2972	93-96	C1841 ⁺		52
Montero V-6	6G72S	91.10	2972	93-96	C1841 ⁺		52
Montero, 24 V, DOHC	6G74	93.00	3496	93-04	C1984	P1984	59
Pick-Up	4G63	85.00	1997	83-86	C1528	P1528	43
Pick-Up	4G63	85.00	1997	87-89	C1755	P1755	44
Pick-Up	4G64	86.50	1468	92-96	C1946 ⁺		47
Pick-Up	4G54B	91.10	2555	83-85	C1438	P1438	54
Pick-Up	4G54	91.10	2555	86-89	C1529	P1529	55
Pick-Up	6G72	91.10	2972	90-93	C1664	P1664	56
Pick-Up (Diesel)	4D55	91.10	2346	83-85	C1530 ⁺		51
Pick-Up (Diesel)	4D56	91.10	2346	83-85	C1530 ⁺		51
Pick-Up (Diesel)	4D56	91.10	2346	1983	C5131		53
Precis	4G15	75.50	1468	87-93	C1602	P1602	18

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MITSUBISHI

Application	Engine	Cyl	CC	Years	Set Number		Line No
	Model	Bore			Chrome	Plain	
Proton Waja	4G18P	76.00	1584	01-On	S5288 ^{+N}		19
Sapporo	4G54B	91.10	2555	79-85		P1958	58
Sigma	6G72	91.10	2972	88-90	C1664	P1664	56
Starion (Turbo)	4G54	91.10	2555	83-89	C1529	P1529	55
Tredia	4G62	80.60	1795	1983	C1527	P1527	28
Tredia	4G63	85.00	1997	84-88	C1528	P1528	43
Tredia (Turbo)	4G62	80.60	1795	84-88	C1645	P1645	30
Truck 459 (Diesel)	4D34T	104.00	3907		S5052 ⁺		65
Truck 459, BE449, FE439 (Diesel)	4D34T	104.00	3907		S5052 ⁺		65
Truck BE449 (Diesel)	4D34T	104.00	3907		S5052 ⁺		65
Truck FE439 (Diesel)	4D34	104.00	3907		S5051 ⁺		64
Van	G64B	86.50	2350	85-93	C1652	P1652	49

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
1	Mirage	(1.2L)	1244	4	2.736	69.50	4 - 1.50	4 - 4.00
	Lancer		P1610 C1610				4 - 1.50	
2	Minica 55	(.5L)	550	2	2.756	70.00	2 - 1.50 2 - 1.50	2 - 2.50
3	Mirage, Lancer		1298	4	2.795	71.00	4 - 1.20 4 - 1.50	4 - 3.00
4	Mirage, Lancer	(1.3L)	1298	4	2.795	71.00	4 - 1.20 4 - 1.50	4 - 2.80
5	Mirage Lancer	(1.3L)	1298	4	2.795	71.00	4 - 1.50 4 - 1.50	4 - 4.00
6	Colt 1000	(1.0L)	997	4	2.835	72.00	4 - 2.00 4 - 2.00	4 - 4.00
7	Galant 1300	(1.3L)	1289	4	2.874	73.00	4 - 2.00 4 - 2.00	4 - 4.00
8	Galant 1400	(1.4L)	1439	4	2.874	73.00	4 - 2.00 4 - 2.00	4 - 4.00
9	Colt 1100	(1.1L)	1088	4	2.874	73.00	4 - 2.00 4 - 2.00	4 - 4.00
10	Colt 1200	(1.2L)	1189	4	2.874	73.00	4 - 2.00 4 - 2.00	4 - 4.00
11	Forklift	(1.4L)	1439	4	2.874	73.00	4 - 1.50 4 - 1.50	4 - 4.00
12	Lancer 1200	(1.2L)	1238	4	2.874	73.00	4 - 1.50 4 - 1.50	4 - 4.00
13	Debonair 2000	(2.0L)	1994	6	2.874	73.00	6 - 2.00 6 - 2.00	6 - 4.00
14	Celeste 1400 Colt 1400 Lancer 1400	(1.4L)	1410	4	2.913	74.00	4 - 1.50 4 - 1.50	4 - 4.00
15	Colt Galant 1500	(1.5L)	1499	4	2.933	74.50	4 - 2.00 4 - 2.00	4 - 4.00
16	Mirage 12V	(1.5L)	1468	4	2.972	75.50	4 - 1.20 4 - 1.50	4 - 3.00
17	Mirage Also w/CA ECS 12 V	(1.5L)	1468	4	2.972	75.50	4 - 1.20 4 - 1.50	4 - 2.80
18	Mirage Precis	(1.5L)	1468	4	2.972	75.50	4 - 1.50 4 - 1.50	4 - 4.00
19	Proton Waja	(1.6L)	1584	4	2.992	76.00	4 - 1.20 4 - 1.20	4 - 2.50

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MITSUBISHI

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
20	Galant 1400 Forklift	(1.4L)	1378	P1511 C1511	4	3.012	76.50	4 - 2.00 4 - 2.00	4 - 4.00
21	Colt 1600 Galant 1600	(1.6L)	1597	P1298 C1298	4	3.028	76.90	4 - 2.00 4 - 2.00	4 - 4.00
22	Mirage (Turbo)	(1.6L)	1597	P1604 C1604	4	3.028	76.90	4 - 1.50 4 - 1.50	4 - 4.00
23	Mirage	(1.5L)	1496	C5031 *	4	3.086	78.40	4 - 1.20 4 - 1.20	4 - 2.80
24	Jupiter	(2.2L)	2199	P2161 C2161	4	3.125	79.37	4 - 3/32 4 - 3/32	4 - 3/16
25	Debonair	(2.0L)	1991	P1319 C1319	6	3.150	80.00	6 - 2.00 6 - 2.00	6 - 4.00
26	Colt C14A (Diesel) Galant (Diesel) Mirage (Diesel)	(1.8L)	1795	C1945 *	4	3.173	80.60	4 - 2.00 ^{HK} 4 - 2.00 ^{HK}	4 - 4.00
27	Lancer 1800 D (Diesel) Lancer Break (Diesel) Mirage 1800 D (Diesel)	(1.8L)	1795	S5162 *	4	3.173	80.60	4 - 2.00 ^{HK} 4 - 2.00	4 - 4.00
28	Tredia Cordia	(1.8L)	1795	P1527 C1527	4	3.173	80.60	4 - 2.00 4 - 2.00	4 - 4.00
29	Eclipse (Sohc)	(1.8L)	1755	P1645 C1645	4	3.173	80.60	4 - 1.50 4 - 1.50	4 - 4.00
30	Tredia (Turbo) Cordia (Turbo)	(1.8L)	1795	P1645 C1645	4	3.173	80.60	4 - 1.50 4 - 1.50	4 - 4.00
31	Lancer Carisma Colt Mirage	(1.6L)	1600	C1842 *	4	3.189	81.00	4 - 1.20 4 - 1.20	4 - 2.80
32	Expo LRV 2WD	(1.8L)	1834	C1842 *	4	3.189	81.00	4 - 1.20 4 - 1.20	4 - 2.80
33	Galant 1800	(1.9L)	1855	P1520 C1520	4	3.189	81.00	4 - 2.00 4 - 2.00	4 - 4.00
34	Eterna Galant	(1.8L)	1836	C1967 *	4	3.209	81.50	4 - 1.20 4 - 1.50	4 - 3.00
35	Lancer	(2.0L)	1999	S5273 * ^N	4	3.209	81.50	4 - 1.20 4 - 1.20	4 - 2.50
36	Mirage (Turbo)	(1.6L)	1595	C1724 *	4	3.240	82.30	4 - 1.20 4 - 1.50	4 - 3.00
37	Galant 2000 Forklift	(2.0L)	1995	P1331 C1331	4	3.307	84.00	4 - 2.00 4 - 2.00	4 - 4.00
38	Forklift (Diesel)	(2.1L)	2084	P1495 C1495	4	3.307	84.00	4 - 2.50 4 - 2.00	4 - 4.00
39	Eclipse (DOHC & Turbo) Galant (DOHC)	(2.0L)	1997	C1775 *	4	3.346	85.00	4 - 1.20 4 - 1.50	4 - 3.00
40	Chaiot (Shallow Oil Ring Groove), 16 V, DOHC Galant (Shallow Oil Ring Groove), 16V, DOHC Eterna/SAVA (Shallow Oil Ring Groove), 16V, DOHC	(2.0L)	1997	C1947 *	4	3.346	85.00	4 - 1.20 4 - 1.50	4 - 3.00
41	Galant	(2.0L)	1997	C1951 *	4	3.346	85.00	4 - 1.20 4 - 1.50	4 - 2.80
42	Colt 1500	(1.5L)	1498	P1372 C1372	4	3.346	85.00	4 - 2.00 4 - 2.00	4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MITSUBISHI

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
43	Pick-Up Tredia Colt 2000	(2.0L)	1997	P1528 C1528	4	3.346	85.00	4 - 2.00 4 - 2.00	4 - 4.00
44	Galant 8V Pick-Up	(2.0L)	1997	P1755 C1755	4	3.346	85.00	4 - 1.50 4 - 1.50	4 - 4.00
45	Galant Dual Cam 16V Galant Single Cam 16V	(2.4L)	2350	C1883 *	4	3.406	86.50	4 - 1.20 4 - 1.50	4 - 2.80
46	Expo, LRV	(2.4L)	2400	C1883 *	4	3.406	86.50	4 - 1.20 4 - 1.50	4 - 2.80
47	Pick-Up Galant	(1.5L)	1468	C1946 *	4	3.406	86.50	4 - 1.20 4 - 1.50	4 - 3.00
48	Galant	(2.4L)	2350	C3894 *	4	3.406	86.50	4 - 1.20 4 - 1.50	4 - 2.80
49	Galant Van Expo	(2.4L)	2350	P1652 C1652	4	3.406	86.50	4 - 1.50 4 - 1.50	4 - 4.00
50	Eclipse, DOHC	(2.0L)	1997	C3896 *	4	3.445	87.50	4 - 1.20 4 - 1.20	4 - 3.00
51	Pick-Up (Diesel)	(2.4L)	2346	C1530 *	4	3.587	91.10	4 - 2.50 ^{HK} 4 - 2.00 ^{HK}	4 - 4.00
52	Diamante Montero V-6 Galant, V-6	(3.0L)	2972	C1841 *	6	3.587	91.10	6 - 1.20 6 - 1.50	6 - 3.00
53	Galant, Pajero, Pick-Up (Diesel) Pick-Up (Diesel)	(2.4L)	2346	C5131	4	3.587	91.10	4 - 2.50 4 - 2.00	4 - 4.00
54	Celeste 2600 Debonair 2600 Executive 2600 Galant 2600 Montero Pick-Up	(2.6L)	2555	P1438 C1438	4	3.587	91.10	4 - 2.00 4 - 2.00	4 - 4.00
55	Montero Starion (Turbo) Magna Pick-Up	(2.6L)	2555	P1529 C1529	4	3.587	91.10	4 - 1.50 4 - 1.50	4 - 4.00
56	Galant Montero Pick-Up Sigma	(3.0L)	2972	P1664 C1664	6	3.587	91.10	6 - 1.50 6 - 1.50	6 - 4.00
57	Galant	(3.0L)	2962	P1664 C1664	6	3.587	91.10	6 - 1.50 6 - 1.50	6 - 4.00
58	Challenger Debonair Galant Sapporo	(2.6L)	2555	P1958	4	3.587	91.10	4 - 2.00 4 - 2.00	4 - 4.00
59	Montero, 24 V, DOHC Diamante, DOHC	(3.5L)	3496	P1984 C1984	6	3.661	93.00	6 - 1.50 6 - 1.50	6 - 3.00
60	Forklift (Diesel)	(2.6L)	2609	S5176 *	4	3.701	94.00	4 - 2.50 ^{HK} 4 - 2.00	4 - 4.50
61	Canter (Diesel)	(3.3L)	3298	S7138 *	4	3.937	100.00	4 - 3.00 ^{HK} 4 - 2.00	4 - 4.00
62	Bus (Diesel) Canter (Diesel)	(3.3L)	3298	P1816 C1816	4	3.937	100.00	4 - 3.00 ^{HK} 4 - 2.00	4 - 5.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MITSUBISHI

Line		CC	Set No	Cyl	Bore Diameter		Ring Size		
No	Application				Inch	MM	Comp	Oil	
63	(Diesel)	(6.4L)	6380	S7093 ⁺ A	1	4.016	102.00	1 - 3.00 ^{HK} 1 - 2.00 ^{HK}	1 - 4.00
64	Truck FE439 (Diesel)	(3.9L)	3907	S5051 ⁺	4	4.094	104.00	4 - 3.00 4 - 2.00	4 - 4.00
65	Truck 459, BE449, FE439 (Diesel) Truck BE449 (Diesel) Truck 459 (Diesel)	(3.9L)	3907	S5052 ⁺	4	4.094	104.00	4 - 2.80 ^{FK} 4 - 2.00	4 - 4.00
66	Canter (Diesel)	(3.6L)	3567	S7002 ⁺	4	4.094	104.00	4 - 3.00 ^{HK} 4 - 2.00	4 - 4.00
67	Canter (Diesel)	(4.2L)	4214	S7137 ⁺	4	4.252	108.00	4 - 3.00 4 - 2.00	4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone