

NISSAN

| Application | Engine | Cyl | | Years | Set Number | | Line No |
|----------------------|----------|-------|------|-------|------------|-------|---------|
| | Model | Bore | CC | | Chrome | Plain | |
| | GA13 | 71.00 | 1200 | | C1771 | P1771 | 2 |
| 100NX | GA16DS | 76.00 | 1597 | 90-93 | S5201+ | | 15 |
| 1200/110 | A12 | 73.00 | 1171 | 70-74 | C1170 | P1170 | 6 |
| 1500 | J15 | 78.00 | 1483 | 70-84 | C1262 | P1262 | 27 |
| 1800 | J18 | 80.50 | 1800 | 81-00 | C1569 | P1569 | 37 |
| 200 SX/S10 | L20B | 85.00 | 1952 | 77-80 | C1372 | P1372 | 59 |
| 200 SX/S110 | Z20E | 85.00 | 1952 | 80-84 | C1474 | P1474 | 61 |
| 200 SX/S110 | Z22E | 87.00 | 2187 | 82-83 | C1502 | P1502 | 72 |
| 200 SX/S12 | CA20E | 84.50 | 1974 | 82-88 | C1493 | P1493 | 55 |
| 200 SX/S12 | VG30E | 87.00 | 2960 | 87-88 | C1559 | P1559 | 73 |
| 200 SX/S12 (Turbo) | CA18ET | 83.00 | 1809 | 84-89 | C1576 | P1576 | 51 |
| 200SX, 2 ring piston | GA16DE | 76.00 | 1597 | 95-99 | C5027 | P5027 | 22 |
| 210/B310 | A12A | 75.00 | 1237 | 79-82 | C1473 | P1473 | 13 |
| 210/B310 | A15 | 76.00 | 1488 | 79-82 | C1471+ | | 14 |
| 210/B310 | A14 | 76.00 | 1397 | 75-82 | C1477 | P1477 | 17 |
| 240 SX | KA24D | 89.00 | 2389 | 91-95 | C1798 | P1798 | 87 |
| 240 SX | KA24E | 89.00 | 2389 | 89-90 | C1798 | P1798 | 87 |
| 240 Z/S30 | L24 | 83.00 | 2393 | 70-73 | C1297 | P1297 | 47 |
| 260 Z/S30 | L26 | 83.00 | 2565 | 74-75 | C1297 | P1297 | 48 |
| 280 Z/S30 | L28E | 86.00 | 2753 | 75-78 | C1405 | P1405 | 67 |
| 280 ZX/S130 | L28 | 86.00 | 2753 | 79-80 | C1405 | P1405 | 67 |
| 280 ZX/S130 (Turbo) | L28E/ET | 86.00 | 2753 | 81-83 | C1500 | P1500 | 68 |
| 300 ZX | VG30DE | 87.00 | 2960 | 90-95 | C1559 | P1559 | 73 |
| 300 ZX (Turbo) | VG30DETT | 87.00 | 2960 | 90-96 | C1806+ | | 71 |
| 300 ZX/Z31 (Turbo) | VG30E/ET | 87.00 | 2960 | 84-89 | C1559 | P1559 | 73 |
| 310/N10 | A15 | 76.00 | 1488 | 1981 | C1471+ | | 14 |
| 310/N10 | A14 | 76.00 | 1397 | 79-80 | C1477 | P1477 | 17 |
| 310/N10 | E15 | 76.00 | 1487 | 1982 | C1506 | P1506 | 19 |
| 312 | E1 | 73.00 | 1189 | 63-65 | C1170 | P1170 | 9 |
| 320 | E1 | 73.00 | 1189 | 61-64 | C1170 | P1170 | 9 |
| 410 | E1 | 73.00 | 1189 | 64-65 | C1170 | P1170 | 9 |
| 411 | J13 | 73.00 | 1299 | 65-67 | C1170 | P1170 | 10 |
| 510 | L16 | 83.00 | 1595 | 68-73 | C1290 | P1290 | 46 |
| 510/A10 | L20B | 85.00 | 1952 | 78-79 | C1372 | P1372 | 59 |
| 510/A10 | Z20S | 85.00 | 1974 | 80-81 | C1474 | P1474 | 62 |
| 520/521 | J13 | 73.00 | 1299 | 65-69 | C1170 | P1170 | 10 |
| 520/521 | L16 | 83.00 | 1595 | 69-72 | C1290 | P1290 | 46 |
| 610 | L20B | 85.00 | 1952 | 74-76 | C1372 | P1372 | 59 |
| 610 | L18 | 85.00 | 1770 | 72-74 | C1372 | P1372 | 60 |
| 620 | L16 | 83.00 | 1595 | 72-73 | C1290 | P1290 | 46 |
| 620 | L20B | 85.00 | 1952 | 75-79 | C1372 | P1372 | 59 |
| 620 | L18 | 85.00 | 1770 | 73-74 | C1372 | P1372 | 60 |
| 710 | L20B | 85.00 | 1952 | 75-77 | C1372 | P1372 | 59 |
| 710 | L18 | 85.00 | 1770 | 73-74 | C1372 | P1372 | 60 |
| 720 | L20B | 85.00 | 1952 | 1980 | C1372 | P1372 | 59 |
| 720 | Z20 | 85.00 | 1952 | 83-85 | C1474 | P1474 | 61 |
| 720 | Z20 | 85.00 | 1952 | 1985 | C1809 | P1809 | 64 |
| 720 | Z22 | 87.00 | 2187 | 81-84 | C1502 | P1502 | 72 |
| 720 | Z24 | 89.00 | 2389 | 83-84 | C1561 | P1561 | 85 |
| 720 | Z24I | 89.00 | 2389 | 85-90 | C1609 | P1609 | 86 |
| 720 (Diesel) | SD22 | 83.00 | 2164 | 80-83 | C1512 | | 42 |
| 720 (Diesel) | SD25 | 89.00 | 2488 | 83-86 | C1560 | | 81 |
| 810 | L24 | 83.00 | 2393 | 77-80 | C1297 | P1297 | 47 |
| 810/910 | L24E | 83.00 | 2393 | 79-80 | C1507+ | | 41 |

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

NISSAN

| Application | Engine | Cyl | | | Set Number | | Line |
|---|--------------------|--------|-------|-------|----------------------|-------|------|
| | Model | Bore | CC | Years | Chrome | Plain | No |
| 810/910 - Calif. Only | L24E | 83.00 | 2393 | 79-81 | C1501 | P1501 | 49 |
| Ad Ban, R-VY10, VFY10 | GA14 | 73.60 | 1400 | | C1972 | P1972 | 12 |
| Altima | KA24DE | 89.00 | 2389 | 98-01 | S5260 ⁺ | | 83 |
| Altima | QR25DE | 89.00 | 2488 | 02-08 | S5260 ⁺ | | 84 |
| Altima | KA24DE | 89.00 | 2389 | 92-97 | C1798 | P1798 | 87 |
| Altima Hybrid (V-6) | QR25DE | 89.00 | 2488 | 07-08 | S5260 ⁺ | | 84 |
| Atlas (Diesel) | BD25/TD25 | 92.90 | 2494 | 1988 | C1909 | | 89 |
| Axxess | KA24E | 89.00 | 2389 | 89-91 | C1798 | P1798 | 87 |
| B110 | A12 | 73.00 | 1171 | 71-73 | C1170 | P1170 | 3 |
| B210 | A13 | 73.00 | 1288 | 1974 | C1170 | P1170 | 5 |
| B210 | A14 | 76.00 | 1397 | 75-81 | C1477 | P1477 | 17 |
| Bison, Civilian (Diesel) | ED33 | 100.00 | 3300 | | S7047 ⁺ A | | 98 |
| Bluebird (Diesel) | LD20 | 85.00 | 1952 | 80-89 | S5259 ⁺ | | 58 |
| Bluebird 1300 | J | 73.00 | 1299 | 65-75 | C1170 | P1170 | 10 |
| Bluebird 1300 | L13 | 83.00 | 1295 | 67-70 | C1290 | P1290 | 44 |
| Bluebird 1400 | L14 | 83.00 | 1428 | 70-72 | C1290 | P1290 | 45 |
| Bus (Diesel) | PD6 | 125.00 | 10308 | | C5097 | | 101 |
| Bus (Diesel) | PD6T | 125.00 | 10308 | 73-82 | S5098 ⁺ | | 102 |
| CB20, CK20, M20, TK20, TAF21, CD40, CV40, CW40, CW41, PT81 (Diesel) | PD6T | 125.00 | 10308 | 73-82 | S5098 ⁺ | | 102 |
| CB20, CK20, M20, TK20, U20, TFA21, CD40, CV40, CW40, PT81 (Diesel) | PD6 | 125.00 | 10308 | | C5097 | | 101 |
| Cabstar | D12 | 73.00 | 1198 | 68-69 | C1170 | P1170 | 8 |
| Caraban (Diesel) | TD27T, AD2T | 96.00 | 2700 | | S5192 ⁺ | | 94 |
| Caraban (Diesel) | QD32NA/AD5 | 99.20 | 3200 | | S5095 ⁺ | | 97 |
| Caravan | J16 | 78.00 | 1567 | 70-84 | C1262 | P1262 | 28 |
| Cargo (Diesel) | SD33 | 83.00 | 3246 | 1966 | C1597 | | 43 |
| Cedric | J20 | 73.00 | 1973 | 65-69 | C1596 | P1596 | 11 |
| Cedric | L20A | 78.00 | 1988 | 69-72 | C1182 | P1182 | 26 |
| Cedric | VG20E | 78.00 | 1998 | 84-93 | C1813 | P1813 | 30 |
| Cedric (Diesel) | SD20 | 83.00 | 1991 | 63-81 | C1478 | | 39 |
| Cedric (Diesel) | SD22 | 83.00 | 2164 | 1964 | C1478 | | 40 |
| Cedric Bluebird | L20S | 77.95 | 1988 | 1988 | C1857 | | 25 |
| Cedric Custom, Special | L20 | 77.95 | 1988 | 65-69 | C1856 | | 23 |
| Cedric, DOHC. | VQ30 | 93.00 | 2987 | 95-01 | C1957 ⁺ | | 90 |
| Cefiro | VQ20 | 76.00 | 1995 | 94-03 | S5286 ⁺ N | | 16 |
| Cherry | A10 | 73.00 | 988 | 67-82 | C1170 | P1170 | 4 |
| Cherry (Diesel) | LD20 | 85.00 | 1952 | 80-89 | S5259 ⁺ | | 58 |
| Cherry 920 (Europe) | 301 | 80.00 | 1186 | 1983 | C1328 | P1328 | 36 |
| Civilian (Diesel) | TD42/AD3 | 96.00 | 4169 | | S5272 ⁺ N | | 95 |
| Condore (Diesel) | FD35T | 102.50 | 3465 | | S7104 ⁺ A | | 99 |
| D21 Pick-up | VG30I | 87.00 | 2960 | 85-89 | C1659 | P1659 | 74 |
| D21 Pick-up | Z24I | 89.00 | 2389 | 84-90 | C1609 | P1609 | 86 |
| Datsun Jeep | TD27, TD27T, BD30T | 96.00 | 2663 | | S5077 ⁺ | | 92 |
| Datsun Truck (Diesel) | QD32NA/AD5 | 99.20 | 3200 | | S5095 ⁺ | | 97 |
| Datsun truck (Diesel) | CD20 | 84.50 | 1973 | | C1953 | | 54 |
| Datsun truck, Caraban (Diesel) | TD27 | 96.00 | 2700 | | C1917 | | 91 |
| F10 | A14 | 76.00 | 1397 | 75-81 | C1477 | P1477 | 17 |
| Fairlady | VG20E | 78.00 | 1998 | 84-93 | C1813 | P1813 | 30 |
| Fairlady Z | L20S | 77.95 | 1988 | | C1857 | | 25 |
| Forklift | D11 | 73.00 | 1138 | 66-78 | C1170 | P1170 | 7 |
| Forklift | J15 | 78.00 | 1483 | 1973 | C1262 | P1262 | 27 |
| Forklift | P40 | 85.70 | 3956 | 63-82 | C1518 | P1518 | 65 |
| Forklift | H20 | 87.20 | 1982 | 67-74 | C1301 | P1301 | 75 |

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

NISSAN

| Application | Engine | Cyl | | | Set Number | | Line |
|--------------------------------------|---------|--------|------|-------|---------------------|--------------------|------|
| | Model | Bore | CC | Years | Chrome | Plain | No |
| Forklift (Diesel) | SD22 | 83.00 | 2164 | 77-81 | C1478 | | 40 |
| Forklift (Diesel) | SD33 | 83.00 | 3246 | 1980 | C1597 | | 43 |
| Forklift (Diesel) | SD25 | 89.00 | 2488 | 1981 | C1560 | | 81 |
| Frontier | KA24DE | 89.00 | 2389 | 98-04 | S5260 ⁺ | | 83 |
| Frontier | QR25DE | 89.00 | 2488 | 05-08 | S5260 ⁺ | | 84 |
| Frontier | VG33E | 91.50 | 3272 | 99-04 | C1949 | | 88 |
| Gazelle | CA18E/S | 83.00 | 1809 | 1983 | C1838 | P1838 | 52 |
| Gloria | VG20E | 78.00 | 1998 | 1984 | C1813 | P1813 | 30 |
| Gloria Van | L20S | 77.95 | 1809 | | C1857 | | 24 |
| Gloria, DOHC. | VQ30 | 93.00 | 2987 | 95-01 | C1957 ⁺ | | 90 |
| H 130 | L20 | 88.00 | 1988 | 65-69 | C1988 ^A | P1988 ^A | 79 |
| H130 | L20 | 77.95 | 1988 | 65-69 | C1856 | | 23 |
| Hardbody | NA16S | 81.50 | 1627 | 1994 | C5084 | | 38 |
| Hardbody | NA20 | 86.00 | 1998 | 1994 | C5090 | | 66 |
| Laurel | VG20E | 78.00 | 1998 | 1984 | C1813 | P1813 | 30 |
| Laurel | CA18E/S | 83.00 | 1809 | 1983 | C1838 | P1838 | 52 |
| Laurel | CA18E/S | 85.00 | 1809 | 83-85 | C1809 | P1809 | 63 |
| Laurel (Diesel) | LD20 | 85.00 | 1952 | 80-89 | S5259 ⁺ | | 58 |
| MK250 (Diesel) | FE6 | 107.95 | 6925 | | S5086 ⁺ | | 100 |
| Maverick (Australia), Patrol, Safari | TB42/E | 96.00 | 4169 | 1987 | C1938 | P1938 | 96 |
| Maxima | VG30DE | 87.00 | 2960 | 92-94 | C1559 | P1559 | 73 |
| Maxima QX | VQ20 | 76.00 | 1995 | 95-99 | S5286 ^{+N} | | 16 |
| Maxima, DOHC. | VQ30 | 93.00 | 2987 | 95-01 | C1957 ⁺ | | 90 |
| Maxima/U11 | L24E | 83.00 | 2393 | 81-85 | C1513 | P1513 | 50 |
| Maxima/U11 | VG30E | 87.00 | 2960 | 85-94 | C1559 | P1559 | 73 |
| Maxima/U11 (Diesel) | LD28 | 84.50 | 2793 | 81-84 | C1508 ⁺ | | 53 |
| Maxima/U11 - Calif. Only | L24E | 83.00 | 2393 | 1981 | C1501 | P1501 | 49 |
| Micra | MA10 | 68.00 | 987 | 1982 | C1718 | | 1 |
| Micra | MA12 | 71.00 | 1200 | 83-89 | C1771 | P1771 | 2 |
| Mistral (Diesel) | TD27 | 96.00 | 2663 | | S5177 ⁺ | | 93 |
| NX 1600 | GA16DE | 76.00 | 1597 | 89-94 | C1797 | P1797 | 21 |
| NX 2000 | SR20DE | 86.00 | 1998 | 91-00 | C1794 | P1794 | 70 |
| PL 411 | R16 | 87.20 | 1595 | 67-74 | C1301 | P1301 | 76 |
| Pathfinder | VG30E | 87.00 | 2960 | 90-95 | C1559 | P1559 | 73 |
| Pathfinder | VG33E | 91.50 | 3272 | 96-04 | C1949 | | 88 |
| Pathfinder/WD21 | VG30I | 87.00 | 2960 | 85-95 | C1659 | P1659 | 74 |
| Pathfinder/WD21 | Z24I | 89.00 | 2389 | 85-90 | C1609 | P1609 | 86 |
| Patrol | P | 85.70 | 3956 | 64-82 | C1518 | P1518 | 65 |
| Pick-up | VG30E | 87.00 | 2960 | 90-95 | C1559 | P1559 | 73 |
| Pickup | KA24E | 89.00 | 2389 | 89-98 | C1798 | P1798 | 87 |
| Platina (Renault Eng.) | K4M | 79.50 | 1595 | 02-On | S5190 ⁺ | | 32 |
| Prairie | E15 | 76.00 | 1487 | 1982 | C1506 | P1506 | 19 |
| Prairie | CA18ET | 83.00 | 1809 | 82-89 | C1576 | P1576 | 51 |
| Prairie | CA18E/S | 83.00 | 1809 | 1983 | C1838 | P1838 | 52 |
| Primera | GA16DS | 76.00 | 1597 | 90-93 | S5201 ⁺ | | 15 |
| Pulsar | CA16D | 78.00 | 1598 | 83-87 | C1686 | P1686 | 29 |
| Pulsar NX | GA16I | 76.00 | 1597 | 89-94 | C1797 | P1797 | 21 |
| Pulsar SE | CA16DE | 78.00 | 1597 | 87-88 | C1820 | P1820 | 31 |
| Pulsar SE/KN13 | CA18D | 83.00 | 1809 | 84-89 | C1576 | P1576 | 51 |
| Pulsar/N12 | E13 | 76.00 | 1270 | 1981 | C1506 | P1506 | 18 |
| Pulsar/N12 | E16 | 76.00 | 1597 | 83-88 | C1506 | P1506 | 20 |
| Pulsar/N12 (Turbo) | E15T | 76.00 | 1487 | 83-84 | C1506 | P1506 | 19 |
| Quest | VG30E | 87.00 | 2960 | 84-98 | C1559 | P1559 | 73 |
| Quest | VG33E | 91.50 | 3272 | 99-03 | C1949 | | 88 |

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

NISSAN

| Application | Engine | Cyl | | | Set Number | | Line No |
|-----------------------|-------------|--------|-------|-------|---------------------|-------|---------|
| | Model | Bore | CC | Years | Chrome | Plain | |
| RD28 Turbo (Diesel) | RD28 | 85.00 | 2825 | | S5034 ⁺ | | 57 |
| Rouge | QR25DE | 89.00 | 2488 | 2008 | S5260 ⁺ | | 84 |
| SPL 310 | G15 | 80.00 | 1488 | 62-65 | C1244 | P1244 | 35 |
| SPL 311 | R16 | 87.20 | 1595 | 65-74 | C1301 | P1301 | 76 |
| SRL 311 | U20 | 87.20 | 1982 | 67-70 | C1317 | P1317 | 77 |
| Safari (Diesel) | TD42/AD3 | 96.00 | 4169 | | S5272 ^{+N} | | 95 |
| Sentra | GA16DE/I | 76.00 | 1597 | 89-94 | C1797 | P1797 | 21 |
| Sentra | QG18DE | 80.00 | 1769 | 00-06 | S5199 ⁺ | | 34 |
| Sentra | SR20DE | 86.00 | 1998 | 91-00 | C1794 | P1794 | 70 |
| Sentra SE-R | QR25DE | 89.00 | 2488 | 02-08 | S5260 ⁺ | | 84 |
| Sentra, 2 ring piston | GA16DE | 76.00 | 1597 | 95-99 | C5027 | P5027 | 22 |
| Sentra/B11 (Diesel) | CD17 | 80.00 | 1680 | 83-88 | C1558 ⁺ | | 33 |
| Sentra/B11/B12 | E16 | 76.00 | 1597 | 83-88 | C1506 | P1506 | 20 |
| Silvia | CA18E/S | 83.00 | 1809 | 1983 | C1838 | P1838 | 52 |
| Skyline | CA18E/S | 83.00 | 1809 | 1983 | C1838 | P1838 | 52 |
| Skyline | RB30E | 86.00 | 2965 | 78-83 | C1725 | P1725 | 69 |
| Skyline (Diesel) | LD20 | 85.00 | 1952 | 80-89 | S5259 ⁺ | | 58 |
| Skyline 2000GT | L20S | 77.95 | 1988 | | C1857 | | 25 |
| Stanza | CA20E | 84.50 | 1974 | 1989 | C1719 | P1719 | 56 |
| Stanza | KA24E | 89.00 | 2389 | 89-98 | C1798 | P1798 | 87 |
| Stanza/T11 | CA20S | 84.50 | 1974 | 82-83 | C1493 | P1493 | 55 |
| Stanza/T12 | CA20E | 84.50 | 1974 | 84-88 | C1493 | P1493 | 55 |
| Sunny | GA16DS | 76.00 | 1597 | 90-93 | S5201 ⁺ | | 15 |
| Sunny | E15S | 76.00 | 1487 | 82-84 | C1506 | P1506 | 19 |
| Sunny (Diesel) | LD20 | 85.00 | 1952 | 80-89 | S5259 ⁺ | | 58 |
| Terrano II (Diesel) | TD27 | 96.00 | 2663 | | S5177 ⁺ | | 93 |
| Trade (Diesel) | LD20 | 85.00 | 1952 | 80-89 | S5259 ⁺ | | 58 |
| Truck | H20 | 87.20 | 1982 | 72-82 | C1301 | P1301 | 75 |
| Truck | H30 | 87.20 | 2794 | 1969 | C1621 | P1621 | 78 |
| Truck (Diesel) | SD23 | 89.00 | 2289 | 83-88 | C1560 | | 80 |
| Truck (Diesel) | TD23 | 89.00 | 2289 | | S5175 ⁺ | | 82 |
| Truck (Diesel) | TD27T, AD2T | 96.00 | 2700 | | S5192 ⁺ | | 94 |
| Truck (Diesel) | PD6 | 125.00 | 10308 | | C5097 | | 101 |
| Truck (Diesel) | PD6T | 125.00 | 10308 | 73-82 | S5098 ⁺ | | 102 |
| Tsuru (Mexico) | E15 | 76.00 | 1487 | 84-86 | C1506 | P1506 | 19 |
| Van | KA24E | 89.00 | 2389 | 89-98 | C1798 | P1798 | 87 |
| Van (Diesel) | BD25/TD25 | 92.90 | 2494 | 1988 | C1909 | | 89 |
| Van/GC22 | Z24I | 89.00 | 2389 | 85-90 | C1609 | P1609 | 86 |
| Vanette (Diesel) | LD20 | 85.00 | 1952 | 80-89 | S5259 ⁺ | | 58 |
| Xterra | KA24DE | 89.00 | 2389 | 99-04 | S5260 ⁺ | | 83 |
| Xterra | VG33E | 91.50 | 3272 | 99-04 | C1949 | | 88 |

| Line No | Application | CC | Set No | Cyl | Bore Diameter | | Ring Size | | |
|---------|-------------|--------|--------|----------------|---------------|-------|-----------|----------------------|----------|
| | | | | | Inch | MM | Comp | Oil | |
| 1 | Micra | (1.0L) | 987 | C1718 | 4 | 2.677 | 68.00 | 4 - 1.50 4 - 1.50 | 4 - 2.80 |
| 2 | Micra | (1.2L) | 1200 | P1771 C1771 | 4 | 2.795 | 71.00 | 4 - 1.50 4 - 1.50 | 4 - 2.80 |
| 3 | B110 | (1.2L) | 1171 | P1170 C1170 | 4 | 2.874 | 73.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 4 | Cherry | (1.0L) | 988 | P1170 C1170 | 4 | 2.874 | 73.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 5 | B210 | (1.3L) | 1288 | P1170 C1170 | 4 | 2.874 | 73.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

NISSAN

| Line No | Application | CC | Set No | Cyl | Bore Diameter | | Ring Size | |
|---------|---|--------|--------|-----|---------------|-------|----------------------|----------|
| | | | | | Inch | MM | Comp | Oil |
| 6 | 1200/110 | (1.2L) | 1171 | 4 | 2.874 | 73.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 7 | Forklift | (1.1L) | 1138 | 4 | 2.874 | 73.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 8 | Cabstar | (1.2L) | 1198 | 4 | 2.874 | 73.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 9 | 312 320 410 | (1.2L) | 1189 | 4 | 2.874 | 73.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 10 | Bluebird 1300 411 520/521 | (1.3L) | 1299 | 4 | 2.874 | 73.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 11 | Cedric | (2.0L) | 1973 | 6 | 2.874 | 73.00 | 6 - 2.00 6 - 2.00 | 6 - 4.00 |
| 12 | Ad Ban, R-VY10, VFY10 | (1.4L) | 1400 | 4 | 2.898 | 73.60 | 4 - 1.50 4 - 1.50 | 4 - 2.80 |
| 13 | 210/B310 | (1.2L) | 1237 | 4 | 2.953 | 75.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 14 | 310/N10 210/B310 | (1.5L) | 1488 | 4 | 2.992 | 76.00 | 4 - 1.20 4 - 2.00 | 4 - 4.00 |
| 15 | Primera Sunny 100NX | (1.6L) | 1597 | 4 | 2.992 | 76.00 | 4 - 1.50 4 - 1.50 | 4 - 3.00 |
| 16 | Cefiro Maxima QX | (2.0L) | 1995 | 6 | 2.992 | 76.00 | 6 - 1.20 6 - 1.20 | 6 - 2.50 |
| 17 | F10 B210 310/N10 210/B310 | (1.4L) | 1397 | 4 | 2.992 | 76.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 18 | Pulsar/N12 | (1.3L) | 1270 | 4 | 2.992 | 76.00 | 4 - 1.50 4 - 1.50 | 4 - 4.00 |
| 19 | 310/N10 Tsuru (Mexico) Prairie Sunny Pulsar/N12 (Turbo) | (1.5L) | 1487 | 4 | 2.992 | 76.00 | 4 - 1.50 4 - 1.50 | 4 - 4.00 |
| 20 | Pulsar/N12 Sentra/B11/B12 | (1.6L) | 1597 | 4 | 2.992 | 76.00 | 4 - 1.50 4 - 1.50 | 4 - 4.00 |
| 21 | NX 1600 Sentra Pulsar NX | (1.6L) | 1597 | 4 | 2.992 | 76.00 | 4 - 1.50 4 - 1.50 | 4 - 2.80 |
| 22 | Sentra, 2 ring piston 200SX, 2 ring piston | (1.6L) | 1597 | 4 | 2.992 | 76.00 | 4 - 1.50 | 4 - 2.80 |
| 23 | Cedric Custom, Special H130 | (2.0L) | 1988 | 6 | 3.069 | 77.95 | 6 - 2.00 6 - 2.50 | 6 - 4.00 |
| 24 | Gloria Van | (1.8L) | 1809 | 6 | 3.069 | 77.95 | 6 - 1.50 6 - 2.00 | 6 - 4.00 |
| 25 | Fairlady Z Skyline 2000GT Cedric Bluebird | (2.0L) | 1988 | 6 | 3.069 | 77.95 | 6 - 1.50 6 - 2.00 | 6 - 4.00 |
| 26 | Cedric | (2.0L) | 1988 | 6 | 3.071 | 78.00 | 6 - 2.00 6 - 2.00 | 6 - 4.00 |
| 27 | 1500 Forklift | (1.5L) | 1483 | 4 | 3.071 | 78.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

NISSAN

| Line No | Application | CC | Set No | Cyl | Bore Diameter | | Ring Size | | |
|---------|---|--------|--------|----------------|---------------|-------|-----------|----------------------------------|----------------------|
| | | | | | Inch | MM | Comp | Oil | |
| 28 | Caravan | (1.6L) | 1567 | P1262 C1262 | 4 | 3.071 | 78.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 29 | Pulsar | (1.6L) | 1598 | P1686 C1686 | 4 | 3.071 | 78.00 | 4 - 1.50 4 - 1.50 | 4 - 4.00 |
| 30 | Fairlady Cedric Gloria Laurel | (2.0L) | 1998 | P1813 C1813 | 6 | 3.071 | 78.00 | 6 - 1.50 6 - 1.50 | 6 - 2.80 |
| 31 | Pulsar SE | (1.6L) | 1597 | P1820 C1820 | 4 | 3.071 | 78.00 | 4 - 1.50 4 - 1.50 | 4 - 2.80 |
| 32 | Platina (Renault Eng.) | (1.6L) | 1595 | S5190 * | 4 | 3.130 | 79.50 | 4 - 1.20 4 - 1.50 | 4 - 2.50 |
| 33 | Sentra/B11 (Diesel) | (1.7L) | 1680 | C1558 * | 4 | 3.150 | 80.00 | 4 - 1.75 4 - 2.00 | 4 - 3.00 |
| 34 | Sentra | (1.8L) | 1769 | S5199 * | 4 | 3.150 | 80.00 | 4 - 1.20 4 - 1.20 | 4 - 2.50 |
| 35 | SPL 310 | (1.5L) | 1488 | P1244 C1244 | 4 | 3.150 | 80.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 36 | Cherry 920 (Europe) | (1.2L) | 1186 | P1328 C1328 | 4 | 3.150 | 80.00 | 4 - 1.50 4 - 1.75 | 4 - 4.00 |
| 37 | 1800 | (1.8L) | 1800 | P1569 C1569 | 4 | 3.169 | 80.50 | 4 - 1.50 4 - 2.00 | 4 - 4.00 |
| 38 | Hardbody | (1.6L) | 1627 | C5084 | 4 | 3.209 | 81.50 | 4 - 1.50 4 - 1.50 | 4 - 4.00 |
| 39 | Cedric (Diesel) | (2.0L) | 1991 | C1478 | 4 | 3.268 | 83.00 | 4 - 2.50 4 - 2.00 4 - 2.00 | 4 - 4.50 4 - 4.50 |
| 40 | Cedric (Diesel) Forklift (Diesel) | (2.2L) | 2164 | C1478 | 4 | 3.268 | 83.00 | 4 - 2.50 4 - 2.00 4 - 2.00 | 4 - 4.50 4 - 4.50 |
| 41 | 810/910 | (2.4L) | 2393 | C1507 * | 6 | 3.268 | 83.00 | 6 - 1.20 6 - 2.00 | 6 - 4.00 |
| 42 | 720 (Diesel) | (2.2L) | 2164 | C1512 | 4 | 3.268 | 83.00 | 4 - 2.50 4 - 2.00 | 4 - 4.50 |
| 43 | Cargo (Diesel) Forklift (Diesel) | (3.2L) | 3246 | C1597 | 6 | 3.268 | 83.00 | 6 - 2.50 6 - 2.00 6 - 2.00 | 6 - 4.50 6 - 4.50 |
| 44 | Bluebird 1300 | (1.3L) | 1295 | P1290 C1290 | 4 | 3.268 | 83.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 45 | Bluebird 1400 | (1.4L) | 1428 | P1290 C1290 | 4 | 3.268 | 83.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 46 | 510 520/521 620 | (1.6L) | 1595 | P1290 C1290 | 4 | 3.268 | 83.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 47 | 240 Z/S30 810 | (2.4L) | 2393 | P1297 C1297 | 6 | 3.268 | 83.00 | 6 - 2.00 6 - 2.00 | 6 - 4.00 |
| 48 | 260 Z/S30 | (2.6L) | 2565 | P1297 C1297 | 6 | 3.268 | 83.00 | 6 - 2.00 6 - 2.00 | 6 - 4.00 |
| 49 | 810/910 - Calif. Only Maxima/U11 - Calif. Only | (2.4L) | 2393 | P1501 C1501 | 6 | 3.268 | 83.00 | 6 - 1.50 6 - 2.00 | 6 - 4.00 |
| 50 | Maxima/U11 | (2.4L) | 2393 | P1513 C1513 | 6 | 3.268 | 83.00 | 6 - 1.50 6 - 1.50 | 6 - 4.00 |
| 51 | Pulsar SE/KN13 Prairie | (1.8L) | 1809 | P1576 C1576 | 4 | 3.268 | 83.00 | 4 - 1.50 4 - 1.50 | 4 - 2.80 |

Continued On Next Page

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

NISSAN

| Line No | Application | CC | Set No | Cyl | Bore Diameter | | Ring Size | | |
|---------|---|--------|--------|------------------------------|---------------|-------|-----------|----------------------|----------|
| | | | | | Inch | MM | Comp | Oil | |
| | < Continued > 200 SX/S12 (Turbo) | | | | | | | | |
| 52 | Prairie Silvia Gazelle Skyline Laurel | (1.8L) | 1809 | P1838 C1838 | 4 | 3.268 | 83.00 | 4 - 1.50 4 - 1.50 | 4 - 4.00 |
| 53 | Maxima/U11 (Diesel) | (2.8L) | 2793 | C1508 * | 6 | 3.327 | 84.50 | 6 - 2.00 6 - 2.00 | 6 - 4.00 |
| 54 | Datsun truck (Diesel) | (2.0L) | 1973 | C1953 | 4 | 3.327 | 84.50 | 4 - 2.00 4 - 2.00 | 4 - 3.00 |
| 55 | Stanza/T12 200 SX/S12 Stanza/T11 | (2.0L) | 1974 | P1493 C1493 | 4 | 3.327 | 84.50 | 4 - 1.50 4 - 1.50 | 4 - 4.00 |
| 56 | Stanza | (2.0L) | 1974 | P1719 C1719 | 4 | 3.327 | 84.50 | 4 - 1.50 4 - 1.50 | 4 - 2.80 |
| 57 | RD28 Turbo (Diesel) | (2.8L) | 2825 | S5034 * | 6 | 3.346 | 85.00 | 6 - 2.00 6 - 2.00 | 6 - 4.00 |
| 58 | Bluebird (Diesel) Cherry (Diesel) Laurel (Diesel) Skyline (Diesel) Sunny (Diesel) Trade (Diesel) Vanette (Diesel) | (2.0L) | 1952 | S5259 * | 4 | 3.346 | 85.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 59 | 200 SX/S10 510/A10 610 620 710 720 | (2.0L) | 1952 | P1372 C1372 | 4 | 3.346 | 85.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 60 | 610 620 710 | (1.8L) | 1770 | P1372 C1372 | 4 | 3.346 | 85.00 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 61 | 720 200 SX/S110 | (2.0L) | 1952 | P1474 C1474 | 4 | 3.346 | 85.00 | 4 - 1.50 4 - 1.50 | 4 - 4.00 |
| 62 | 510/A10 | (2.0L) | 1974 | P1474 C1474 | 4 | 3.346 | 85.00 | 4 - 1.50 4 - 1.50 | 4 - 4.00 |
| 63 | Laurel | (1.8L) | 1809 | P1809 C1809 | 4 | 3.346 | 85.00 | 4 - 2.00 4 - 1.50 | 4 - 4.00 |
| 64 | 720 | (2.0L) | 1952 | P1809 C1809 | 4 | 3.346 | 85.00 | 4 - 2.00 4 - 1.50 | 4 - 4.00 |
| 65 | Patrol Forklift | (4.0L) | 3956 | P1518 C1518 | 6 | 3.375 | 85.70 | 6 - 2.50 6 - 2.50 | 6 - 4.75 |
| 66 | Hardbody | (2.0L) | 1998 | C5090 | 4 | 3.386 | 86.00 | 4 - 1.50 4 - 1.50 | 4 - 4.00 |
| 67 | 280 ZX/S130 280 Z/S30 | (2.8L) | 2753 | P1405 C1405 | 6 | 3.386 | 86.00 | 6 - 2.00 6 - 2.00 | 6 - 4.00 |
| 68 | 280 ZX/S130 (Turbo) | (2.8L) | 2753 | P1500 C1500 | 6 | 3.386 | 86.00 | 6 - 1.50 6 - 2.00 | 6 - 4.00 |
| 69 | Skyline | (3.0L) | 2965 | P1725 C1725 | 6 | 3.386 | 86.00 | 6 - 1.50 6 - 1.50 | 6 - 2.80 |
| 70 | Sentra NX 2000 | (2.0L) | 1998 | P1794 C1794 | 4 | 3.386 | 86.00 | 4 - 1.50 4 - 1.50 | 4 - 3.00 |

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

NISSAN

| Line No | Application | CC | Set No | Cyl | Bore Diameter | | Ring Size | | |
|---------|--|--------|--------|--|---------------|-------|-----------|----------------------|----------|
| | | | | | Inch | MM | Comp | Oil | |
| 71 | 300 ZX (Turbo) | (3.0L) | 2960 | C1806 * | 6 | 3.425 | 87.00 | 6 - 1.50 6 - 1.50 | 6 - 2.80 |
| 72 | 720 200 SX/S110 | (2.2L) | 2187 | P1502 C1502 | 4 | 3.425 | 87.00 | 4 - 1.50 4 - 1.50 | 4 - 4.00 |
| 73 | 300 ZX/Z31 (Turbo) 200 SX/S12 300 ZX Maxima Maxima/U11 Quest Pathfinder Pick-up | (3.0L) | 2960 | P1559 C1559 | 6 | 3.425 | 87.00 | 6 - 1.50 6 - 1.50 | 6 - 2.80 |
| 74 | D21 Pick-up Pathfinder/WD21 | (3.0L) | 2960 | P1659 C1659 | 6 | 3.425 | 87.00 | 6 - 2.00 6 - 1.50 | 6 - 2.80 |
| 75 | Forklift Truck | (2.0L) | 1982 | P1301 C1301 | 4 | 3.433 | 87.20 | 4 - 2.00 4 - 2.50 | 4 - 4.00 |
| 76 | SPL 311 PL 411 | (1.6L) | 1595 | P1301 C1301 | 4 | 3.433 | 87.20 | 4 - 2.00 4 - 2.50 | 4 - 4.00 |
| 77 | SRL 311 | (2.0L) | 1982 | P1317 C1317 | 4 | 3.433 | 87.20 | 4 - 2.00 4 - 2.00 | 4 - 4.00 |
| 78 | Truck | (3.0L) | 2794 | P1621 C1621 | 6 | 3.433 | 87.20 | 6 - 2.00 6 - 2.50 | 6 - 4.00 |
| 79 | H 130 | (2.0L) | 1988 | P1988 ^A C1988 ^A | 4 | 3.465 | 88.00 | 4 - 1.50 4 - 1.50 | 4 - 5.00 |
| 80 | Truck (Diesel) | (2.3L) | 2289 | C1560 | 4 | 3.504 | 89.00 | 4 - 2.50 4 - 2.00 | 4 - 4.50 |
| 81 | 720 (Diesel) Forklift (Diesel) | (2.5L) | 2488 | C1560 | 4 | 3.504 | 89.00 | 4 - 2.50 4 - 2.00 | 4 - 4.50 |
| 82 | Truck (Diesel) | (2.3L) | 2289 | S5175 * | 4 | 3.504 | 89.00 | 4 - 2.50 4 - 2.00 | 4 - 4.00 |
| 83 | Altima Frontier Xterra | (2.4L) | 2389 | S5260 * | 4 | 3.504 | 89.00 | 4 - 1.20 4 - 1.20 | 4 - 2.50 |
| 84 | Altima Frontier Rouge Sentra SE-R Altima Hybrid (V-6) | (2.5L) | 2488 | S5260 * | 4 | 3.504 | 89.00 | 4 - 1.20 4 - 1.20 | 4 - 2.50 |
| 85 | 720 | (2.4L) | 2389 | P1561 C1561 | 4 | 3.504 | 89.00 | 4 - 1.50 4 - 1.50 | 4 - 4.00 |
| 86 | D21 Pick-up Pathfinder/WD21 Van/GC22 720 | (2.4L) | 2389 | P1609 C1609 | 4 | 3.504 | 89.00 | 4 - 2.00 4 - 1.50 | 4 - 4.00 |
| 87 | Altima 240 SX Axxess Pickup 240 SX Stanza Van | (2.4L) | 2389 | P1798 C1798 | 4 | 3.504 | 89.00 | 4 - 1.50 4 - 1.50 | 4 - 2.80 |
| 88 | Pathfinder Xterra Frontier | (3.3L) | 3272 | C1949 | 6 | 3.602 | 91.50 | 6 - 1.50 6 - 1.50 | 6 - 2.80 |

Continued On Next Page

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

NISSAN

| Line No | Application | CC | Set No | Cyl | Bore Diameter | | Ring Size | | |
|---------|--|---------|--------|------------------------------|---------------|-------|-----------|------------------------------------|----------|
| | | | | | Inch | MM | Comp | Oil | |
| | < Continued > Quest | | | | | | | | |
| 89 | Van (Diesel) Atlas (Diesel) | (2.5L) | 2494 | C1909 | 4 | 3.657 | 92.90 | 4 - 2.50 4 - 2.00 | 4 - 4.00 |
| 90 | Maxima, DOHC. Cedric, DOHC. Gloria, DOHC. | (3.0L) | 2987 | C1957 * | 6 | 3.661 | 93.00 | 6 - 1.20 6 - 1.20 | 6 - 2.50 |
| 91 | Datsun truck, Caraban (Diesel) | (2.7L) | 2700 | C1917 | 4 | 3.780 | 96.00 | 4 - 2.50 4 - 2.00 | 4 - 4.00 |
| 92 | Datsun Jeep | (2.7L) | 2663 | S5077 * | 4 | 3.780 | 96.00 | 4 - 2.50 ^{HK} 4 - 2.00 | 4 - 3.00 |
| 93 | Terrano II (Diesel) Mistral (Diesel) | (2.7L) | 2663 | S5177 * | 4 | 3.780 | 96.00 | 4 - 2.50 4 - 2.00 | 4 - 3.00 |
| 94 | Truck (Diesel) Caraban (Diesel) | (2.7L) | 2700 | S5192 * | 4 | 3.780 | 96.00 | 4 - 2.50 ^{HK} 4 - 2.00 | 4 - 4.00 |
| 95 | Safari (Diesel) Civilian (Diesel) | (4.2L) | 4169 | S5272 *^N | 6 | 3.780 | 96.00 | 6 - 2.50 6 - 2.00 | 6 - 4.00 |
| 96 | Maverick (Australia), Patrol, Safari | (4.2L) | 4169 | P1938 C1938 | 6 | 3.780 | 96.00 | 6 - 2.00 6 - 2.00 | 6 - 4.00 |
| 97 | Datsun Truck (Diesel) Caraban (Diesel) | (3.2L) | 3200 | S5095 * | 4 | 3.905 | 99.20 | 4 - 2.50 4 - 2.00 | 4 - 3.00 |
| 98 | Bison, Civilian (Diesel) | (3.3L) | 3300 | S7047 *^A | 4 | 3.937 | 100.00 | 4 - 3.00 4 - 2.00 | 4 - 4.50 |
| 99 | Condore (Diesel) | (3.5L) | 3465 | S7104 *^A | 4 | 4.035 | 102.50 | 4 - 3.00 ^{HK} 4 - 2.00 | 4 - 4.00 |
| 100 | MK250 (Diesel) | (7.0L) | 6925 | S5086 * | 6 | 4.250 | 107.95 | 6 - 3.00 ^{HK} 6 - 2.00 | 6 - 4.00 |
| 101 | CB20, CK20, M20, TK20, U20, TFA21, CD40, CV40, CW40, PT81 (Diesel) Truck (Diesel) Bus (Diesel) | (10.3L) | 10308 | C5097 | 6 | 4.921 | 125.00 | 6 - 5.00 6 - 3.50 | 6 - 5.00 |
| 102 | CB20, CK20, M20, TK20, TAF21, CD40, CV40, CW40, CW41, PT81 (Diesel) Truck (Diesel) Bus (Diesel) | (10.3L) | 10308 | S5098 * | 6 | 4.921 | 125.00 | 6 - 4.00 ^{FK} 6 - 3.50 | 6 - 5.00 |

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone