

# PEUGEOT

Application	Engine	Cyl	Set Number		Line No		
	Model	Bore	CC	Years		Chrome	Plain
1.4XAD (Diesel)	TUD3	75.00	1361	92-96	S5117 <sup>+</sup>		8
1.4XND (Diesel)	TUD3	75.00	1361	92-96	S5117 <sup>+</sup>		8
1000 Fourgon (Diesel)	CRD93	93.00	2499	83-85	S5157 <sup>+</sup>		55
104 2e Model ZS Berline GL 6	XZ5	75.00	1219	80-85	C1665	P1665	10
104 Coupe ZS Berline GLS 6	XW3/XW35, XW7, 108	72.00	1124	79-ON	C1866		3
104 GL, GR, L, Z, ZA, ZL, ZR	XV3/XV5/XW8	70.00	954	75-85	C5121 <sup>+</sup>		1
104 GL, GR, Z, ZA ZR	XW7, 109	72.00	1124	80-83	C1866		3
104 GL, GR, ZR	XW3/108	72.00	1124	75-85	C1866		3
104 GLS, ZL	XW7, 109	72.00	1124	85-87	C1866		3
104 GR, S, SR, ZS	XZ5	75.00	1218	80-83	C1665	P1665	13
104 S, SR, SL, ZL, ZS	XW3/108	72.00	1124	75-85	C1866		3
104 Style Z, Z Plus	XW7, 109	72.00	1124	82-87	C1866		3
106 1.4D (Diesel)	TUD3	75.00	1361	92-96	S5117 <sup>+</sup>		8
106 1.5D (Series 1 & 2) (Diesel)	TUD5	77.00	1527	1994	S5182 <sup>+</sup>		17
106 1.6i Griffe	TU5JP/J2	78.50	1587	93-96	S5149 <sup>+</sup>		21
106 Cashmere, Color Line, Eden Park, Equinoxe	TU3JP.L3/TU3JP.LZ	75.00	1360	96-01	S5265 <sup>+</sup>		9
106 Rallye	TU2J2/Z	75.00	1294	94-96	C1865	P1865	15
106 XN	TU9/C1/H1	70.00	954	87-ON	C1824	P1824	2
106 XR, 205 CJ, GL. GT	TU3A/AN/S/M/2/2K	75.00	1361	1991	C5119		7
106 XR, XN	TU1/H1A	72.00	1124	1992	C1902		4
106, 206, 307, 308, 1007, Berlingo, Partner, Xsara, C3, 110 Saxo 1.6i 16V	TU5JP4	78.50	1587	00-ON	S5313 <sup>N</sup>		22
1100	XW7, 109	72.00	1124	85-87	C1866		3
1300 Fourgon (Diesel)	CRD93	93.00	2499	83-85	S5157 <sup>+</sup>		55
204	XK5	78.00	1127	75-77	C1649 <sup>A</sup>	P1649 <sup>A</sup>	18
205	XU5J/JA	83.00	1580	84-88	C1271 <sup>A</sup>	P1271 <sup>A</sup>	36
205 A, XL, XR, XA	XW7, 109	72.00	1124	80-87	C1866		3
205 Automatic	XU5	83.00	1580	84-93	C1864	P1864	38
205 D, GLD, GRD, SRDXLD, (Diesel)	XUD7	80.00	1768	84-93	C1862		24
205 D, GLD, GRD, XLD (Diesel)	XUD9/A/B/L/Y	83.00	1905	87-98	C5148		30
205 GE, GL, GR, L, XE, XR	XV8	70.00	954	83-87	C5121 <sup>+</sup>		1
205 GL, GR	XW7, 109	72.00	1124	85-87	C1866		3
205 GL, GR, XL, XR	TU1/H1A	72.00	1124	87-93	C1902		4
205 GR,GT, SR, XR	XY7	75.00	1768	83-87	C1665	P1665	11
205 Junior	TU9/C1/H1	70.00	954	87-ON	C1824	P1824	2
205 Rallye	TU2.4	75.00	1294	1988	C5119		6
205 Rallye	TU24	75.00	1294	87-92	C1865	P1865	15
205 X5, XT	XY8	75.00	1360	83-87	C1665	P1665	12
205 XAD, XRD, XTD	XUD7	80.00	1768	84-93	C1768 <sup>+</sup>		23
205, 309 GRD, SRD, SXD, 405 GRD, GTD, SRD (Diesel)	XUD7/T/TE	80.00	1769	88-93	S5116		25
205XS, GR, SR, XR	TU3	75.00	1360		C1865	P1865	14
206 1.6i	TU5JP/J2	78.50	1587	98-00	S5149 <sup>+</sup>		21
206 1.9D, 206 LD, 306 1.9D, 306 Break, Expert 1.9D, Partner (Diesel)	DW8/B	82.20	1868	98-01	C5069		27
206, 206 CC, 206 SW	EW10J4	85.00	1997		S5219 <sup>+</sup>		44
206, 206 Presence, 206 Roland Garros	TU3JP.L3/TU3JP.L4	75.00	1360	98-02	S5265 <sup>+</sup>		9
206, 307 (1.4 TD) (Diesel)	DV4TD	73.70	1399	2002	S5247 <sup>+</sup>		5
206, 307 (1.4 TD) (Diesel)	DV4TED	73.70	1399	2002	S5247 <sup>+</sup>		5
20J, 205 XL, XR, XE, GL	TU9/C1/H1	70.00	954	87-ON	C1824	P1824	2
304	XL3	76.00	1288	69-75	C1408	P1408	16
304	XK5	78.00	1127	76-80	C1649 <sup>A</sup>	P1649 <sup>A</sup>	18

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# PEUGEOT

Application	Engine	Cyl			Set Number		Line
	Model	Bore	CC	Years	Chrome	Plain	No
304	XL5	78.00	1290	72-75	C1649 <sup>A</sup>	P1649 <sup>A</sup>	19
305	XL5	78.00	1290	77-82	C1649 <sup>A</sup>	P1649 <sup>A</sup>	19
305	XR5	78.00	1472	77-82	C1649 <sup>A</sup>	P1649 <sup>A</sup>	20
305	XU9J2	83.00	1905	83-86	C1271 <sup>A</sup>	P1271 <sup>A</sup>	37
305 D, 309 D, 405 D (Diesel)	XUD9/A	83.00	1905	1983	C1974 <sup>+</sup>		29
305 D, GLD, GRD (Diesel)	XUD9/A/B/L/Y	83.00	1905	82-88	C5148		30
305 GL, GLS, GR, GT SR	XU5	83.00	1580	82-88	C1864	P1864	38
305 GLD, GRD (Diesel)	XUD7	80.00	1768	1987	C1862		24
306 1.6i XR, XT Auto	TU5JP/J2	78.50	1587	94-00	S5149 <sup>+</sup>		21
306 1.9TD, 4051.9TD, 406 1.9TD, 806TD, Boxer 1.9, Expert 1.9D (Diesel)	XUD9TE	83.00	1905	1993	S5147 <sup>+</sup>		31
306, 406 16V	XU7JP4	83.00	1762	1995	S5158 <sup>+</sup>		33
307 HDi (Diesel)	DW10ATED	85.00	1998	2001	S5150 <sup>+</sup>		43
307, 307 SW	EW10J4	85.00	1997		S5219 <sup>+</sup>		44
307Affaire, XR	TU3JP	75.00	1360	01-On	S5265 <sup>+</sup>		9
309 (Diesel)	XUD7	80.00	1768	88-89	C1862		24
309 GE, GL, GR, XE, XL, XS	XU5	83.00	1580	85-93	C1864	P1864	38
309 GE, XE, Chorus	TU1/H1A	72.00	1124	89-92	C1902		4
309 GTi 16V	XU9J4	83.00	1905	1987	S5158 <sup>+</sup>		34
309 SR Automatic	XU5	83.00	1580	85-93	C1864	P1864	38
309 SR/GR	XU9JA/J1/JAZ/M	83.00	1905	1983	C1271 <sup>A</sup>	P1271 <sup>A</sup>	37
309 SX, XR	XU5	83.00	1580	88-93	C1864	P1864	38
403	TN	80.00	1468	55-66	C1104	P1104	26
404	XB	80.00	1468	63-69	C1104	P1104	26
404	XC	84.00	1618	60-70	C1204	P1204	40
404	XM	84.00	1796	68-71	C1369	P1369	41
404 D (Diesel)	XD88	88.00	1948	63-73	C1441		46
405	XU9 2C/S	83.00	1905	1983	C1271 <sup>A</sup>	P1271 <sup>A</sup>	37
405 GE, GL, GR	XU5	83.00	1580	1987	C1864	P1864	38
405 GL Break, GR Break, SR	XU5	83.00	1580	1988	C1864	P1864	38
405Mi 16V	XU9J4	83.00	1905	1987	S5158 <sup>+</sup>		32
405SR	XU7	83.00	1761	1993	S5158 <sup>+</sup>		35
405SRi/Sti/BREAK	XU10	86.00	1998	1989	C5047	P5047	45
406	EW7J4.6FZ	82.70	1749	00-On	S5239 <sup>+N</sup>		28
406 1.9TD, Expert 1.9D (Diesel)	XUD9SD/TF	83.00	1905	96-98	S5147 <sup>+</sup>		31
406 2.1TD (Diesel)	XUD11ATE/L	85.00	2088	1995	S5118 <sup>+</sup>		42
406 Break	EW7J4.EURO3	82.70	1749	00-On	S5239 <sup>+N</sup>		28
406, 406 Break, 406 Coupe	EW10J4	85.00	1997		S5219 <sup>+</sup>		44
504	KF5/6, XM/1	84.00	1796	1970	C5178 <sup>+</sup>		39
504	XM	84.00	1796	68-70	C1369	P1369	41
504	ZM	88.00	2664	74-81	C1440 <sup>A</sup>	P1440 <sup>A</sup>	48
504 D (Diesel)	XD90	90.00	2112	74-76	C1462 <sup>A</sup>		50
504 D (Diesel)	XD2	94.00	2304	77-81	C1463 <sup>+</sup>		57
504 D, GRD, Berline Break	XD2XD2P	94.00	2304	76-82	C1860		58
504 F40, H40 Ambulance	XD2XD2P	94.00	2304	1978	C1860		58
504 GL, SL	XN	88.00	1971	71-86	C1370 <sup>A</sup>	P1370 <sup>A</sup>	47
504 GLD	XD2XD2P	94.00	2304	1976	C1860		58
505	XN	88.00	1971	80-87	C1370 <sup>A</sup>	P1370 <sup>A</sup>	47
505	ZDJ	88.00	2165	88-91	C1598	P1598	49
505 D (Diesel)	XD2	94.00	2304	77-82	C1463 <sup>+</sup>		57
505 G5, GL, GR, SR, SX	XM7A	84.00	1796	85-86	C5178 <sup>+</sup>		39
505 GLD, GRD, SRD, Break	XD3XD3P	94.00	2498	84-92	C1860		59
505 GRD, SRD	XD2XD2P	94.00	2304	1980	C1860		58
505 SRD Turbo, 604 GRD Turbo (Diesel)	XD3T/TE	94.00	2498	83-93	S5114 <sup>+</sup>		60

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# PEUGEOT

Application	Engine	Cyl			Set Number		Line No
	Model	Bore	CC	Years	Chrome	Plain	
505 SRD Turbo, 604 GRD Turbo (Diesel)	XD2S	94.00	2304	78-86	S5114 <sup>+</sup>		61
505 SXD	XD3XD3P	94.00	2498	82-92	C1860		59
505 T	ZEJ	88.00	2165	79-88	C1598	P1598	49
505D	XD2XD2P	94.00	2304	76-82	C1860		58
604	ZM	88.00	2664	75-77	C1440 <sup>A</sup>	P1440 <sup>A</sup>	48
604	ZNV	91.00	2849	77-88	C1515 <sup>A</sup>	P1515 <sup>A</sup>	51
605 2.1TD SRDT, SVDT (Diesel)	XUD11ATE/L	85.00	2088	89-94	S5118 <sup>+</sup>		42
806	EW10J4	85.00	1997		S5219 <sup>+</sup>		44
806 HDi (Diesel)	DW10ATED	85.00	1998	99-02	S5150 <sup>+</sup>		43
B4	XD3XD3P	94.00	2498	1982	C1860		59
Berline	XD3XD3P	94.00	2498	82-92	C1860		59
Boxer (Diesel)	XUD9/A/B/L/Y	83.00	1905	99-02	C5148		30
Boxer 2.5D (Diesel)	DJ5	92.00	2446	94-02	S5173 <sup>+</sup>		53
Boxer, 605, 806 (Diesel)	DK5ATE, DJ5T	92.00	2446	93-99	S5170 <sup>+</sup>		52
Break GLD, GRD, SRD	XD3XD3P	94.00	2498	82-92	C1860		59
Evasion, Expert Combi, Expert Tole	EW10J4	85.00	1997		S5219 <sup>+</sup>		44
Familiale D, GLD, GRD, SRD (Diesel)	XD3	94.00	2498	81-90	C1463 <sup>+</sup>		56
Fourgon 1900 (Diesel)	XD3	94.00	2498	1981	C1463 <sup>+</sup>		56
J5 (Diesel)	CRD93	93.00	2499	83-85	S5157 <sup>+</sup>		55
J5, 1000K, 1300K (Diesel)	CRD93	93.00	2500	1981	S5115 <sup>+</sup>		54
J7 B, BD, PX, PY, PZXD 2P	XD2XD2P	94.00	2304	1976	C1860		58
J9	XD2XD2P	94.00	2304	1976	C1860		58
J9	XD3XD3P	94.00	2498	1982	C1860		59
Junior	XV8	70.00	954	83-87	C5121 <sup>+</sup>		1
Partner (Diesel)	XUD9/A/B/L/Y	83.00	1905	1996	C5148		30
Partner (Diesel)	DW10TD	85.00	1998	1999	S5150 <sup>+</sup>		43
Partner Break	TU3JP.L3	75.00	1360	98-On	S5265 <sup>+</sup>		9
Partner Combi	TU3JP.L3/TU3JP.L4	75.00	1360	97-On	S5265 <sup>+</sup>		9
Partner Fourgon	TU3JP	75.00	1360	00-On	S5265 <sup>+</sup>		9
Xsara	EW10J4	85.00	1997		S5219 <sup>+</sup>		44
Z1100 GL, GR	XW7, 109	72.00	1124	80-87	C1866		3

Line No	Application		CC	Set No	Cyl	Bore Diameter		Ring Size	
						Inch	MM	Comp	Oil
1	104 GL, GR, L, Z, ZA, ZL, ZR Junior 205 GE, GL, GR, L, XE, XR	(1.0L)	954	C5121 <sup>+</sup>	4	2.756	70.00	4 - 2.00 4 - 2.00	4 - 4.00
2	106 XN 20J, 205 XL, XR, XE, GL 205 Junior	(1.0L)	954	P1824 C1824	4	2.756	70.00	4 - 1.50 4 - 1.50	4 - 3.00
3	104 Coupe ZS Berline GLS 6 104 GL, GR, ZR 104 S, SR, SL, ZL, ZS 104 GLS, ZL 104 GL, GR, Z, ZA ZR 104 Style Z, Z Plus 1100 205 A, XL, XR, XA 205 GL, GR Z1100 GL, GR	(1.1L)	1124	C1866	4	2.835	72.00	4 - 1.50 4 - 2.00	4 - 4.00
4	309 GE, XE, Chorus 205 GL, GR, XL, XR 106 XR, XN	(1.1L)	1124	C1902	4	2.835	72.00	4 - 1.50 4 - 2.00	4 - 3.00
5	206, 307 (1.4 TD) (Diesel)	(1.4L)	1399	S5247 <sup>+</sup>	4	2.901	73.70	4 - 2.50 <sup>FK</sup> 4 - 1.95	4 - 2.50

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# PEUGEOT

Line No	Application		CC	Set No	Cyl	Bore Diameter		Ring Size	
						Inch	MM	Comp	Oil
6	205 Rallye	(1.3L)	1294	<b>C5119</b>	4	2.953	75.00	4 - 1.75 4 - 2.00	4 - 3.00
7	106 XR, 205 CJ, GL, GT	(1.4L)	1361	<b>C5119</b>	4	2.953	75.00	4 - 1.75 4 - 2.00	4 - 3.00
8	1.4XND (Diesel) 1.4XAD (Diesel) 106 1.4D (Diesel)	(1.4L)	1361	<b>S5117</b> *	4	2.953	75.00	4 - 2.25 4 - 1.75	4 - 3.00
9	106 Cashmere, Color Line, Eden Park, Equinox 206, 206 Presence, 206 Roland Garros 307Affaire, XR Partner Break Partner Combi Partner Fourgon	(1.4L)	1360	<b>S5265</b> *	4	2.953	75.00	4 - 1.50 4 - 1.50	4 - 2.50
10	104 2e Model ZS Berline GL 6	(1.2L)	1219	<b>P1665</b> <b>C1665</b>	4	2.953	75.00	4 - 1.75 4 - 2.00	4 - 4.00
11	205 GR,GT, SR, XR	(1.8L)	1768	<b>P1665</b> <b>C1665</b>	4	2.953	75.00	4 - 1.75 4 - 2.00	4 - 4.00
12	205 X5, XT	(1.4L)	1360	<b>P1665</b> <b>C1665</b>	4	2.953	75.00	4 - 1.75 4 - 2.00	4 - 4.00
13	104 GR, S, SR, ZS	(1.2L)	1218	<b>P1665</b> <b>C1665</b>	4	2.953	75.00	4 - 1.75 4 - 2.00	4 - 4.00
14	205XS, GR, SR, XR	(1.4L)	1360	<b>P1865</b> <b>C1865</b>	4	2.953	75.00	4 - 1.75 4 - 2.00	4 - 3.00
15	106 Rallye 205 Rallye	(1.3L)	1294	<b>P1865</b> <b>C1865</b>	4	2.953	75.00	4 - 1.75 4 - 2.00	4 - 3.00
16	304	(1.3L)	1288	<b>P1408</b> <b>C1408</b>	4	2.992	76.00	4 - 1.75 4 - 2.00	4 - 4.00
17	106 1.5D (Series 1 & 2) (Diesel)	(1.5L)	1527	<b>S5182</b> *	4	3.031	77.00	4 - 2.00 4 - 1.75	4 - 3.00
18	204 304	(1.1L)	1127	<b>P1649</b> <sup>A</sup> <b>C1649</b> <sup>A</sup>	4	3.071	78.00	4 - 1.75 4 - 2.00	4 - 4.00
19	304 305	(1.3L)	1290	<b>P1649</b> <sup>A</sup> <b>C1649</b> <sup>A</sup>	4	3.071	78.00	4 - 1.75 4 - 2.00	4 - 4.00
20	305	(1.5L)	1472	<b>P1649</b> <sup>A</sup> <b>C1649</b> <sup>A</sup>	4	3.071	78.00	4 - 1.75 4 - 2.00	4 - 4.00
21	106 1.6i Griffe 206 1.6i 306 1.6i XR, XT Auto	(1.6L)	1587	<b>S5149</b> *	4	3.091	78.50	4 - 1.50 4 - 1.50	4 - 3.00
22	106, 206, 307, 308, 1007, Berlingo, Partner, Xsara, C3, 110 Saxo 1.6i 16V	(1.6L)	1587	<b>S5313</b> <sup>N</sup>	4	3.091	78.50	4 - 1.20 4 - 1.50	4 - 2.50
23	205 XAD, XRD, XTD	(1.8L)	1768	<b>C1768</b> *	4	3.150	80.00	4 - 1.20 4 - 1.20	4 - 3.00
24	205 D, GLD, GRD, SRDXLD, (Diesel) 305 GLD, GRD (Diesel) 309 (Diesel)	(1.8L)	1768	<b>C1862</b>	4	3.150	80.00	4 - 2.00 4 - 2.00	4 - 3.00
25	205, 309 GRD, SRD, SXD, 405 GRD, GTD, SRD (Diesel)	(1.8L)	1769	<b>S5116</b>	4	3.150	80.00	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 3.00
26	403 404	(1.5L)	1468	<b>P1104</b> <b>C1104</b>	4	3.150	80.00	4 - 2.00 4 - 2.00	4 - 4.50
27	206 1.9D, 206 LD, 306 1.9D, 306 Break, Expert 1.9D, Partner (Diesel)	(1.9L)	1868	<b>C5069</b>	4	3.236	82.20	4 - 2.00 4 - 2.00	4 - 3.00
28	406 406 Break	(1.8L)	1749	<b>S5239</b> <sup>*N</sup>	4	3.256	82.70	4 - 1.20 4 - 1.50	4 - 2.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# PEUGEOT

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
29	305 D, 309 D, 405 D (Diesel)	(1.9L)	1905	<b>C1974</b> *	4	3.268	83.00	4 - 2.00 4 - 2.00	4 - 3.00
30	205 D, GLD, GRD, XLD (Diesel) 305 D, GLD, GRD (Diesel) Boxer (Diesel) Partner (Diesel)	(1.9L)	1905	<b>C5148</b>	4	3.268	83.00	4 - 2.00 4 - 2.00	4 - 3.00
31	406 1.9TD, Expert 1.9D (Diesel) 306 1.9TD, 4051.9TD, 406 1.9TD, 806TD, Boxer 1.9, Expert 1.9D (Diesel)	(1.9L)	1905	<b>S5147</b> *	4	3.268	83.00	4 - 3.50 <sup>FK</sup> 4 - 2.00	4 - 3.00
32	405Mi 16V	(1.9L)	1905	<b>S5158</b> *	4	3.268	83.00	4 - 1.50 4 - 1.50	4 - 3.00
33	306, 406 16V	(1.8L)	1762	<b>S5158</b> *	4	3.268	83.00	4 - 1.50 4 - 1.50	4 - 3.00
34	309 GTi 16V	(1.9L)	1905	<b>S5158</b> *	4	3.268	83.00	4 - 1.50 4 - 1.50	4 - 3.00
35	405SR	(1.8L)	1761	<b>S5158</b> *	4	3.268	83.00	4 - 1.50 4 - 1.50	4 - 3.00
36	205	(1.6L)	1580	<b>P1271</b> <sup>A</sup> <b>C1271</b> <sup>A</sup>	4	3.268	83.00	4 - 1.50 4 - 1.50	4 - 4.00
37	309 SR/GR 405 305	(1.9L)	1905	<b>P1271</b> <sup>A</sup> <b>C1271</b> <sup>A</sup>	4	3.268	83.00	4 - 1.50 4 - 1.50	4 - 4.00
38	205 Automatic 305 GL, GLS, GR, GT SR 309 GE, GL, GR, XE, XL, XS 309 SR Automatic 309 SX, XR 405 GE, GL, GR 405 GL Break, GR Break, SR	(1.6L)	1580	<b>P1864</b> <b>C1864</b>	4	3.268	83.00	4 - 1.75 4 - 1.75	4 - 4.00
39	504 505 G5, GL, GR, SR, SX	(1.8L)	1796	<b>C5178</b> *	4	3.307	84.00	4 - 1.50 4 - 2.00	4 - 4.00
40	404	(1.6L)	1618	<b>P1204</b> <b>C1204</b>	4	3.307	84.00	4 - 2.00 4 - 2.00	4 - 4.50
41	404 504	(1.8L)	1796	<b>P1369</b> <b>C1369</b>	4	3.307	84.00	4 - 1.50 4 - 2.00	4 - 4.00
42	406 2.1TD (Diesel) 605 2.1TD SRDT, SVDT (Diesel)	(2.1L)	2088	<b>S5118</b> *	4	3.346	85.00	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 3.00
43	307 HDi (Diesel) 806 HDi (Diesel) Partner (Diesel)	(2.0L)	1998	<b>S5150</b> *	4	3.346	85.00	4 - 3.50 <sup>FK</sup> 4 - 2.00	4 - 3.00
44	406, 406 Break, 406 Coupe 806 Evasion, Expert Combi, Expert Tole 206, 206 CC, 206 SW 307, 307 SW Xsara	(2.0L)	1997	<b>S5219</b> *	4	3.346	85.00	4 - 1.20 4 - 1.50	4 - 2.50
45	405SRi/STi/BREAK	(2.0L)	1998	<b>P5047</b> <b>C5047</b>	4	3.386	86.00	4 - 1.50 4 - 1.75	4 - 3.00
46	404 D (Diesel)	(2.0L)	1948	<b>C1441</b>	4	3.465	88.00	4 - 2.00 4 - 2.00 4 - 2.00	4 - 4.50
47	504 GL, SL 505	(2.0L)	1971	<b>P1370</b> <sup>A</sup> <b>C1370</b> <sup>A</sup>	4	3.465	88.00	4 - 1.50 4 - 2.00	4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# PEUGEOT

Line No	Application		CC	Set No	Cyl	Bore Diameter		Ring Size	
						Inch	MM	Comp	Oil
48	504 604	(2.7L)	2664	<b>P1440<sup>A</sup></b> <b>C1440<sup>A</sup></b>	6	3.465	88.00	6 - 1.50 6 - 2.00	6 - 4.00
49	505 505 T	(2.1L)	2165	<b>P1598</b> <b>C1598</b>	4	3.465	88.00	4 - 1.75 4 - 2.00	4 - 4.00
50	504 D (Diesel)	(2.1L)	2112	<b>C1462<sup>A</sup></b>	4	3.543	90.00	4 - 2.00 4 - 2.00 4 - 2.00	4 - 4.50
51	604	(2.8L)	2849	<b>P1515<sup>A</sup></b> <b>C1515<sup>A</sup></b>	6	3.583	91.00	6 - 1.50 6 - 2.00	6 - 4.00
52	Boxer, 605, 806 (Diesel)	(2.5L)	2446	<b>S5170<sup>+</sup></b>	4	3.622	92.00	4 - 3.00 <sup>FK</sup> 4 - 1.75	4 - 3.50
53	Boxer 2.5D (Diesel)	(2.5L)	2446	<b>S5173<sup>+</sup></b>	4	3.622	92.00	4 - 2.25 4 - 2.00	4 - 3.00
54	J5, 1000K, 1300K (Diesel)	(2.5L)	2500	<b>S5115<sup>+</sup></b>	4	3.661	93.00	4 - 2.50 4 - 2.00	4 - 4.00
55	J5 (Diesel) 1000 Fourgon (Diesel) 1300 Fourgon (Diesel)	(2.5L)	2499	<b>S5157<sup>+</sup></b>	4	3.661	93.00	4 - 2.00 4 - 2.00	4 - 4.00
56	Fourgon 1900 (Diesel) Familiale D, GLD, GRD, SRD (Diesel)	(2.5L)	2498	<b>C1463<sup>+</sup></b>	4	3.701	94.00	4 - 2.00 4 - 2.00	4 - 4.00
57	504 D (Diesel) 505 D (Diesel)	(2.3L)	2304	<b>C1463<sup>+</sup></b>	4	3.701	94.00	4 - 2.00 4 - 2.00	4 - 4.00
58	504 D, GRD, Berline Break 504 F40, H40 Ambulance 504 GLD 505D 505 GRD, SRD J7 B, BD, PX, PY, PZXD 2P J9	(2.3L)	2304	<b>C1860</b>	4	3.701	94.00	4 - 2.00 4 - 2.00	4 - 4.00
59	505 GLD, GRD, SRD, Break 505 SXD B4 Berline Break GLD, GRD, SRD J9	(2.5L)	2498	<b>C1860</b>	4	3.701	94.00	4 - 2.00 4 - 2.00	4 - 4.00
60	505 SRD Turbo, 604 GRD Turbo (Diesel)	(2.5L)	2498	<b>S5114<sup>+</sup></b>	4	3.701	94.00	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 4.00
61	505 SRD Turbo, 604 GRD Turbo (Diesel)	(2.3L)	2304	<b>S5114<sup>+</sup></b>	4	3.701	94.00	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone