

# STUDEBAKER

Cubic Inch	Year	Application	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
170	39-63		<b>P2253</b> <b>C2253</b>	6	3.000	76.20	6 - 3/32 6 - 1/8	6 - 5/32
170	1964		<b>P2256</b>	6	3.000	76.20	6 - 5/64 6 - 5/64	6 - 3/16
186	55-58		<b>P2253</b> <b>C2253</b>	6	3.000	76.20	6 - 3/32 6 - 1/8	6 - 5/32
194	65-66		<b>P2234</b> <b>C2234</b>	6	3.563	90.50	6 - 5/64 6 - 5/64	6 - 3/16
224	55-56		<b>P2186</b> <b>C2186</b>	8	3.563	90.50	8 - 5/64 8 - 5/64	8 - 3/16
226	37-38		<b>P2114</b>	6	3.312	84.12	6 - 1/8 6 - 1/8	6 - 3/16
226	39-53		<b>P2252</b> <b>C2252</b>	6	3.312	84.12	6 - 3/32 6 - 3/32	6 - 3/16
230	1966		<b>P2240</b> <b>C2240</b>	6	3.875	98.40	6 - 5/64 6 - 5/64	6 - 3/16
233	51-54		<b>P2255</b>	8	3.375	85.70	8 - 5/64 8 - 5/64	8 - 3/16
246	47-60		<b>P2252</b> <b>C2252</b>	6	3.312	84.12	6 - 3/32 6 - 3/32	6 - 3/16
259	55-64		<b>P2186</b> <b>C2186</b>	8	3.563	90.50	8 - 5/64 8 - 5/64	8 - 3/16
283	65-66		<b>P2221</b> <b>C2221</b>	8	3.875	98.40	8 - 5/64 8 - 5/64	8 - 3/16
289	55-64		<b>P2186</b> <b>C2186</b>	8	3.563	90.50	8 - 5/64 8 - 5/64	8 - 3/16
304	1964		<b>P2257</b>	8	3.655	92.84	8 - 5/64 8 - 5/64	8 - 3/16
352	1956		<b>P2271</b> <b>C2271</b>	8	4.000	101.60	8 - 5/64 8 - 5/64	8 - 3/16

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone