

AUDI

Application	Engine	Cyl	Set Number		Line No		
	Model	Bore	CC	Years		Chrome	Plain
(5 Valve) (Diesel)		81.00	2400		C5063⁺		17
100 2.3 E, 100 E 2.3 quattro 20v (Check Top Ring)	AAR	82.50	2309	90-94	S5455⁺		34
100 Avant E, 100 E Avant quattro 20v (Check Top Ring)	AAR	82.50	2309	91-94	S5455⁺		34
100 GL, LS	059	81.50	1760	70-73	C1336	P1336	28
100 GL, LS	058	84.00	1871	72-77	C1348	P1348	39
100 GL, LS	060	86.50	1984	77-79	C1434	P1434	40
100, 100 Avant (Diesel)	3D	79.50	2370	89-91	C1889		9
100, 100 Avant (Diesel)	AAS	79.50	2370	90-94	C1889		9
4000	049	79.50	1588	80-84	C1429	P1429	13
4000	049	79.50	1716	81-84	C1429	P1429	14
4000 5+5	035	79.50	2144	78-85	C1437	P1437	15
4000 D (Diesel)	068	76.50	1588	82-83	C1464⁺	P1464⁺	7
4000 S	026	81.00	1780	84-87	C1524	P1524	24
50	052	69.50	1093	75-76	C1646	P1646	1
50	052	69.50	1093	76-78	C1647	P1647	2
50	052	69.50	1093	78-81	C1648	P1648	3
5000	035	79.50	2144	78-85	C1437	P1437	15
5000 D (Diesel)	076	76.50	1986	78-84	C1468		5
5000 S	034	81.00	2226	83-87	C1583	P1583	26
80	NG	82.50	2308	91-94	C1906		30
80	SD	82.50	1857	86-88	C1827	P1827	36
80 (Diesel)	1Y	79.50	1896	89-91	C1888⁺		8
80 16V	3A	82.50	2000	88-90	C1887⁺		29
80 CC, CD, CL	026	81.00	1595	83-87	C1524	P1524	25
80 CD, E, GT	034	81.00	1994	1983	C1583	P1583	27
80 GL	056	76.50	1471	72-80	C1335	P1335	6
80 GTE		82.50	1857	86-89	C1827	P1827	36
80 TD Catalyst (55kW) (Diesel)	AAZ	79.50	1896	1991	C1888⁺		8
80, 100, Quattro	AAH	82.50	2771	90-02	S5076⁺		31
80, 100, Quattro	ABC	82.50	2598	92-96	S5076⁺		32
80, 80 Avant (Diesel)	AAZ	79.50	1896	91-94	C1888⁺		8
80, 80 Avant, A4, A4 Avant, A6, A6 Avant (Diesel)	1Z	79.50	1896	92-99	C1888⁺		8
80, 80L, AB, NSU, PS	056	75.00	1296	72-ON	C1593	P1593	4
80, 90	3A	82.50	1984	89-98	C1914⁺	P1914⁺	37
80, 90 Coupe		82.50	2308		C1956	P1956	38
90	NG	82.50	2308	86-91	C1906		30
90 16V		82.50	2000	88-90	C1887⁺		29
90 2.3 E, 90 2.3 E quattro 20v (Check Top Ring)	7A	82.50	2309	88-91	S5455⁺		34
A3	AEH	81.00	1595	96-98	S5093⁺		18
A3	AKL	81.00	1595	96-00	S5093⁺		18
A3 (Diesel)	ASV, ASZ, ATD, AXR	79.50	1896	00-02	C1888⁺		8
A3 (Diesel)	ALH	79.50	1896	97-01	C1888⁺		8
A3 (Diesel)	AGR, AHF	79.50	1896	96-01	C1888⁺		8
A3 1.6	CCSA	81.00	1595	03-12	S5270^{+N}		21
A3 1.6	AVU	81.00	1595	00-03	S5270^{+N}		21
A3 1.6	BFQ	81.00	1595	00-03	S5270^{+N}		21
A3 1.6	BGU	81.00	1595	03-12	S5270^{+N}		21
A3 1.6	BSE	81.00	1595	03-12	S5270^{+N}		21
A3 1.6	BSF	81.00	1595	03-12	S5270^{+N}		21
A3 1.6 (Diesel)	CAYB	79.50	1598	09-13	S5506^{+N}		10
A3 1.6 (Diesel)	CAYC	79.50	1598	09-13	S5506^{+N}		10
A3 Sportback 2.0 TDI (Diesel)	BKD	81.00	1968	04-On	S5412⁺		22

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

AUDI

Application	Engine	Cyl			Set Number		Line
	Model	Bore	CC	Years	Chrome	Plain	No
A3 TDI (Diesel)	BKD	81.00	1968	03-On	S5412 ⁺		22
A3 TDI quattro (Diesel)	BKD	81.00	1968	04-On	S5412 ⁺		22
A4	ADP	81.00	1595	95-On	S5093 ⁺		18
A4	ARM	81.00	1595	95-00	S5093 ⁺		18
A4 (Diesel)	AFF	79.50	1896	96-99	C1888 ⁺		8
A4 1.6	ALZ	81.00	1595	00-08	S5270 ^{+N}		21
A4 1.6	ANA	81.00	1595	94-01	S5270 ^{+N}		21
A4 Avant (Diesel)	ATJ	79.50	1896	00-01	C1888 ⁺		8
A4 Avant, A6, A6 Avant (Diesel)	AVF	79.50	1896	01-02	C1888 ⁺		8
A4 Quattro (Includes Turbo)	AEB	81.00	1754	97-98	C5010 ⁺		16
A4, A4 Avant (Diesel)	AHH	79.50	1896	97-01	C1888 ⁺		8
A4, A4 Avant (Diesel)	AVB	79.50	1896	01-02	C1888 ⁺		8
A4, A4 Avant, A6, A6 Avant (Diesel)	AWX	79.50	1896	2001	C1888 ⁺		8
A4, A4 Avant, A6, A6 Avant (Diesel)	AJM, AVG	79.50	1896	98-01	C1888 ⁺		8
A4, A4 Avant, A6, A6 Avant (Diesel)	AHU	79.50	1896	94-01	C1888 ⁺		8
A4, A4 Avant, A6, A6 Avant (Diesel)	AFN	79.50	1896	96-00	C1888 ⁺		8
A4, A4 Avant, II	AHL	81.00	1595	96-97	S5093 ⁺		18
A4, A6	ALF	81.00	2393	97-03	S5250 ⁺		20
A4, A6	AMM	81.00	2393	00-03	S5250 ⁺		20
A4, A6	BDV	81.00	2393	01-03	S5250 ⁺		20
A4, A6	AML	81.00	2393	98-03	S5250 ⁺		20
A4, A6	AGA	81.00	2393	97-03	S5250 ⁺		20
A4, A6	AJG	81.00	2393	97-03	S5250 ⁺		20
A4, A6	APS	81.00	2393	98-03	S5250 ⁺		20
A4, A6, A8	ALG	82.50	2771	96-02	S5076 ⁺		33
A6	ALW	81.00	2393	97-03	S5250 ⁺		20
A6	ARN	81.00	2393	99-03	S5250 ⁺		20
A6	ASM	81.00	2393	00-03	S5250 ⁺		20
A6	APC	81.00	2393	98-03	S5250 ⁺		20
A6 (81kW) (Diesel)	AFU	79.50	1896	1994	C1888 ⁺		8
A6 (Diesel)	BLB,BNA,BRE,BRF,BVG	81.00	1968	04-08	S5520 ^{+N}		23
A6 Avant 2.3, A6 Avant quattro 20v (Check Top Ring)	AAR	82.50	2309	94-95	S5455 ⁺		34
A6 Avant, A6 Quattro	ABC	82.50	2598	94-97	S5076 ⁺		32
A6 Quattro	APB	81.00	2700	99-02	S5248 ⁺		19
A6 Quattro	BEL	81.00	2700	02-04	S5248 ⁺		19
A6, A6 Avant (Diesel)	AWF	79.50	1896	2001	C1888 ⁺		8
Allroad Quattro	APB	81.00	2700	00-02	S5248 ⁺		19
Allroad Quattro	BEL	81.00	2700	02-05	S5248 ⁺		19
Coupe 2.3, Coupe 2.3 quattro 20v (Check Top Ring)	7A	82.50	2309	88-96	S5455 ⁺		34
DOHC, Turbo	CDN,CCTA	82.50	1984		S5464 ^{+N}		35
Fox	056	76.50	1471	72-80	C1335	P1335	6
Fox	049	79.50	1588	73-76	C1406	P1406	11
Fox	049	79.50	1588	75-80	C1428	P1428	12
Quattro	035	79.50	2144	81-85	C1437	P1437	15
Quattro	034	81.00	2226	83-87	C1583	P1583	26
Quattro	83KW	82.50	1857	86-88	C1827	P1827	36
Quattro, 20V	NF	82.50	2308	86-89	C1906		30
S3 1.6 (Diesel)	CAYB	79.50	1598	10-13	S5506 ^{+N}		10
S3 1.6 (Diesel)	CAYC	79.50	1598	10-13	S5506 ^{+N}		10
S4	APB	81.00	2700	99-01	S5248 ⁺		19
Super 90	059	81.50	1760	70-73	C1336	P1336	28

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

AUDI

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
1	50	(1.1L)	1093	P1646 C1646	4	2.736	69.50	4 - 2.00 4 - 2.50	4 - 4.00
2	50	(1.1L)	1093	P1647 C1647	4	2.736	69.50	4 - 1.75 4 - 2.50	4 - 4.00
3	50	(1.1L)	1093	P1648 C1648	4	2.736	69.50	4 - 1.75 4 - 2.00	4 - 4.00
4	80, 80L, AB, NSU, PS	(1.3L)	1296	P1593 C1593	4	2.953	75.00	4 - 2.00 4 - 2.50	4 - 4.00
5	5000 D (Diesel)	(2.0L)	1986	C1468	5	3.012	76.50	5 - 1.75 5 - 2.00	5 - 3.00
6	Fox 80 GL	(1.5L)	1471	P1335 C1335	4	3.012	76.50	4 - 2.00 4 - 2.50	4 - 4.00
7	4000 D (Diesel)	(1.6L)	1588	P1464 ⁺ C1464 ⁺	4	3.012	76.50	4 - 1.75 4 - 2.00	4 - 3.00
8	80 TD Catalyst (55kW) (Diesel) A6 (81kW) (Diesel) 80, 80 Avant (Diesel) 80 (Diesel) A6, A6 Avant (Diesel) A4, A4 Avant, A6, A6 Avant (Diesel) A3 (Diesel) A4, A4 Avant, A6, A6 Avant (Diesel) A4, A4 Avant (Diesel) A3 (Diesel) A4, A4 Avant, A6, A6 Avant (Diesel) A4 (Diesel) 80, 80 Avant, A4, A4 Avant, A6, A6 Avant (Diesel) A4 Avant, A6, A6 Avant (Diesel) A4 Avant (Diesel) A4, A4 Avant (Diesel)	(1.9L)	1896	C1888 ⁺	4	3.130	79.50	4 - 1.75 4 - 2.00	4 - 3.00
9	100, 100 Avant (Diesel)	(2.4L)	2370	C1889	5	3.130	79.50	5 - 1.75 5 - 2.00	5 - 3.00
10	A3 1.6 (Diesel) S3 1.6 (Diesel)	(1.6L)	1598	S5506 ^{+N}	1	3.130	79.50	1 - 1.75 1 - 2.00	1 - 3.00
11	Fox	(1.6L)	1588	P1406 C1406	4	3.130	79.50	4 - 2.00 4 - 2.50	4 - 5.00
12	Fox	(1.6L)	1588	P1428 C1428	4	3.130	79.50	4 - 1.75 4 - 2.50	4 - 5.00
13	4000	(1.6L)	1588	P1429 C1429	4	3.130	79.50	4 - 1.75 4 - 2.00	4 - 4.00
14	4000	(1.7L)	1716	P1429 C1429	4	3.130	79.50	4 - 1.75 4 - 2.00	4 - 4.00
15	4000 5+5 5000 Quattro	(2.1L)	2144	P1437 C1437	5	3.130	79.50	5 - 1.75 5 - 2.00	5 - 4.00
16	A4 Quattro (Includes Turbo)	(1.8L)	1754	C5010 ⁺	4	3.189	81.00	4 - 1.50 4 - 1.75	4 - 2.00
17	(5 Valve) (Diesel)	(2.4L)	2400	C5063 ⁺	6	3.189	81.00	6 - 1.50 6 - 1.50	6 - 2.00
18	A4 A4, A4 Avant, II A4 A3	(1.6L)	1595	S5093 ⁺	4	3.189	81.00	4 - 1.20 4 - 1.50	4 - 2.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

AUDI

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
19	S4 A6 Quattro Allroad Quattro	(2.7L)	2700	S5248 ⁺	6	3.189	81.00	6 - 1.50 6 - 1.75	6 - 2.00
20	A4, A6 A6 A4, A6 A6 A4, A6 A6	(2.4L)	2393	S5250 ⁺	6	3.189	81.00	6 - 1.50 6 - 1.50	6 - 2.00
21	A3 1.6 A4 1.6 A3 1.6	(1.6L)	1595	S5270 ^{+N}	4	3.189	81.00	4 - 1.00 4 - 1.20	4 - 2.00
22	A3 TDI (Diesel) A3 TDI quattro (Diesel) A3 Sportback 2.0 TDI (Diesel)	(2.0L)	1968	S5412 ⁺	4	3.189	81.00	4 - 1.75 4 - 2.00	4 - 3.00
23	A6 (Diesel)	(2.0L)	1968	S5520 ^{+N}	1	3.189	81.00	1 - 1.75 1 - 2.00	1 - 3.00
24	4000 S	(1.8L)	1780	P1524 C1524	4	3.189	81.00	4 - 1.50 4 - 1.75	4 - 3.00
25	80 CC, CD, CL	(1.6L)	1595	P1524 C1524	4	3.189	81.00	4 - 1.50 4 - 1.75	4 - 3.00
26	5000 S Quattro	(2.2L)	2226	P1583 C1583	5	3.189	81.00	5 - 1.50 5 - 1.75	5 - 3.00
27	80 CD, E, GT	(2.0L)	1994	P1583 C1583	5	3.189	81.00	5 - 1.50 5 - 1.75	5 - 3.00
28	Super 90 100 GL, LS	(1.8L)	1760	P1336 C1336	4	3.209	81.50	4 - 2.00 4 - 2.50	4 - 5.00
29	90 16V 80 16V	(2.0L)	2000	C1887 ⁺	4	3.248	82.50	4 - 1.20 4 - 1.50	4 - 2.00
30	90 Quattro, 20V 80	(2.3L)	2308	C1906	5	3.248	82.50	5 - 1.50 5 - 1.75	5 - 3.00
31	80, 100, Quattro	(2.8L)	2771	S5076 ⁺	6	3.248	82.50	6 - 1.20 6 - 1.50	6 - 2.00
32	80, 100, Quattro A6 Avant, A6 Quattro	(2.6L)	2598	S5076 ⁺	6	3.248	82.50	6 - 1.20 6 - 1.50	6 - 2.00
33	A4, A6, A8	(2.8L)	2771	S5076 ⁺	6	3.248	82.50	6 - 1.20 6 - 1.50	6 - 2.00
34	90 2.3 E, 90 2.3 E quattro 20v (Check Top Ring) Coupe 2.3, Coupe 2.3 quattro 20v (Check Top Ring) 100 2.3 E, 100 E 2.3 quattro 20v (Check Top Ring) 100 Avant E, 100 E Avant quattro 20v (Check Top Ring) A6 Avant 2.3, A6 Avant quattro 20v (Check Top Ring)	(2.3L)	2309	S5455 ⁺	5	3.248	82.50	5 - 1.20 5 - 1.50	5 - 3.00
35	DOHC, Turbo	(2.0L)	1984	S5464 ^{+N}	4	3.248	82.50	4 - 1.00 4 - 1.20	4 - 1.50
36	80 GTE Quattro 80	(1.9L)	1857	P1827 C1827	4	3.248	82.50	4 - 1.50 4 - 1.75	4 - 3.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

AUDI

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
37	80, 90	(2.0L)	1984	4	3.248	82.50	4 - 1.50 4 - 1.50	4 - 2.00
38	80, 90 Coupe	(2.3L)	2308	5	3.248	82.50	5 - 1.50 5 - 1.50	5 - 2.00
39	100 GL, LS	(1.9L)	1871	4	3.307	84.00	4 - 2.00 4 - 2.50	4 - 5.00
40	100 GL, LS	(2.0L)	1984	4	3.406	86.50	4 - 2.00 4 - 2.50	4 - 5.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone