

# FIAT (IVECO) TRUCK

Application	Engine	Cyl			Set Number		Line No
	Model	Bore	CC	Years	Chrome	Plain	
190 E 38 EuroTrakker (Diesel)	F3BE0681G	135.00	12882	01-04	S7194 <sup>+</sup>		44
190 E 44 EuroTrakker (Diesel)	F3BE0681C	135.00	12882	2004	S7194 <sup>+</sup>		44
190 T 38 Trakker (Diesel)	F3BE0681G	135.00	12882	2004	S7194 <sup>+</sup>		44
190 T 44 Trakker (Diesel)	F3BE0681C	135.00	12882	2004	S7194 <sup>+</sup>		44
190 T 45 Trakker (Diesel)	F3BE0681C	135.00	12882	2004	S7194 <sup>+</sup>		44
260 E 38 EuroTrakker (Diesel)	F3BE0681G	135.00	12882	01-04	S7194 <sup>+</sup>		44
260 E 44 EuroTrakker (Diesel)	F3BE0681C	135.00	12882	00-04	S7194 <sup>+</sup>		44
260 E 44 EuroTrakker (Diesel)	F3BE0681B/CB	135.00	12882		S7194 <sup>+</sup>		44
260 E 48 EuroStar (Diesel)	F3BE0681E	135.00	12882	2002	S7194 <sup>+</sup>		44
260 S 48 Stralis (Diesel)	F3BE0681E	135.00	12882	2002	S7194 <sup>+</sup>		44
260 S 54 Stralis (Diesel)	F3BE0681A	135.00	12882	2002	S7194 <sup>+</sup>		44
260 T 38 Trakker (Diesel)	F3BE0681G	135.00	12882	2004	S7194 <sup>+</sup>		44
340 E 38 EuroTrakker (Diesel)	F3BE0681G	135.00	12882	-04	S7194 <sup>+</sup>		44
340 E 44 EuroTrakker (Diesel)	F3BE0681C	135.00	12882		S7194 <sup>+</sup>		44
340 E 48 EuroTrakker (Diesel)	F3BE0681B	135.00	12882		S7194 <sup>+</sup>		44
340 T 38 Trakker (Diesel)	F3BE0681G	135.00	12882	2005	S7194 <sup>+</sup>		44
340 T 44 Trakker (Diesel)	F3BE0681C	135.00	12882	2005	S7194 <sup>+</sup>		44
35.10 TD (Diesel)	8140.21	93.00	2445	85-89	S5133 <sup>+</sup>		13
380 E 38 EuroTrakker (Diesel)	F3BE0681G	135.00	12882	-04	S7194 <sup>+</sup>		44
380 E 44 EuroTrakker (Diesel)	F3BE0681C	135.00	12882	-04	S7194 <sup>+</sup>		44
380 T 38 Trakker (Diesel)	F3BE0681G	135.00	12882	2004	S7194 <sup>+</sup>		44
380 T 44 Trakker (Diesel)	F3BE0681C	135.00	12882	2005	S7194 <sup>+</sup>		44
40.10 TD (Diesel)	8140.21	93.00	2445	85-89	S5133 <sup>+</sup>		13
400 E 38 EuroTrakker (Diesel)	F3BE0681G	135.00	12882		S7194 <sup>+</sup>		44
400 E 44 EuroTrakker (Diesel)	F3BE0681C	135.00	12882		S7194 <sup>+</sup>		44
410 E 38 EuroTrakker (Diesel)	F3BE0681G	135.00	12882		S7194 <sup>+</sup>		44
410 E 44 EuroTrakker (Diesel)	F3BE0681C/BC	135.00	12882		S7194 <sup>+</sup>		44
410 T 38 Trakker (Diesel)	F3BE0681G	135.00	12882	2005	S7194 <sup>+</sup>		44
410 T 44 Trakker (Diesel)	F3BE0681C	135.00	12882	2005	S7194 <sup>+</sup>		44
410 T 48 Trakker (Diesel)	F3BE0681E	135.00	12882	2005	S7194 <sup>+</sup>		44
440 E 46 EuroStar (Diesel)	F3BE0681F	135.00	12882	01-02	S7194 <sup>+</sup>		44
440 E 48 EuroStar (Diesel)	F3BE0681E	135.00	12882	01-02	S7194 <sup>+</sup>		44
440 S 48 Stralis (Diesel)	F3BE0681E	135.00	12882	2002	S7194 <sup>+</sup>		44
440 S 54 Stralis (Diesel)	F3BE0681A	135.00	12882	2002	S7194 <sup>+</sup>		44
440 T 38 Trakker (Diesel)	F3BE0681G	135.00	12882	2005	S7194 <sup>+</sup>		44
440 T 44 Trakker (Diesel)	F3BE0681C	135.00	12882	2005	S7194 <sup>+</sup>		44
45.10 TD (Diesel)	8140.21	93.00	2445	85-89	S5133 <sup>+</sup>		13
49.10 S (Diesel)	8140.21	93.00	2445	1989	S5133 <sup>+</sup>		13
49.10 TD (Diesel)	8140.21	93.00	2445	85-89	S5133 <sup>+</sup>		13
540 S 54 Stralis (Diesel)	F3BE0681A	135.00	12882	2002	S7194 <sup>+</sup>		44
720 E 38 EuroTrakker (Diesel)	F3BE0681G	135.00	12882		S7194 <sup>+</sup>		44
720 E 44 EuroTrakker (Diesel)	F3BE0681C	135.00	12882		S7194 <sup>+</sup>		44
720 E 48 EuroTrakker (Diesel)	F3BE0681B	135.00	12882		S7194 <sup>+</sup>		44
720 T 44 Trakker (Diesel)	F3BE0681C	135.00	12882	2005	S7194 <sup>+</sup>		44
720 T 48 Trakker (Diesel)	F3BE0681E	135.00	12882	2005	S7194 <sup>+</sup>		44
A 40.10 (Diesel)	8140.212.214.290	93.00	2445	1989	S5108 <sup>+</sup>		9
Air Brake Compressor	F3A	86.00				P0922 <sup>N</sup>	4
Cerbiatto (Diesel)	CO3	110.00	4559		C1674		37
Cerbiatto (Diesel)	CO21/60	110.00	4562		C1674		38
DI30/DI40, DIM 30/DIM 35 (Diesel)	CN3	110.00	3705		C1674		36
Daily (Diesel)	8140.27.S.2801/2811/2885	93.00	2499	1989	S5108 <sup>+</sup>		10
Daily 2.5TD (Diesel)	8140.21	93.00	2445	85-89	S5133 <sup>+</sup>		13
Daily 30.10 TD (Diesel)	8140.97.2781/2783	93.00	2499		S5108 <sup>+</sup>		10
Daily 35.10 TD (Diesel)	8140.212.214.290	93.00	2445	1989	S5108 <sup>+</sup>		9

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# FIAT (IVECO) TRUCK

Application	Engine	Cyl			Set Number		Line No
	Model	Bore	CC	Years	Chrome	Plain	
Daily 35.10 TD (Diesel)	8140.27R/S.2700	93.00	2499	1991	S5108 <sup>+</sup>		10
Daily 35.10 TD (Diesel)	8140.21.200-203	93.00	2445	89-94	S5133 <sup>+</sup>		13
Daily II (Diesel)	8140.42	94.40	2798	96-99	S7099 <sup>+</sup> A		16
Daily III (Diesel)	8140.43	94.40	2798	99-06	S7099 <sup>+</sup> A		16
Daino (Diesel)	CO3	110.00	4559		C1674		37
Daino (Diesel)	CO21/60	110.00	4562		C1674		38
Ducato (Diesel)	XUD9A	83.00	1905	1995	C1974 <sup>+</sup>	P1974 <sup>+</sup>	3
Ducato 10, TD. (Diesel)	203A3/A4.000-280A1.000	82.60	1929	1988	S5132 <sup>+</sup>		2
Ducato 18Q 2.5TD (Diesel)	8140.47	93.00	2499	1994	S5108 <sup>+</sup>		12
Ducato 2.5DS (Diesel)	8140.21	93.00	2445	86-89	S5108 <sup>+</sup>		11
Ducato 2.5DS, TDi (Diesel)	8140.21	93.00	2445	86-89	S5133 <sup>+</sup>		13
Ducato 2.5TD (Diesel)	8140.212.214.290	93.00	2445	86-89	S5108 <sup>+</sup>		9
Ducato 2.5TD 4x4, Maxi 2.5TD (Diesel)	8144.21	93.00	2445	85-90	S5108 <sup>+</sup>		7
Ducato 2.5TD id (Diesel)	8144.21	93.00	2445	1985	S5108 <sup>+</sup>		7
Ducato 2.5TD id 4x4 (Diesel)	8140.27.S.2801/2811/2885	93.00	2499	1989	S5108 <sup>+</sup>		8
Ducato 2.5TD, 2.5TD 4x4 (Diesel)	8140.212.214.290	93.00	2445	1989	S5108 <sup>+</sup>		7
Ducato 2.5TD, 2.5TD 4x4 (Diesel)	8140.21.200.201.202.203	93.00	2499	1989	S5108 <sup>+</sup>		12
Ducato 2.8D (Diesel)	8140.63.3700	94.40	2798	98-99	S5135 <sup>+</sup>		15
Ducato 4x4 Turbo id (Diesel)	8140.27/R/S.2700	93.00	2499	1989	S5108 <sup>+</sup>		8
Ducato DS 2500	8140.61	93.00	2445	81-86	C1890		6
Ducato II (224) (Diesel)	8140.43	94.40	2798	02-06	S7099 <sup>+</sup> A		16
Ducato II (230) (Diesel)	8140.43	94.40	2798	97-02	S7099 <sup>+</sup> A		16
Ducato Minibus 2.5TD id (Diesel)	8144.21	93.00	2445	86-90	S5108 <sup>+</sup>		7
Ducato, DOHC 16V	F1AE	88.00	2287	08-11	S7245 <sup>+</sup> N		5
Forklift (Diesel)	CN3	110.00	3705		C1674		36
Leoncino (Diesel)	CO3	110.00	4559		C1674		37
Leoncino (Diesel)	CO21/60	110.00	4562		C1674		38
Lupetto (Diesel)	CO3	110.00	4559		C1674		37
Lupetto (Diesel)	CO21/60	110.00	4562		C1674		38
Maxi 2.8D (Diesel)	8140.63.3700	94.40	2798	98-99	S5135 <sup>+</sup>		15
Maxi Turbo id (Diesel)	8140.27/R/S.2700	93.00	2499	1989	S5108 <sup>+</sup>		8
Orsetto (4 Cyl) (Diesel)	8025.06	100.00	3455		C1910		17
Orsetto (4 Cyl.) (Diesel)	8045.02	100.00	3456		C1911		25
Pick-Up	E201	76.00	1500	92-On	C1895	P1895	1
Scudo (Diesel)	XUD9A	83.00	1905	1995	C1974 <sup>+</sup>	P1974 <sup>+</sup>	3
Series 1200/1300/S/U (Diesel)	CP3	110.00	7412		C1674		43
Series 30, 40, 50, 60, 600, 605, 640, 680, DI, DIM (4 Cyl.) (Diesel)	8045.02	100.00	3456		C1911		29
Series 30, 40, 50, 60, DI, DIM, (4 Cyl) (Diesel)	8025.06	100.00	3455		C1910		20
Series 30/40/50/100/300 (Diesel)	CO3	110.00	4559		C1674		42
Series 30/40/50/300/800 (Diesel)	CO21/60	110.00	4562		C1674		40
Series 300 (6 Cyl) (Diesel)	8060.12	100.00	5181	73-On	C1910		19
Series 300 (6 Cyl.) (Diesel)	8060.12	100.00	5181		C1911		26
Series 300, 350 (2 Cyl) (Diesel)	8025.02	100.00	1728	74-On	C1910		24
Series 350 (2 Cyl) (Diesel)	8025.06	100.00	1953	72-On	C1910		23
Series 350 (2 Cyl.) (Diesel)	8025.06	100.00	1953		C1911		28
Series 480, 500, 505, 540, DI, DIM (3 Cyl) (Diesel)	8035.02	100.00	2592	72-On	C1910		22
Series 480, 500, 505, 540, DI, DIM (3 Cyl.) (Diesel)	8035.02	100.00	2592		C1911		27
Series 50/60/70/80/90/300/700/750/800/850/DI/FR (Diesel)	CO3	110.00	4940		C1674		39

# FIAT (IVECO) TRUCK

Application	Engine	Cyl	CC	Years	Set Number		Line No
	Model	Bore			Chrome	Plain	
Series 500/600/650/A (Diesel)	CN3	110.00	3705		<b>C1674</b>		36
Series 600, 605, 640, 680 (4 Cyl) (Diesel)	8045 02	100.00	3454	74-On	<b>C1910</b>		21
Series 70, 90, 100, 1000 (6 Cyl) (Diesel)	8060.02/8065.02	100.00	5184	67-On	<b>C1910</b>		18
Series 70, 90, 100, 1000 (6 Cyl.) (Diesel)	8060.02/8065.02	100.00	5181		<b>C1911</b>		26
Series 800/850/940 (Diesel)	CO80	110.00	4940		<b>C1674</b>		41
Tigrotto (Diesel)	CO3	110.00	4940		<b>C1674</b>		39
Truck (Diesel)	BF4L913T	102.00	4086		<b>S7040<sup>+</sup>A</b>		30
Truck (Diesel)	BF6L913T	102.00	6128		<b>S7040<sup>+</sup>A</b>		31
Truck (Diesel)	F4L913	102.00	4086		<b>S7049<sup>+</sup>A</b>		32
Truck (Diesel)	F6L913	102.00	6128		<b>S7049<sup>+</sup>A</b>		33
Truck (Turbo, 4-ring Piston) (Diesel)	BF4L913/C/T	102.00	4086		<b>S7051<sup>+</sup>A</b>		34
Truck (Turbo, 4-ring Piston) (Diesel)	BF6L913/C/T	102.00	6128		<b>S7051<sup>+</sup>A</b>		35
Turbodaily (Diesel)	8140.23	94.40	2798	1996	<b>S5134<sup>+</sup></b>		14

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
1	Pick-Up	(1.5L)	1500	<b>P1895</b> <b>C1895</b>	4	2.992	76.00	4 - 1.50 4 - 1.50	4 - 3.00
2	Ducato 10, TD. (Diesel)	(1.9L)	1929	<b>S5132<sup>+</sup></b>	4	3.252	82.60	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 3.00
3	Ducato (Diesel) Scudo (Diesel)	(1.9L)	1905	<b>P1974<sup>+</sup></b> <b>C1974<sup>+</sup></b>	4	3.268	83.00	4 - 2.00 4 - 2.00	4 - 3.00
4	Air Brake Compressor			<b>P0922<sup>N</sup></b>	1	3.386	86.00	1 - 2.00 1 - 2.00	1 - 3.00
5	Ducato, DOHC 16V	(2.3L)	2287	<b>S7245<sup>+N</sup></b>	1	3.465	88.00	4 - 2.50 <sup>HK</sup> 4 - 2.00	4 - 2.50
6	Ducato DS 2500	(2.5L)	2445	<b>C1890</b>	4	3.661	93.00	4 - 3.00 4 - 2.00	4 - 4.00
7	Ducato 2.5TD, 2.5TD 4x4 (Diesel) Ducato 2.5TD id (Diesel) Ducato 2.5TD 4x4, Maxi 2.5TD (Diesel) Ducato Minibus 2.5TD id (Diesel)	(2.5L)	2445	<b>S5108<sup>+</sup></b>	4	3.661	93.00	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 3.00
8	Ducato 4x4 Turbo id (Diesel) Maxi Turbo id (Diesel) Ducato 2.5TD id 4x4 (Diesel)	(2.5L)	2499	<b>S5108<sup>+</sup></b>	4	3.661	93.00	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 3.00
9	A 40.10 (Diesel) Daily 35.10 TD (Diesel) Ducato 2.5TD (Diesel)	(2.5L)	2445	<b>S5108<sup>+</sup></b>	4	3.661	93.00	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 3.00
10	Daily (Diesel) Daily 35.10 TD (Diesel) Daily 30.10 TD (Diesel)	(2.5L)	2499	<b>S5108<sup>+</sup></b>	4	3.661	93.00	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 3.00
11	Ducato 2.5DS (Diesel)	(2.5L)	2445	<b>S5108<sup>+</sup></b>	4	3.661	93.00	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 3.00
12	Ducato 2.5TD, 2.5TD 4x4 (Diesel) Ducato 18Q 2.5TD (Diesel)	(2.5L)	2499	<b>S5108<sup>+</sup></b>	4	3.661	93.00	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 3.00
13	Ducato 2.5DS, TDi (Diesel) Daily 2.5TD (Diesel) 35.10 TD (Diesel) 40.10 TD (Diesel) 45.10 TD (Diesel) 49.10 TD (Diesel) 49.10 S (Diesel) Daily 35.10 TD (Diesel)	(2.5L)	2445	<b>S5133<sup>+</sup></b>	4	3.661	93.00	4 - 3.00 4 - 2.00	4 - 3.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# FIAT (IVECO) TRUCK

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
14	Turbodaily (Diesel)	(2.8L)	2798	<b>S5134</b> <sup>+</sup>	4	3.716	94.40	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 3.00
15	Maxi 2.8D (Diesel) Ducato 2.8D (Diesel)	(2.8L)	2798	<b>S5135</b> <sup>+</sup>	4	3.716	94.40	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 2.50
16	Daily III (Diesel) Ducato II (230) (Diesel) Ducato II (224) (Diesel) Daily II (Diesel)	(2.8L)	2798	<b>S7099</b> <sup>+A</sup>	4	3.716	94.40	4 - 2.50 <sup>FK</sup> 4 - 2.00	4 - 2.50
17	Orsetto (4 Cyl) (Diesel)	(3.5L)	3455	<b>C1910</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 5.50
18	Series 70, 90, 100, 1000 (6 Cyl) (Diesel)	(5.2L)	5184	<b>C1910</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 5.50
19	Series 300 (6 Cyl) (Diesel)	(5.2L)	5181	<b>C1910</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 5.50
20	Series 30, 40, 50, 60, DI, DIM, (4 Cyl) (Diesel)	(3.5L)	3455	<b>C1910</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 5.50
21	Series 600, 605, 640, 680 (4 Cyl) (Diesel)	(3.5L)	3454	<b>C1910</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 5.50
22	Series 480, 500, 505, 540, DI, DIM (3 Cyl) (Diesel)	(2.6L)	2592	<b>C1910</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 5.50
23	Series 350 (2 Cyl) (Diesel)	(2.0L)	1953	<b>C1910</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 5.50
24	Series 300, 350 (2 Cyl) (Diesel)	(1.7L)	1728	<b>C1910</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 5.50
25	Orsetto (4 Cyl.) (Diesel)	(3.4L)	3456	<b>C1911</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 4.00
26	Series 70, 90, 100, 1000 (6 Cyl.) (Diesel) Series 300 (6 Cyl.) (Diesel)	(5.2L)	5181	<b>C1911</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 4.00
27	Series 480, 500, 505, 540, DI, DIM (3 Cyl.) (Diesel)	(2.6L)	2592	<b>C1911</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 4.00
28	Series 350 (2 Cyl.) (Diesel)	(1.9L)	1953	<b>C1911</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 4.00
29	Series 30, 40, 50, 60, 600, 605, 640, 680, DI, DIM (4 Cyl.) (Diesel)	(3.4L)	3456	<b>C1911</b>	1	3.937	100.00	1 - 2.50 1 - 2.50	1 - 4.00
30	Truck (Diesel)	(4.1L)	4086	<b>S7040</b> <sup>+A</sup>	1	4.016	102.00	1 - 3.00 <sup>FK</sup> 1 - 2.50 1 - 2.50	1 - 5.00
31	Truck (Diesel)	(6.1L)	6128	<b>S7040</b> <sup>+A</sup>	1	4.016	102.00	1 - 3.00 <sup>FK</sup> 1 - 2.50 1 - 2.50	1 - 5.00
32	Truck (Diesel)	(4.1L)	4086	<b>S7049</b> <sup>+A</sup>	1	4.016	102.00	1 - 3.00 <sup>FK</sup> 1 - 2.50	1 - 5.00
33	Truck (Diesel)	(6.1L)	6128	<b>S7049</b> <sup>+A</sup>	1	4.016	102.00	1 - 3.00 <sup>FK</sup> 1 - 2.50	1 - 5.00
34	Truck (Turbo, 4-ring Piston) (Diesel)	(4.1L)	4086	<b>S7051</b> <sup>+A</sup>	1	4.016	102.00	1 - 3.00 <sup>FK</sup> 1 - 3.00 <sup>FK</sup> 1 - 2.50	1 - 5.00
35	Truck (Turbo, 4-ring Piston) (Diesel)	(6.1L)	6128	<b>S7051</b> <sup>+A</sup>	1	4.016	102.00	1 - 3.00 <sup>FK</sup> 1 - 3.00 <sup>FK</sup> 1 - 2.50	1 - 5.00
36	Forklift (Diesel) Series 500/600/650/A (Diesel) DI30/DI40, DIM 30/DIM 35 (Diesel)	(3.7L)	3705	<b>C1674</b>	1	4.331	110.00	1 - 2.50 1 - 2.50 1 - 2.50	1 - 5.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# FIAT (IVECO) TRUCK

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
37	Cerbiatto (Diesel) Daino (Diesel) Leoncino (Diesel) Lupetto (Diesel)	(4.6L)	4559	<b>C1674</b>	1	4.331	110.00	1 - 2.50 1 - 2.50 1 - 2.50	1 - 5.00
38	Cerbiatto (Diesel) Daino (Diesel) Leoncino (Diesel) Lupetto (Diesel)	(4.6L)	4562	<b>C1674</b>	1	4.331	110.00	1 - 2.50 1 - 2.50 1 - 2.50	1 - 5.00
39	Tigrotto (Diesel) Series 50/60/70/80/90/300/700/750/800/850/DI/FR (Diesel)	(4.9L)	4940	<b>C1674</b>	1	4.331	110.00	1 - 2.50 1 - 2.50 1 - 2.50	1 - 5.00
40	Series 30/40/50/300/800 (Diesel)	(4.6L)	4562	<b>C1674</b>	1	4.331	110.00	1 - 2.50 1 - 2.50 1 - 2.50	1 - 5.00
41	Series 800/850/940 (Diesel)	(4.9L)	4940	<b>C1674</b>	1	4.331	110.00	1 - 2.50 1 - 2.50 1 - 2.50	1 - 5.00
42	Series 30/40/50/100/300 (Diesel)	(4.6L)	4559	<b>C1674</b>	1	4.331	110.00	1 - 2.50 1 - 2.50 1 - 2.50	1 - 5.00
43	Series 1200/1300/S/U (Diesel)	(7.4L)	7412	<b>C1674</b>	1	4.331	110.00	1 - 2.50 1 - 2.50 1 - 2.50	1 - 5.00
44	260 E 48 EuroStar (Diesel) 440 E 46 EuroStar (Diesel) 440 E 48 EuroStar (Diesel) 190 E 38 EuroTrakker (Diesel) 190 E 44 EuroTrakker (Diesel) 260 E 38 EuroTrakker (Diesel) 260 E 44 EuroTrakker (Diesel) 340 E 38 EuroTrakker (Diesel) 340 E 44 EuroTrakker (Diesel) 380 E 44 EuroTrakker (Diesel) 340 E 48 EuroTrakker (Diesel) 380 E 38 EuroTrakker (Diesel) 400 E 38 EuroTrakker (Diesel) 400 E 44 EuroTrakker (Diesel) 410 E 38 EuroTrakker (Diesel) 410 E 44 EuroTrakker (Diesel) 720 E 38 EuroTrakker (Diesel) 720 E 44 EuroTrakker (Diesel) 720 E 48 EuroTrakker (Diesel) 260 S 48 Stralis (Diesel) 260 S 54 Stralis (Diesel) 440 S 48 Stralis (Diesel) 440 S 54 Stralis (Diesel) 540 S 54 Stralis (Diesel) 190 T 38 Trakker (Diesel) 190 T 44 Trakker (Diesel) 190 T 45 Trakker (Diesel) 260 T 38 Trakker (Diesel) 340 T 38 Trakker (Diesel) 340 T 44 Trakker (Diesel)	(13.0L)	12882	<b>S7194<sup>+</sup></b>	1	5.315	135.00	1 - 4.00 <sup>FK</sup> 1 - 3.00	1 - 5.00

**Continued On Next Page**

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# FIAT (IVECO) TRUCK

Line					Bore Diameter		Ring Size	
No	Application	CC	Set No	Cyl	Inch	MM	Comp	Oil
	< Continued >							
	380 T 38 Trakker (Diesel)							
	380 T 44 Trakker (Diesel)							
	410 T 38 Trakker (Diesel)							
	410 T 44 Trakker (Diesel)							
	410 T 48 Trakker (Diesel)							
	440 T 38 Trakker (Diesel)							
	440 T 44 Trakker (Diesel)							
	720 T 44 Trakker (Diesel)							
	720 T 48 Trakker (Diesel)							

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone