

HONDA

Application	Engine	Cyl	Set Number		Line No		
	Model	Bore	CC	Years		Chrome	Plain
	D15B8	75.00	1500	92-96	S5435 ⁺		30
	D15Z1	75.00	1500	92-96	S5435 ⁺		30
600	N600	74.00	598	68-72	C1415	P1415	15
Accord	EF1, 2	74.00	1599	76-78	C1475	P1475	18
Accord	EK1	77.00	1751	79-83	C1446	P1446	33
Accord	A20A1	82.70	1955	87-89	C1641	P1641	38
Accord	BS1	82.70	1955	1986	C1641	P1641	38
Accord	F22	85.00	2156	90-97	C1782 ⁺		41
Accord	F23	86.00	2254	98-02	C5017 ⁺		42
Accord	K24A4	87.00	2354	03-07	S5249 ⁺		48
Accord	K24A2	87.00	2354	03-07	S5355 ⁺		50
Accord	K24Z3	87.00	2354	08-12	S5356 ⁺		51
Accord	K24Z2	87.00	2354	08-12	S5356 ⁺		51
Accord CVCC	EP	77.00	1601	1980	C1446	P1446	32
Accord LXi	A20A3	82.70	1955	87-89	C1641	P1641	38
Accord LXi	BS2	82.70	1955	1986	C1641	P1641	38
Accord Lx, Ex	C27A4	87.00	2675	95-97	C1678 ⁺		44
Accord SE	F22A6	85.00	2156	90-95	C1782 ⁺		41
Accord SEi	ES3	80.00	1829	1985	C1552	P1552	34
CRV	K24A1	87.00	2354	02-06	S5249 ⁺		48
CRV	K24Z6	87.00	2354	12-15	S5356 ⁺		51
CRV	K24Z1	87.00	2354	07-11	S5356 ⁺		51
CRV, DOHC	B20B4	84.00	1972	97-98	S5168 ⁺		40
CRV, DOHC	B20Z4, B20Z2	84.00	1972	99-02	S5168 ⁺		40
CRX	D15B1/B2	75.00	1493	88-91	C1676 ⁺		23
CRX DX	D15A2	74.00	1488	84-87	C1516 ⁺		12
CRX DX	EW1	74.00	1488	84-86	C1516 ⁺		12
CRX DX	EV1	74.00	1342	84-87	C1577 ⁺		13
CRX HF	D15A2	74.00	1488	1987	C1642 ⁺		14
CRX HF	EW1	74.00	1488	85-86	C1642 ⁺		14
CRX HF	D15B6	75.00	1493	88-95	C1781 ⁺		24
CRX Si	D15A3	74.00	1488	86-87	C1640	P1640	21
CRX Si	EW3	74.00	1488	1985	C1640	P1640	21
City	LDA-MF3	73.00	1339	03-05	S5332 ⁺		8
City, Jazz	R	66.00	1231	81-86	C1881	P1881	1
City, SOHC	L15A7	73.00	1497	09-14	S5504 ^{+N}		10
City, SOHC	L13A	73.00	1339	13-15	S5504 ^{+N}		11
Civic	EB1	70.00	1169	1973	C1416	P1416	2
Civic	EJ1	72.00	1335	82-83	C1599 ⁺		3
Civic	EB2	72.00	1237	74-78	C1401	P1401	4
Civic	EB3	72.00	1237	78-79	C1460	P1460	6
Civic	EJ1	72.00	1335	80-81	C1460	P1460	7
Civic	EF	74.00	1488	82-87	C1516 ⁺		12
Civic	D15A2	74.00	1488	1987	C1516 ⁺		12
Civic	EM1	74.00	1488	82-83	C1516 ⁺		12
Civic	EW1	74.00	1488	84-87	C1516 ⁺		12
Civic	EV1	74.00	1342	84-87	C1577 ⁺		13
Civic	EC	74.00	1488	74-79	C1469	P1469	16
Civic	EM1	74.00	1488	80-83	C1475	P1475	19
Civic	D13A2	74.00	1342	1987	C1640	P1640	20
Civic	D16A6	75.00	1590	89-93	C1676 ⁺		22
Civic	D15B1/B2	75.00	1493	88-91	C1676 ⁺		23
Civic	D15B7/B8	75.00	1493	92-95	C1676 ⁺		23
Civic	D15Z1	75.00	1493	88-95	C1781 ⁺		24

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

HONDA

Application	Engine	Cyl			Set Number		Line
	Model	Bore	CC	Years	Chrome	Plain	No
Civic	D16Y5	75.00	1590	96-98	C1781⁺		25
Civic	D17A1	75.00	1668	01-05	S5200⁺		29
Civic	R18A1	81.00	1799	06-15	S5397⁺		37
Civic (Ka200)	SH4	75.00	1600		C1905⁺		26
Civic (Shallow Compression Grooves)	D16Y5	75.00	1590	88-92	C1942⁺		27
Civic (Shallow Compression Grooves)	D15Z1	75.00	1493	88-92	C1942⁺		28
Civic CVCC	ED1, 2, 3, 4	74.00	1488	75-88	C1475	P1475	17
Civic Ex	D16Z6	75.00	1590	92-95	C1676⁺		22
Civic Hybrid w/VTECH, SOHC	LDA-MF3	73.00	1339	03-05	S5332⁺		8
Civic I-VTEC	K20A1/K20A3	86.00	1998	02-08	S5235⁺		43
Civic I-VTECH (DOHC)	K20A3	86.00	1998	02-06	S5235⁺		43
Civic Si	D15A3	74.00	1488	1987	C1640	P1640	21
Civic Si	EW4	74.00	1488	86-87	C1640	P1640	21
Civic Si	K24Z7	87.00	2354	12-15	S5356⁺		51
Civic, Del Sol	D16Y7	75.00	1590	96-98	C1781⁺		25
Civic, Del Sol	D16Y8	75.00	1590	96-98	C1781⁺		25
Civic, Del Sol (VTEC)	B16A2	81.00	1590	94-00	S5189⁺		36
Civic, Stream	D17A1	75.00	1668	01-05	S5200⁺		29
Del Sol	D15B8	75.00	1493	92-93	C1676⁺		23
Del Sol Si	D16Z6	75.00	1590	93-97	C1676⁺		22
Element	K24A1	87.00	2354	03-09	S5249⁺		48
Fit	LDA-MF3	73.00	1339	03-05	S5332⁺		8
Fit SOHC	LDA-MF3	73.00	1497	07-13	S5332⁺		9
Fit, SOHC	L15A7	73.00	1497	09-15	S5504^{+N}		10
Odyssey	J35A1	89.00	3471	99-10	C5019⁺		52
Passport (Isuzu engine)	4ZE1	92.60	2559	94-97	C1679	P1679	53
Passport (Isuzu engine)	6VD1	93.40	3165	94-02	C1930⁺		54
Passport (Isuzu engine)	6VE1	93.40	3494	98-02	C5018⁺		55
Prelude	EK1	77.00	1751	79-82	C1446	P1446	31
Prelude DX	A18A1	80.00	1829	86-87	C1552	P1552	34
Prelude DX	ES1, 2	80.00	1829	1983	C1552	P1552	34
Prelude DX	ET2	80.00	1829	84-87	C1552	P1552	34
Prelude S	B20A3	81.00	1958	88-91	C1779⁺		35
Prelude Si	BT2	82.70	1955	85-86	C1641	P1641	38
Prelude Si	B21A1	83.00	2056	90-91	C1803⁺		39
Prelude Si	H23A1	87.00	2259	92-00	C1885⁺		45
Prelude Si (Dohc)	B20A5	81.00	1958	88-91	C1779⁺		35
Prelude Si (VTEC)	H22A4	87.00	2156	97-02	C1885⁺		46
RCZ, Hybrid	LEA	73.00	1497	13-16	S5504^{+N}		10
S-2000 (VTECH)	F20C	87.00	1997	00-03	S5249⁺		47
S-2000 (VTECH)	F22C	87.00	2157	04-09	S5249⁺		49
Van	EB5	72.00	1433	72-78	C1401	P1401	5

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
1	City, Jazz	(1.2L)	1231	4	2.598	66.00	4 - 1.50	4 - 4.00
			P1881 C1881				4 - 1.50	
2	Civic	(1.2L)	1169	4	2.756	70.00	4 - 1.50	4 - 2.80
			P1416 C1416				4 - 1.50	
3	Civic	(1.3L)	1335	4	2.835	72.00	4 - 1.00	4 - 2.80
			C1599⁺				4 - 1.20	
4	Civic	(1.2L)	1237	4	2.835	72.00	4 - 1.50	4 - 2.80
			P1401 C1401				4 - 1.50	
5	Van	(1.4L)	1433	4	2.835	72.00	4 - 1.50	4 - 2.80
			P1401 C1401				4 - 1.50	

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

HONDA

Line No	Application		CC	Set No	Cyl	Bore Diameter		Ring Size	
						Inch	MM	Comp	Oil
6	Civic	(1.2L)	1237	P1460 C1460	4	2.835	72.00	4 - 1.50 4 - 1.50	4 - 4.00
7	Civic	(1.3L)	1335	P1460 C1460	4	2.835	72.00	4 - 1.50 4 - 1.50	4 - 4.00
8	Fit City Civic Hybrid w/VTECH, SOHC	(1.3L)	1339	S5332 ⁺	4	2.874	73.00	4 - 1.00 4 - 1.20	4 - 2.00
9	Fit SOHC	(1.5L)	1497	S5332 ⁺	4	2.874	73.00	4 - 1.00 4 - 1.20	4 - 2.00
10	Fit, SOHC City, SOHC RCZ, Hybrid	(1.5L)	1497	S5504 ^{+N}	4	2.874	73.00	4 - 1.00 4 - 1.00	4 - 2.00
11	City, SOHC	(1.3L)	1339	S5504 ^{+N}	4	2.874	73.00	4 - 1.00 4 - 1.00	4 - 2.00
12	Civic CRX DX Civic CRX DX Civic	(1.5L)	1488	C1516 ⁺	4	2.913	74.00	4 - 1.20 4 - 1.20	4 - 2.80
13	CRX DX Civic	(1.3L)	1342	C1577 ⁺	4	2.913	74.00	4 - 1.20	4 - 2.80
14	CRX HF	(1.5L)	1488	C1642 ⁺	4	2.913	74.00	4 - 1.00 4 - 1.20	4 - 2.80
15	600	(.6L)	598	P1415 C1415	2	2.913	74.00	2 - 1.50 2 - 1.50	2 - 2.50
16	Civic	(1.5L)	1488	P1469 C1469	4	2.913	74.00	4 - 1.50 4 - 1.50	4 - 2.80
17	Civic CVCC	(1.5L)	1488	P1475 C1475	4	2.913	74.00	4 - 1.50 4 - 1.50	4 - 4.00
18	Accord	(1.6L)	1599	P1475 C1475	4	2.913	74.00	4 - 1.50 4 - 1.50	4 - 4.00
19	Civic	(1.5L)	1488	P1475 C1475	4	2.913	74.00	4 - 1.50 4 - 1.50	4 - 4.00
20	Civic	(1.3L)	1342	P1640 C1640	4	2.913	74.00	4 - 1.50 4 - 1.50	4 - 4.00
21	Civic Si CRX Si Civic Si	(1.5L)	1488	P1640 C1640	4	2.913	74.00	4 - 1.50 4 - 1.50	4 - 4.00
22	Civic Civic Ex Del Sol Si	(1.6L)	1590	C1676 ⁺	4	2.953	75.00	4 - 1.20 4 - 1.50	4 - 2.80
23	Civic CRX Del Sol Civic	(1.5L)	1493	C1676 ⁺	4	2.953	75.00	4 - 1.20 4 - 1.50	4 - 2.80
24	CRX HF Civic	(1.5L)	1493	C1781 ⁺	4	2.953	75.00	4 - 1.00 4 - 1.20	4 - 2.80
25	Civic Civic, Del Sol	(1.6L)	1590	C1781 ⁺	4	2.953	75.00	4 - 1.00 4 - 1.20	4 - 2.80
26	Civic (Ka200)	(1.6L)	1600	C1905 ⁺	4	2.953	75.00	4 - 1.20 4 - 1.50	4 - 4.00
27	Civic (Shallow Compression Grooves)	(1.6L)	1590	C1942 ⁺	4	2.953	75.00	4 - 1.00 4 - 1.20	4 - 2.80

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

HONDA

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
28	Civic (Shallow Compression Grooves)	(1.5L)	1493	C1942 ⁺	4	2.953	75.00	4 - 1.00 4 - 1.20	4 - 2.80
29	Civic	(1.7L)	1668	S5200 ⁺	4	2.953	75.00	4 - 1.00 4 - 1.20	4 - 2.00
30	Civic, Stream	(1.5L)	1500	S5435 ⁺	4	2.953	75.00	4 - 1.20 4 - 1.50	4 - 3.00
31	Prelude	(1.8L)	1751	P1446 C1446	4	3.031	77.00	4 - 1.50 4 - 1.50	4 - 4.00
32	Accord CVCC	(1.6L)	1601	P1446 C1446	4	3.031	77.00	4 - 1.50 4 - 1.50	4 - 4.00
33	Accord	(1.8L)	1751	P1446 C1446	4	3.031	77.00	4 - 1.50 4 - 1.50	4 - 4.00
34	Prelude DX Accord SEi Prelude DX	(1.8L)	1829	P1552 C1552	4	3.150	80.00	4 - 1.50 4 - 1.50	4 - 4.00
35	Prelude S Prelude Si (Dohc)	(2.0L)	1958	C1779 ⁺	4	3.189	81.00	4 - 1.20 4 - 1.50	4 - 2.80
36	Civic, Del Sol (VTEC)	(1.6L)	1590	S5189 ⁺	4	3.189	81.00	4 - 1.00 4 - 1.20	4 - 2.80
37	Civic	(1.8L)	1799	S5397 ⁺	4	3.189	81.00	4 - 1.20 4 - 1.20	4 - 2.00
38	Accord Accord LXi Accord Accord LXi Prelude Si	(2.0L)	1955	P1641 C1641	4	3.256	82.70	4 - 1.50 4 - 1.50	4 - 4.00
39	Prelude Si	(2.0L)	2056	C1803 ⁺	4	3.268	83.00	4 - 1.20 4 - 1.20	4 - 2.80
40	CRV, DOHC	(2.0L)	1972	S5168 ⁺	4	3.307	84.00	4 - 1.20 4 - 1.20	4 - 2.80
41	Accord Accord SE	(2.2L) (2.1L)	2156	C1782 ⁺	4	3.346	85.00	4 - 1.20 4 - 1.20	4 - 2.80
42	Accord	(2.3L)	2254	C5017 ⁺	4	3.386	86.00	4 - 1.20 4 - 1.20	4 - 2.80
43	Civic I-VTEC Civic I-VTECH (DOHC)	(2.0L)	1998	S5235 ⁺	4	3.386	86.00	4 - 1.20 4 - 1.20	4 - 2.00
44	Accord Lx, Ex	(2.7L)	2675	C1678 ⁺	6	3.425	87.00	6 - 1.20 6 - 1.20	6 - 4.00
45	Prelude Si	(2.3L)	2259	C1885 ⁺	4	3.425	87.00	4 - 1.20 4 - 1.20	4 - 2.80
46	Prelude Si (VTEC)	(2.2L)	2156	C1885 ⁺	4	3.425	87.00	4 - 1.20 4 - 1.20	4 - 2.80
47	S-2000 (VTECH)	(2.0L)	1997	S5249 ⁺	4	3.425	87.00	4 - 1.20 4 - 1.20	4 - 2.00
48	CRV Accord Element	(2.4L)	2354	S5249 ⁺	4	3.425	87.00	4 - 1.20 4 - 1.20	4 - 2.00
49	S-2000 (VTECH)	(2.2L)	2157	S5249 ⁺	4	3.425	87.00	4 - 1.20 4 - 1.20	4 - 2.00
50	Accord	(2.4L)	2354	S5355 ⁺	4	3.425	87.00	4 - 1.20 4 - 1.20	4 - 2.50
51	Accord Civic Si CRV	(2.4L)	2354	S5356 ⁺	4	3.425	87.00	4 - 1.20 4 - 1.20	4 - 2.00

Continued On Next Page

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

HONDA

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
	< Continued > Accord							
52	Odyssey (3.5L)	3471	C5019 ⁺	6	3.504	89.00	6 - 1.20 6 - 1.20	6 - 2.80
53	Passport (Isuzu engine) (2.6L)	2559	P1679 C1679	4	3.646	92.60	4 - 1.50 4 - 1.50	4 - 4.00
54	Passport (Isuzu engine) (3.2L)	3165	C1930 ⁺	6	3.677	93.40	6 - 1.50 6 - 1.50	6 - 4.00
55	Passport (Isuzu engine) (3.5L)	3494	C5018 ⁺	6	3.677	93.40	6 - 1.50 6 - 1.50	6 - 3.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone