

HYUNDAI

Application	Engine	Cyl	Set Number		Line No		
	Model	Bore	CC	Years		Chrome	Plain
Accent	G4EA	71.50	1300	1994	C1981	P1981	7
Accent	G4EK	75.50	1468	96-97	S5185+		12
Accent	G4AE	75.50	1468	95-99	C1936	P1936	16
Accent	G4EB	75.50	1468	00-03	C1936	P1936	16
Accent	G4DE, G4ED, G4GR, G4KC	76.50	1599	01-10	S5125+		17
Accent	G4ED	76.50	1599	06-10	S5384+		18
Accent CDRi (Diesel)	D4FA	75.00	1500	06-12	S5246+		10
Accent CRDi Turbo-Diesel Intercooled (Diesel)	D3EA	83.00	1496	02-05	S5305+		31
Accent GL	G4EE	75.50	1399	05-10	S5338+		14
Accent, Avente HD	GAMMA G4FA	77.00	1396	11-16	S5342+		20
Accent, DOHC, 16V	G4FK	75.50	1495	96-98	C1778+		11
Alpha ES	G4EA	71.50	1300	1994	C1981	P1981	7
Atos	G4HA, Epsilon	63.00	798		S5311		1
Atos	G4HC	66.00	998		S5044+		2
Atos	G4HC	67.00	1100	05-08	S5291+		5
Atos (2.5mm oil groove)	G4HC	67.00	1100	05-08	S5278+		4
Atos (2mm oil groove)	G4HC	67.00	1100	05-08	S5276+		3
Avente	G4EK	75.50	1468	96-97	S5185+		12
Avente HD	GAMMA G4FC	77.00	1591	11-16	S5342+		21
Azera	G6DB	92.00	3342	07-12	S5400+		45
Azera	RS3800	96.00	3778	06-12	S5401+		49
Beta, GLI	G4DR	82.00	1836	1994	C5043		28
Click	G4AJ	75.50	1468		S5338+		13
Elantra	G4JP	82.00	1997	99-08	C5020+		26
Elantra	G4CN, M	82.00	1800	96-99	C5020+		27
Elantra	G4JP	82.00	1975	06-10	S5402+		29
Elantra 16V DOHC	G4CR	82.30	1595	92-95	C1724+		30
Elantra CRDi (Diesel)	D4EA	83.00	1991	01-06	S5409+		32
Elantra, 16V, DOHC	G4JN	81.50	1836	93-98	C1967+		25
Elantra, DOHC	NU 1.8L.	81.00	1797	11-15	S5270+N		23
Elantra, GLI	G4DR	82.00	1836	1994	C5043		28
Elantra, GLS, DOHC, 16 valve	J2, G4	77.40	1599	94-96	S5042+		22
Entourage	RS3800	96.00	3778	07-09	S5401+		49
Excel	4G15	75.50	1468	86-95	C1602	P1602	15
Excel (Unleaded)	X11	71.00	1300		C5128		6
Galloper, 1.5 ton(new) (Diesel)	D4BF	91.10	2476	88-94	C1530+		42
Genesis	RS3800	96.00	3778	09-15	S5401+		49
Genesis Coupe	Theta II G4KD	86.00	1998	10-15	S5410+		35
Getz CRDi Turbo-Diesel Intercooled (Diesel)	D3EA	83.00	1496	03-05	S5305+		31
Getz i	G4EE	75.50	1399	05-10	S5338+		14
Grace (Diesel)	D4BA	91.10	2500	1996	C5002+	P5002+	44
Grace (ZETA)	2.8	94.00	2800	1997	C5046		48
Grace, 1.5 ton(new) (Diesel)	D4BF	91.10	2476	88-94	C1530+		42
H-1 CRDi (Diesel)	D4CB	91.00	2497	2002	S5343+		41
H100 (Diesel)	D4BA	91.10	2500	1996	C5002+	P5002+	44
Matrix CRDi Turbo-Diesel Intercooled (Diesel)	D3EA	83.00	1496	01-10	S5305+		31
Multi	G4EA	71.50	1300	1994	C1981	P1981	7
Pony	4G33	73.00	1439	79-85	C1521	P1521	8
Pony	4G36	73.00	1238	75-78	C1521	P1521	9
Pony	4G15	75.50	1468	1985	C1602	P1602	15
Pony	4G32	76.90	1597	1984	C1298	P1298	19
Porter (Diesel)	D4BA	91.10	2500	1996	C5002+	P5002+	44
Porter CRDi (Diesel)	D4CB	91.00	2497	2003	S5343+		41
Porter, 1.5 ton(new) (Diesel)	D4BF	91.10	2476	1994	C1530+		42

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

HYUNDAI

Application	Engine	Cyl	Set Number		Line No		
	Model	Bore	CC	Years		Chrome	Plain
RS	G4EA	71.50	1300	1994	C1981	P1981	7
Santa Fe	Theta II G4KD	86.00	1998	13-15	S5410⁺		35
Santa Fe	G6BA	86.70	2656	06-09	S5371		39
Santa Fe	G6DB	92.00	3342	07-09	S5400⁺		45
Santa Fe CRDi (Diesel)	D4EA	83.00	1991	01-06	S5409⁺		32
Santa Fe, DOHC	G6DC	92.00	3470	10-12	S5400⁺		46
Santa Fe, Sonata, Tiburon	G6BA	86.70	2656	01-08	S5298⁺		38
Santa Fe, Turbo, DOHC, 16 valves	Theta	86.00	1998	13-15	S5467^{+N}		36
Scoupe	4G15	75.50	1468	90-92	C1602	P1602	15
Scoupe	G4AE	75.50	1468	93-95	C1936	P1936	16
Signsma, Santa Fe	G6CU, XG35	93.00	3647	02-06	C1984	P1984	47
Sonata		84.00	2493	99-02	C5021⁺		33
Sonata	EF, EF2	85.00			C1951⁺		34
Sonata	Theta II G4KD	86.00	1998	11-15	S5410⁺		35
Sonata	4G64	86.50	2351	89-91	C1652	P1652	37
Sonata	G4KC	88.00	2359	06-15	S5335⁺		40
Sonata	G6	91.10	2972	90-95	C1664	P1664	43
Sonata	G6DB	92.00	3342	06-10	S5400⁺		45
Sonata CRDi (Diesel)	D4EA	83.00	1991	2001	S5409⁺		32
Sonata, 16V, DOHC	G4JN	81.50	1836	93-98	C1967⁺		25
Sonata, Turbo, DOHC, 16 valves	Theta	86.00	1998	11-15	S5467^{+N}		36
Starex (ZETA)	2.8	94.00	2800	1997	C5046		48
Starex 1, 1.5 ton(new) (Diesel)	D4BF	91.10	2476	88-94	C1530⁺		42
Stellar	4G33	73.00	1439	1984	C1521	P1521	8
Stellar	4G32	76.90	1597	1984	C1298	P1298	19
Tiburon	F	82.00	1997	97-00	C5020⁺		26
Tiburon	G4CN, M	82.00	1800	96-99	C5020⁺		27
Tiburon	G6BA	86.70	2656	07-08	S5371		39
Trajjet CRDi (Diesel)	D4EA	83.00	1991	01-08	S5409⁺		32
Tucson	G4GF	82.00	1975	04-09	S5402⁺		29
Tucson	Theta II G4KD	86.00	1998	11-13	S5410⁺		35
Tucson	G6BA	86.70	2656	07-10	S5371		39
Tucson	THETA II	88.00	2359	06-15	S5335⁺		40
Tucson CRDi (Diesel)	D4EA	83.00	1991	01-10	S5409⁺		32
Tucson, DOHC	NU 2.0L.	81.00	1999	13-15	S5270^{+N}		24
Veracruz	RS3800	96.00	3778	07-12	S5401⁺		49
Verna CDRi (Diesel)	D4FA	75.00	1500	06-12	S5246⁺		10
i30 CRDi (Diesel)	D4EA	83.00	1991	07-12	S5409⁺		32

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
1	Atos	(.8L) 798	S5311	4	2.480	63.00	4 - 1.20 4 - 1.50	4 - 2.80
2	Atos	(1.0L) 998	S5044⁺	4	2.598	66.00	4 - 1.20 4 - 1.20	4 - 2.50
3	Atos (2mm oil groove)	(1.1L) 1100	S5276⁺	4	2.638	67.00	4 - 1.20 4 - 1.20	4 - 2.00
4	Atos (2.5mm oil groove)	(1.1L) 1100	S5278⁺	4	2.638	67.00	4 - 1.20 4 - 1.20	4 - 2.50
5	Atos	(1.1L) 1100	S5291⁺	4	2.638	67.00	4 - 1.20 4 - 1.20	4 - 2.80
6	Excel (Unleaded)	(1.3L) 1300	C5128	4	2.795	71.00	4 - 1.50 4 - 1.50	4 - 4.00
7	Accent Alpha ES	(1.3L) 1300	P1981 C1981	4	2.815	71.50	4 - 1.50 4 - 1.50	4 - 3.00

Continued On Next Page

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

HYUNDAI

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
	< Continued > Multi RS								
8	Pony Stellar	(1.4L)	1439	P1521 C1521	4	2.874	73.00	4 - 1.50 4 - 1.50	4 - 4.00
9	Pony	(1.2L)	1238	P1521 C1521	4	2.874	73.00	4 - 1.50 4 - 1.50	4 - 4.00
10	Accent CDRi (Diesel) Verna CDRi (Diesel)	(1.5L)	1500	S5246 ⁺	4	2.953	75.00	4 - 1.75 4 - 1.75	4 - 3.00
11	Accent, DOHC, 16V	(1.5L)	1495	C1778 ⁺	4	2.972	75.50	4 - 1.20 4 - 1.50	4 - 3.00
12	Avente Accent	(1.5L)	1468	S5185 ⁺	4	2.972	75.50	4 - 1.20 4 - 1.50	4 - 3.00
13	Click	(1.4L)	1468	S5338 ⁺	4	2.973	75.50	4 - 1.20 4 - 1.20	4 - 2.00
14	Getz i Accent GL	(1.4L)	1399	S5338 ⁺	4	2.973	75.50	4 - 1.20 4 - 1.20	4 - 2.00
15	Excel Pony Scoupe	(1.5L)	1468	P1602 C1602	4	2.972	75.50	4 - 1.50 4 - 1.50	4 - 4.00
16	Accent Scoupe Accent	(1.5L)	1468	P1936 C1936	4	2.972	75.50	4 - 1.50 4 - 1.50	4 - 3.00
17	Accent	(1.6L)	1599	S5125 ⁺	4	3.012	76.50	4 - 1.20 4 - 1.20	4 - 2.50
18	Accent	(1.6L)	1599	S5384 ⁺	4	3.012	76.50	4 - 1.20 4 - 1.20	4 - 2.00
19	Pony Stellar	(1.6L)	1597	P1298 C1298	4	3.028	76.90	4 - 2.00 4 - 2.00	4 - 4.00
20	Accent, Avente HD	(1.4L)	1396	S5342 ⁺	4	3.031	77.00	4 - 1.20 4 - 1.20	4 - 2.00
21	Avente HD	(1.6L)	1591	S5342 ⁺	4	3.031	77.00	4 - 1.20 4 - 1.20	4 - 2.00
22	Elantra, GLS, DOHC, 16 valve	(1.6L)	1599	S5042 ⁺	4	3.047	77.40	4 - 1.20 4 - 1.20	4 - 2.50
23	Elantra, DOHC	(1.8L)	1797	S5270 ^{+N}	4	3.189	81.00	4 - 1.00 4 - 1.20	4 - 2.00
24	Tucson, DOHC	(2.0L)	1999	S5270 ^{+N}	4	3.189	81.00	4 - 1.00 4 - 1.20	4 - 2.00
25	Sonata, 16V, DOHC Elantra, 16V, DOHC	(1.8L)	1836	C1967 ⁺	4	3.209	81.50	4 - 1.20 4 - 1.50	4 - 3.00
26	Elantra Tiburon	(2.0L)	1997	C5020 ⁺	4	3.228	82.00	4 - 1.20 4 - 1.20	4 - 2.50
27	Elantra Tiburon	(1.8L)	1800	C5020 ⁺	4	3.228	82.00	4 - 1.20 4 - 1.20	4 - 2.50
28	Elantra, GLI Beta, GLI	(1.8L)	1836	C5043	4	3.228	82.00	4 - 2.00 4 - 2.00	4 - 3.00
29	Tucson Elantra	(2.0L)	1975	S5402 ⁺	4	3.228	82.00	4 - 1.20 4 - 1.20	4 - 2.00
30	Elantra 16V DOHC	(1.6L)	1595	C1724 ⁺	4	3.240	82.30	4 - 1.20 4 - 1.50	4 - 3.00
31	Matrix CRDi Turbo-Diesel Intercooled (Diesel) Accent CRDi Turbo-Diesel Intercooled	(1.5L)	1496	S5305 ⁺	3	3.268	83.00	3 - 2.00 ^{FK} 3 - 2.00	3 - 3.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

HYUNDAI

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
	< Continued > (Diesel) Getz CRDi Turbo-Diesel Intercooled (Diesel)							
32	Tucson CRDi (Diesel) (2.0L) Elantra CRDi (Diesel) i30 CRDi (Diesel) Santa Fe CRDi (Diesel) Sonata CRDi (Diesel) Trajet CRDi (Diesel)	1991	S5409 ⁺	4	3.268	83.00	4 - 2.00 ^{FK} 4 - 2.00	4 - 3.00
33	Sonata (2.5L)	2493	C5021 ⁺	6	3.307	84.00	6 - 1.20 6 - 1.20	6 - 2.50
34	Sonata		C1951 ⁺	4	3.346	85.00	4 - 1.20 4 - 1.50	4 - 2.80
35	Tucson (2.0L) Genesis Coupe Santa Fe Sonata	1998	S5410 ⁺	4	3.386	86.00	4 - 1.20 4 - 1.20	4 - 2.00
36	Santa Fe, Turbo, DOHC, 16 valves (2.0L) Sonata, Turbo, DOHC, 16 valves	1998	S5467 ^{+N}	4	3.386	86.00	4 - 1.20 4 - 1.50	4 - 2.00
37	Sonata (2.4L)	2351	P1652 C1652	4	3.406	86.50	4 - 1.50 4 - 1.50	4 - 4.00
38	Santa Fe, Sonata, Tiburon (2.7L)	2656	S5298 ⁺	6	3.413	86.70	6 - 1.20 6 - 1.20	6 - 2.50
39	Santa Fe (2.7L) Tiburon Tucson	2656	S5371	6	3.413	86.70	6 - 1.20 6 - 1.20	6 - 2.00
40	Sonata (2.4L) Tucson	2359	S5335 ⁺	4	3.465	88.00	4 - 1.20 4 - 1.20	4 - 2.00
41	Porter CRDi (Diesel) (2.5L) H-1 CRDi (Diesel)	2497	S5343 ⁺	4	3.583	91.00	4 - 2.50 ^{HK} 4 - 2.00	4 - 3.00
42	Starex 1, 1.5 ton(new) (Diesel) (2.5L) Grace, 1.5 ton(new) (Diesel) Porter, 1.5 ton(new) (Diesel) Gallopier, 1.5 ton(new) (Diesel)	2476	C1530 ⁺	4	3.587	91.10	4 - 2.50 ^{HK} 4 - 2.00 ^{HK}	4 - 4.00
43	Sonata (3.0L)	2972	P1664 C1664	6	3.587	91.10	6 - 1.50 6 - 1.50	6 - 4.00
44	Grace (Diesel) (2.5L) Porter (Diesel) H100 (Diesel)	2500	P5002 ⁺ C5002 ⁺	4	3.587	91.10	4 - 2.00 4 - 2.00	4 - 3.00
45	Sonata (3.3L) Azera Santa Fe	3342	S5400 ⁺	6	3.622	92.00	6 - 1.20 6 - 1.20	6 - 2.00
46	Santa Fe, DOHC (3.5L)	3470	S5400 ⁺	6	3.622	92.00	6 - 1.20 6 - 1.20	6 - 2.00
47	Signsma, Santa Fe (3.5L)	3647	P1984 C1984	6	3.661	93.00	6 - 1.50 6 - 1.50	6 - 3.00
48	Starex (ZETA) (2.8L) Grace (ZETA)	2800	C5046	4	3.701	94.00	4 - 2.00 4 - 1.50	4 - 3.00
49	Veracruz (3.8L) Azera Entourage Genesis	3778	S5401 ⁺	6	3.780	96.00	6 - 1.20 6 - 1.20	6 - 2.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone