

# JEEP

Cubic Inch	Year	Application	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
89-90		(1.5L) Summit (Eagle) 4G15	<b>P1602</b> <b>C1602</b>	4	2.972	75.50	4 - 1.50 4 - 1.50	4 - 4.00
75-81		Jeep 4G53	<b>P1703</b> <b>C1703</b>	4	3.465	88.00	4 - 2.00 4 - 2.00	4 - 4.00
144	07-15	(2.4L) Patriot GEMA 2.4	<b>S5335</b> <sup>+</sup>	4	3.465	88.00	4 - 1.20	4 - 2.00
144	07-15	(2.4L) Compass GEMA 2.4					4 - 1.20	
148	02-05	(2.4L) Liberty B, G, X, 1	<b>C3918</b> <sup>+</sup>	4	3.445	87.50	4 - 1.20 4 - 1.50	4 - 3.00
150	96-02	(2.5L) P	<b>P3898</b> <b>C3898</b>	4	3.875	98.40	4 - 1.50 4 - 1.50	4 - 4.00
182	88-92	(3.0L) Eagle Premier (Renault)	<b>P1774</b> <sup>A</sup> <b>C1774</b> <sup>A</sup>	6	3.661	93.00	6 - 1.75 6 - 1.75	6 - 3.50
231	01-10	(3.8L) Wrangler 1	<b>C3887</b> <sup>+</sup>	6	3.780	96.00	6 - 1.20 6 - 1.50	6 - 3.00
239	92-99	(3.9L)	<b>P3912</b> <b>C3912</b>	6	3.910	99.30	6 - 2.00 6 - 2.00	6 - 4.00
242	86-92	(4.0L) Comanche	<b>P2240</b>	6	3.875	98.40	6 - 5/64	6 - 3/16
242	86-90	(4.0L) Wagoneer	<b>C2240</b>				6 - 5/64	
242	89-95	(4.0L) Wrangler						
242	96-06	(4.0L) S	<b>P3899</b> <b>C3899</b>	6	3.875	98.40	6 - 1.50 6 - 1.50	6 - 4.00
287	08-09	(4.7L) Commander, SUV, Flex Fuel, SOHC Power Tech 4.7	<b>S4000</b> <sup>+N</sup>	8	3.661	93.00	8 - 1.20 8 - 1.50	8 - 2.50
287	08-ly	(4.7L) Grand Cherokee, SUV, Flex Fuel, SOHC Power Tech 4.7						
287	1999	(4.7L) Eagle	<b>P3927</b> <b>C3927</b>	8	3.661	93.00	8 - 1.50 8 - 1.50	8 - 3.00
318	91-99	(5.2L) Shallow Oil Ring Groove	<b>P3911</b> <b>C3911</b>	8	3.910	99.30	8 - 2.00 8 - 2.00	8 - 4.00
345	10-15	(5.7L) Grand Cherokee Hemi 5.7	<b>S3982</b>	8	3.917	99.50	8 - 1.20 8 - 1.20	8 - 2.00
370	07-10	(6.1L) Grand Cherokee Hemi 6.1	<b>S3991</b> <sup>+</sup>	8	4.055	103.00	8 - 1.50 8 - 1.50	8 - 3.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone