

MITSUBISHI

Application	Engine	Cyl	Set Number		Line No		
	Model	Bore	CC	Years		Chrome	Plain
(Diesel)	S6KT	102.00	6380		S7093 ⁺ A		73
FB501, FD511, Pajero (Diesel)	4M40	95.00	2835		S5188 ⁺		66
Bus (Diesel)	4D30	100.00	3298	1979	C1816		71
Canter (Diesel)	4D30	100.00	3298	1979	C1816		71
Canter (Diesel)	4D31T	100.00	3298		S7138 ⁺		72
Canter (Diesel)	4D32	104.00	3567		S7002 ⁺		76
Canter (Diesel)	4D33	108.00	4214		S7137 ⁺		77
Carisma	4G16	81.00	1600		C1842 ⁺		31
Celeste 1400	4G12	74.00	1410	78-81	C1417	P1417	14
Celeste 2600	4G54	91.10	2555	83-85	C1438	P1438	58
Challenger	4G54B	91.10	2555	79-83		P1958	61
Chariot (Shallow Oil Ring Groove)	4G63	85.00	1997	89-97	C1947 ⁺		41
Colt	4G31	74.50	1499	69-74	C1623	P1623	15
Colt	4G16	81.00	1600		C1842 ⁺		31
Colt 1000	KE43	72.00	997	63-67	C1224	P1224	6
Colt 1100	KE44	73.00	1088	67-73	C1170	P1170	8
Colt 1200	KE46	73.00	1189	69-73	C1170	P1170	9
Colt 1400	4G12	74.00	1410	80-82	C1417	P1417	14
Colt 1500	KE45	85.00	1498	65-70	C1372	P1372	44
Colt 1600	4G32	76.90	1597	71-83	C1298	P1298	21
Colt 2000	4G63	85.00	1997	1980	C1528	P1528	45
Colt C14A (Diesel)	4D65	80.60	1795		C1945 ⁺		26
Cordia	4G62	80.60	1795	1983	C1527	P1527	28
Cordia (Turbo)	4G62	80.60	1795	84-88	C1645	P1645	30
Debonair	KE64	80.00	1991		C1319	P1319	25
Debonair	4G54B	91.10	2555	79-83		P1958	61
Debonair 2000	6G34	73.00	1994	1971	C1596	P1596	13
Debonair 2600	4G54	91.10	2555	1978	C1438	P1438	58
Delica Wagon (Diesel)	4D56T	91.10	2476	08-15	S7241 ⁺ N		57
Diamante	6G72	91.10	2972	91-96	C1841 ⁺		55
Diamante, DOHC	6G74	93.00	3496	97-04	C1984	P1984	63
Eclipse	4G69	87.00	2378	06-11	S5347		51
Eclipse (DOHC & Turbo)	4G63, GTX	85.00	1997	88-93	C1775 ⁺		40
Eclipse (Sohc)	4G37	80.60	1755	89-94	C1645	P1645	29
Eclipse Single Cam 16V	4G64, G, Y	86.50	2350	97-05	C1883 ⁺		48
Eclipse Spyder Single Cam 16V	4G64, G, Y	86.50	2350	01-05	C1883 ⁺		48
Eclipse, DOHC	420A	87.50	1997	95-99	C3896 ⁺	P3896 ⁺	52
Endeavor, Galant, Montero	6G75	95.00	3828	03-05	S5292 ⁺		67
Eterna	4G67	81.50	1836		C1967 ⁺		35
Executive 2600	4G54	91.10	2555	1998	C1438	P1438	58
Expo	G64B	86.50	2350	1992	C1652	P1652	50
Expo LRV 2WD	4G93	81.00	1834	92-95	C1842 ⁺		32
Expo, Expo LRV	4G64	86.50	2350	93-95	C1883 ⁺		48
Forklift	4G33	73.00	1439	75-78	C1521	P1521	11
Forklift	4G41	76.50	1378	71-76	C1511	P1511	20
Forklift	4G52	84.00	1995	1976	C1331	P1331	38
Forklift (Diesel)	4DQ5	84.00	2084	1974	C1495	P1495	39
Forklift (Dish piston) (Diesel)	S4S	94.00	2609		S5453 ⁺		65
Forklift (Flat top piston) (Diesel)	S4E, S4S	94.00	2609		S5176 ⁺		64
Galant	4G67	81.50	1836		C1967 ⁺		35
Galant	4G63	85.00	1997	95-99	C1951 ⁺		42
Galant	4G64	86.50	1468	92-96	C1946 ⁺		49
Galant	G64B	86.50	2350	84-88	C1652	P1652	50
Galant	4G69	87.00	2378	05-12	S5347		51

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MITSUBISHI

Application	Engine	Cyl			Set Number		Line
	Model	Bore	CC	Years	Chrome	Plain	No
Galant	6G72	91.10	2972	88-90	C1664	P1664	60
Galant	4G54B	91.10	2555	79-83		P1958	61
Galant (DOHC)	4G63	85.00	1997	89-93	C1775 ⁺		40
Galant (Diesel)	4D65	80.60	1795		C1945 ⁺		26
Galant (Shallow Oil Ring Groove)	4G63	85.00	1997	89-97	C1947 ⁺		41
Galant 1300	4G30	73.00	1289	69-71	C1170	P1170	7
Galant 1400	4G33	73.00	1439	71-75	C1170	P1170	10
Galant 1400	4G41	76.50	1378	71-73	C1511	P1511	20
Galant 1500	4G31	74.50	1499	69-74	C1623	P1623	15
Galant 1600	4G32	76.90	1597	70-83	C1298	P1298	21
Galant 1800	4G51	81.00	1855	73-77	C1520	P1520	34
Galant 2000	4G52	84.00	1995	73-80	C1331	P1331	38
Galant 2600	4G54	91.10	2555	1979	C1438	P1438	58
Galant 8V	4G63	85.00	1997	89-93	C1755	P1755	46
Galant Dual/Single Cam 16V	4G64, G, Y	86.50	2350	93-04	C1883 ⁺		48
Galant, Pajero, Pick-Up (Diesel)	4D55	91.10	2346	1983	C5131		56
Galant, V-6	6G72S	91.10	2972	93-03	C1841 ⁺		55
Jupiter	JH4	79.37	2199	56-72	C2161	P2161	24
L200 (Diesel)	4D56T	91.10	2476	08-15	S7241 ^{+N}		57
Lancer	4G11	69.50	1244	77-83	C1610	P1610	1
Lancer	4G13	71.00	1298	1984	C1761	P1761	5
Lancer	4G16	81.00	1600		C1842 ⁺		31
Lancer	4G94	81.50	1999	02-06	S5273 ⁺		36
Lancer	4B11	86.00	1998	09-15	S5410 ⁺		47
Lancer	4G69	87.00	2378	03-06	S5347		51
Lancer 1200	4G36	73.00	1238	75-78	C1521	P1521	12
Lancer 1400	4G12	74.00	1410	79-81	C1417	P1417	14
Lancer 1800 D/ Break (Diesel)	4D65	80.60	1795	83-89	S5162 ⁺		27
Lancer Evolution Turbo	4B11T	86.00	1998	08-14	S5410 ⁺		47
Lancer Sportback 2.0 DI-D (Diesel)	BKD	81.00	1968	08-On	S5412 ⁺		33
Magna	4G54	91.10	2555	1985	C1529	P1529	59
Minica 55	2G23	70.00	550	76-92	C1692	P1692	2
Mirage	4G11	69.50	1244	1977	C1610	P1610	1
Mirage	4G13	71.00	1298	1984	C1761	P1761	5
Mirage	4G15	75.50	1468	89-90	C1602	P1602	18
Mirage	4G91	78.40	1496		C5031 ⁺		23
Mirage	4G16	81.00	1600		C1842 ⁺		31
Mirage (Diesel)	4D65	80.60	1795		C1945 ⁺		26
Mirage (Turbo)	4G32	76.90	1597	84-88	C1604	P1604	22
Mirage (Turbo)	4G61	82.30	1595	89-92	C1724 ⁺		37
Mirage 12V	4G15	75.50	1468	91-96	C1778 ⁺		16
Mirage 1800 D (Diesel)	4D65	80.60	1795	1983	S5162 ⁺		27
Mirage Also w/CA ECS 12 V	4G15	75.50	1468	97-02	C1983 ⁺		17
Mirage, Lancer	4G13	71.00	1298		C1643 ⁺		3
Mirage, Lancer	4G13	71.00	1298		S5310		4
Montero	4G54B	91.10	2555	1983	C1438	P1438	58
Montero	4G54	91.10	2555	84-89	C1529	P1529	59
Montero	6G72	91.10	2972	89-94	C1664	P1664	60
Montero Sport Single Cam 16V	4G64, G, Y	86.50	2350	97-99	C1883 ⁺		48
Montero V-6	6G72	91.10	2972	93-96	C1841 ⁺		55
Montero, 24 V, DOHC	6G74	93.00	3496	93-04	C1984	P1984	63
Outlander	4B11	86.00	1998	10-15	S5410 ⁺		47
Outlander	4G69	87.00	2378	04-06	S5347		51
Outlander ES, GT, LX, XLS, 24V	6B31	87.60	2998	07-16	S5498 ^{+N}		53

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MITSUBISHI

Application	Engine	Cyl			Set Number		Line
	Model	Bore	CC	Years	Chrome	Plain	No
Outlander Single Cam 16V	4G64, G, Y	86.50	2350	03-05	C1883⁺		48
Pajero (Diesel)	4M40-TC	95.00	2835		S5323^{+N}		68
Pajero (Diesel)	4M40	95.00	2835		S5324^{+N}		69
Pajero (Diesel)	4M41	98.50	3200	99-11	S5395^{+N}		70
Pick-Up	4G63	85.00	1997	83-86	C1528	P1528	45
Pick-Up	4G63	85.00	1997	87-89	C1755	P1755	46
Pick-Up	4G64	86.50	1468	92-96	C1946⁺		49
Pick-Up	4G54B	91.10	2555	83-85	C1438	P1438	58
Pick-Up	4G54	91.10	2555	86-89	C1529	P1529	59
Pick-Up	6G72	91.10	2972	90-93	C1664	P1664	60
Pick-Up (Diesel)	4D56	91.10	2346	83-85	C1530⁺		54
Pick-Up (Diesel)	4D56	91.10	2346	1983	C5131		56
Pick-Up (Turbo) (Diesel)	4D55	91.10	2346	83-85	C1530⁺		54
Precis	4G15	75.50	1468	87-93	C1602	P1602	18
Proton Waja	4G18P	76.00	1584	01-On	S5288⁺		19
Raider, Flex Fuel, SOHC	Power Tech 4.7	93.00	4703	08-09	S4000^{+N}		62
Sapporo	4G54B	91.10	2555	79-85		P1958	61
Savrin	DZL, 4G63, 4G63T, D, F	85.00	1998	03-08	S5348^N		43
Sigma	6G72	91.10	2972	88-90	C1664	P1664	60
Space Gear (Diesel)	4D56T	91.10	2476	08-15	S7241^{+N}		57
Starion (Turbo)	4G54	91.10	2555	83-89	C1529	P1529	59
Strada (Diesel)	4D56T	91.10	2476	08-15	S7241^{+N}		57
Tredia	4G62	80.60	1795	1983	C1527	P1527	28
Tredia	4G63	85.00	1997	84-88	C1528	P1528	45
Tredia (Turbo)	4G62	80.60	1795	84-88	C1645	P1645	30
Truck 459, BE449, FE439 (Diesel)	4D34T	104.00	3907		S5052⁺		75
Truck FE439 (Diesel)	4D34	104.00	3907		S5051⁺		74
Van	G64B	86.50	2350	85-93	C1652	P1652	50

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
1	Mirage	(1.2L)	1244	4	2.736	69.50	4 - 1.50	4 - 4.00
	Lancer		C1610				4 - 1.50	
2	Minica 55	(.5L)	550	2	2.756	70.00	2 - 1.50	2 - 2.50
							C1692	2 - 1.50
3	Mirage, Lancer		1298	4	2.795	71.00	4 - 1.20	4 - 3.00
							C1643⁺	4 - 1.50
4	Mirage, Lancer	(1.3L)	1298	4	2.795	71.00	4 - 1.20	4 - 2.80
							S5310	4 - 1.50
5	Mirage	(1.3L)	1298	4	2.795	71.00	4 - 1.50	4 - 4.00
	Lancer		P1761				4 - 1.50	
6	Colt 1000	(1.0L)	997	4	2.835	72.00	4 - 2.00	4 - 4.00
							P1224	4 - 2.00
7	Galant 1300	(1.3L)	1289	4	2.874	73.00	4 - 2.00	4 - 4.00
							C1170	4 - 2.00
8	Colt 1100	(1.1L)	1088	4	2.874	73.00	4 - 2.00	4 - 4.00
							P1170	4 - 2.00
9	Colt 1200	(1.2L)	1189	4	2.874	73.00	4 - 2.00	4 - 4.00
							C1170	4 - 2.00
10	Galant 1400	(1.4L)	1439	4	2.874	73.00	4 - 2.00	4 - 4.00
							P1170	4 - 2.00
11	Forklift	(1.4L)	1439	4	2.874	73.00	4 - 1.50	4 - 4.00
							C1521	4 - 1.50
12	Lancer 1200	(1.2L)	1238	4	2.874	73.00	4 - 1.50	4 - 4.00
							P1521	4 - 1.50
								C1521

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MITSUBISHI

Line No	Application		CC	Set No	Cyl	Bore Diameter		Ring Size	
						Inch	MM	Comp	Oil
13	Debonair 2000	(2.0L)	1994	P1596 C1596	6	2.874	73.00	6 - 2.00 6 - 2.00	6 - 4.00
14	Celeste 1400 Colt 1400 Lancer 1400	(1.4L)	1410	P1417 C1417	4	2.913	74.00	4 - 1.50 4 - 1.50	4 - 4.00
15	Colt Galant 1500	(1.5L)	1499	P1623 C1623	4	2.933	74.50	4 - 2.00 4 - 2.00	4 - 4.00
16	Mirage 12V	(1.5L)	1468	C1778 ⁺	4	2.972	75.50	4 - 1.20 4 - 1.50	4 - 3.00
17	Mirage Also w/CA ECS 12 V	(1.5L)	1468	C1983 ⁺	4	2.972	75.50	4 - 1.20 4 - 1.50	4 - 2.80
18	Mirage Precis	(1.5L)	1468	P1602 C1602	4	2.972	75.50	4 - 1.50 4 - 1.50	4 - 4.00
19	Proton Waja	(1.6L)	1584	S5288 ⁺	4	2.992	76.00	4 - 1.20 4 - 1.20	4 - 2.50
20	Galant 1400 Forklift	(1.4L)	1378	P1511 C1511	4	3.012	76.50	4 - 2.00 4 - 2.00	4 - 4.00
21	Colt 1600 Galant 1600	(1.6L)	1597	P1298 C1298	4	3.028	76.90	4 - 2.00 4 - 2.00	4 - 4.00
22	Mirage (Turbo)	(1.6L)	1597	P1604 C1604	4	3.028	76.90	4 - 1.50 4 - 1.50	4 - 4.00
23	Mirage	(1.5L)	1496	C5031 ⁺	4	3.086	78.40	4 - 1.20 4 - 1.20	4 - 2.80
24	Jupiter	(2.2L)	2199	P2161 C2161	4	3.125	79.37	4 - 3/32 4 - 3/32	4 - 3/16
25	Debonair	(2.0L)	1991	P1319 C1319	6	3.150	80.00	6 - 2.00 6 - 2.00	6 - 4.00
26	Colt C14A (Diesel) Galant (Diesel) Mirage (Diesel)	(1.8L)	1795	C1945 ⁺	4	3.173	80.60	4 - 2.00 ^{HK} 4 - 2.00 ^{HK}	4 - 4.00
27	Lancer 1800 D/ Break (Diesel) Mirage 1800 D (Diesel)	(1.8L)	1795	S5162 ⁺	4	3.173	80.60	4 - 2.00 ^{HK} 4 - 2.00	4 - 4.00
28	Tredia Cordia	(1.8L)	1795	P1527 C1527	4	3.173	80.60	4 - 2.00 4 - 2.00	4 - 4.00
29	Eclipse (Sohc)	(1.8L)	1755	P1645 C1645	4	3.173	80.60	4 - 1.50 4 - 1.50	4 - 4.00
30	Tredia (Turbo) Cordia (Turbo)	(1.8L)	1795	P1645 C1645	4	3.173	80.60	4 - 1.50 4 - 1.50	4 - 4.00
31	Lancer Carisma Colt Mirage	(1.6L)	1600	C1842 ⁺	4	3.189	81.00	4 - 1.20 4 - 1.20	4 - 2.80
32	Expo LRV 2WD	(1.8L)	1834	C1842 ⁺	4	3.189	81.00	4 - 1.20 4 - 1.20	4 - 2.80
33	Lancer Sportback 2.0 DI-D (Diesel)	(2.0L)	1968	S5412 ⁺	4	3.189	81.00	4 - 1.75 4 - 2.00	4 - 3.00
34	Galant 1800	(1.9L)	1855	P1520 C1520	4	3.189	81.00	4 - 2.00 4 - 2.00	4 - 4.00
35	Eterna Galant	(1.8L)	1836	C1967 ⁺	4	3.209	81.50	4 - 1.20 4 - 1.50	4 - 3.00
36	Lancer	(2.0L)	1999	S5273 ⁺	4	3.209	81.50	4 - 1.20 4 - 1.20	4 - 2.50
37	Mirage (Turbo)	(1.6L)	1595	C1724 ⁺	4	3.240	82.30	4 - 1.20 4 - 1.50	4 - 3.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MITSUBISHI

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
38	Galant 2000 Forklift	(2.0L)	1995	P1331 C1331	4	3.307	84.00	4 - 2.00 4 - 2.00	4 - 4.00
39	Forklift (Diesel)	(2.1L)	2084	P1495 C1495	4	3.307	84.00	4 - 2.50 4 - 2.00	4 - 4.00
40	Eclipse (DOHC & Turbo) Galant (DOHC)	(2.0L)	1997	C1775 ⁺	4	3.346	85.00	4 - 1.20 4 - 1.50	4 - 3.00
41	Chariot (Shallow Oil Ring Groove) Galant (Shallow Oil Ring Groove)	(2.0L)	1997	C1947 ⁺	4	3.346	85.00	4 - 1.20 4 - 1.50	4 - 3.00
42	Galant	(2.0L)	1997	C1951 ⁺	4	3.346	85.00	4 - 1.20 4 - 1.50	4 - 2.80
43	Savrin	(2.0L)	1998	S5348 ^N	4	3.346	85.00	4 - 1.20 4 - 1.20	4 - 2.00
44	Colt 1500	(1.5L)	1498	P1372 C1372	4	3.346	85.00	4 - 2.00 4 - 2.00	4 - 4.00
45	Pick-Up Tredia Colt 2000	(2.0L)	1997	P1528 C1528	4	3.346	85.00	4 - 2.00 4 - 2.00	4 - 4.00
46	Galant 8V Pick-Up	(2.0L)	1997	P1755 C1755	4	3.346	85.00	4 - 1.50 4 - 1.50	4 - 4.00
47	Outlander Lancer Evolution Turbo Lancer	(2.0L)	1998	S5410 ⁺	4	3.386	86.00	4 - 1.20 4 - 1.20	4 - 2.00
48	Expo, Expo LRV Galant Dual/Single Cam 16V Eclipse Single Cam 16V Montero Sport Single Cam 16V Eclipse Spyder Single Cam 16V Outlander Single Cam 16V	(2.4L)	2350	C1883 ⁺	4	3.406	86.50	4 - 1.20 4 - 1.50	4 - 2.80
49	Pick-Up Galant	(1.5L)	1468	C1946 ⁺	4	3.406	86.50	4 - 1.20 4 - 1.50	4 - 3.00
50	Galant Van Expo	(2.4L)	2350	P1652 C1652	4	3.406	86.50	4 - 1.50 4 - 1.50	4 - 4.00
51	Outlander Eclipse Galant Lancer	(2.4L)	2378	S5347	4	3.425	87.00	4 - 1.20 4 - 1.20	4 - 2.00
52	Eclipse, DOHC	(2.0L)	1997	P3896 ⁺ C3896 ⁺	4	3.445	87.50	4 - 1.20 4 - 1.20	4 - 3.00
53	Outlander ES, GT, LX, XLS, 24V	(3.0L)	2998	S5498 ^{+N}	6	3.449	87.60	6 - 1.20 6 - 1.00	6 - 2.00
54	Pick-Up (Turbo) (Diesel) Pick-Up (Diesel)	(2.4L)	2346	C1530 ⁺	4	3.587	91.10	4 - 2.50 ^{HK} 4 - 2.00 ^{HK}	4 - 4.00
55	Diamante Montero V-6 Galant, V-6	(3.0L)	2972	C1841 ⁺	6	3.587	91.10	6 - 1.20 6 - 1.50	6 - 3.00
56	Galant, Pajero, Pick-Up (Diesel) Pick-Up (Diesel)	(2.4L)	2346	C5131	4	3.587	91.10	4 - 2.50 4 - 2.00	4 - 4.00
57	L200 (Diesel) Strada (Diesel) Delica Wagon (Diesel) Space Gear (Diesel)	(2.5L)	2476	S7241 ^{+N}	4	3.587	91.10	4 - 2.50 ^{HK} 4 - 2.00 ^{HK}	4 - 3.00
58	Celeste 2600 Debonair 2600	(2.6L)	2555	P1438 C1438	4	3.587	91.10	4 - 2.00 4 - 2.00	4 - 4.00

Continued On Next Page

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

MITSUBISHI

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
	< Continued > Executive 2600 Galant 2600 Montero Pick-Up							
59	Montero (2.6L) Starion (Turbo) Magna Pick-Up	2555	P1529 C1529	4	3.587	91.10	4 - 1.50 4 - 1.50	4 - 4.00
60	Galant (3.0L) Montero Pick-Up Sigma	2972	P1664 C1664	6	3.587	91.10	6 - 1.50 6 - 1.50	6 - 4.00
61	Challenger (2.6L) Debonair Galant Sapporo	2555	P1958	4	3.587	91.10	4 - 2.00 4 - 2.00	4 - 4.00
62	Raider, Flex Fuel, SOHC (4.7L)	4703	S4000 ^{+N}	8	3.661	93.00	8 - 1.20 8 - 1.50	8 - 2.50
63	Montero, 24 V, DOHC (3.5L) Diamante, DOHC	3496	P1984 C1984	6	3.661	93.00	6 - 1.50 6 - 1.50	6 - 3.00
64	Forklift (Flat top piston) (Diesel) (2.6L)	2609	S5176 ⁺	4	3.701	94.00	4 - 2.50 ^{HK} 4 - 2.00	4 - 4.50
65	Forklift (Dish piston) (Diesel) (2.6L)	2609	S5453 ⁺	4	3.701	94.00	4 - 2.50 ^{HK} 4 - 2.00	4 - 4.00
66	FB501, FD511, Pajero (Diesel) (2.8L)	2835	S5188 ⁺	4	3.740	95.00	4 - 2.50 ^{FK} 4 - 2.00	4 - 4.00
67	Endeavor, Galant, Montero (3.8L)	3828	S5292 ⁺	6	3.740	95.00	6 - 1.20 6 - 1.20	6 - 2.00
68	Pajero (Diesel)	2835	S5323 ^{+N}	4	3.740	95.00	4 - 2.30 ^{FK} 4 - 2.00	4 - 3.00
69	Pajero (Diesel)	2835	S5324 ^{+N}	4	3.740	95.00	4 - 2.30 ^{FK} 4 - 2.00	4 - 4.00
70	Pajero (Diesel) (3.2L)	3200	S5395 ^{+N}	4	3.878	98.50	4 - 2.35 ^{FK} 4 - 1.50	4 - 3.00
71	Bus (Diesel) (3.3L) Canter (Diesel)	3298	C1816	4	3.937	100.00	4 - 3.00 ^{HK} 4 - 2.00	4 - 5.00
72	Canter (Diesel) (3.3L)	3298	S7138 ⁺	4	3.937	100.00	4 - 3.00 ^{HK} 4 - 2.00	4 - 4.00
73	(Diesel) (6.4L)	6380	S7093 ^{+A}	1	4.016	102.00	1 - 3.00 ^{HK} 1 - 2.00 ^{HK}	1 - 4.00
74	Truck FE439 (Diesel) (3.9L)	3907	S5051 ⁺	4	4.094	104.00	4 - 3.00 4 - 2.00	4 - 4.00
75	Truck 459, BE449, FE439 (Diesel) (3.9L)	3907	S5052 ⁺	4	4.094	104.00	4 - 2.80 ^{FK} 4 - 2.00	4 - 4.00
76	Canter (Diesel) (3.6L)	3567	S7002 ⁺	4	4.094	104.00	4 - 3.00 ^{HK} 4 - 2.00	4 - 4.00
77	Canter (Diesel) (4.2L)	4214	S7137 ⁺	4	4.252	108.00	4 - 3.00 4 - 2.00	4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone