

# PEUGEOT

Application	Engine	Cyl			Set Number		Line
	Model	Bore	CC	Years	Chrome	Plain	No
	EC5M	78.50			S5451 <sup>+N</sup>		31
1.4XAD/ ND (Diesel)	TUD3	75.00	1361	92-96	S5117 <sup>+</sup>		10
1000 Fourgon (Diesel)	CRD93	93.00	2499	83-85	S5157 <sup>+</sup>		66
104 2e Model ZS Berline GL 6	XZ5	75.00	1219	80-85	C1665	P1665	14
104 Coupe ZS Berline GLS 6	XW3/XW35, XW7, 108	72.00	1124	79-ON	C1866	P1866	3
104 GL, GR, L, Z, ZA, ZL, ZR	XV3/XV5/XW8	70.00	954	75-85	C5121 <sup>+</sup>		1
104 GL, GR, Z, ZA ZR	XW7, 109	72.00	1124	80-83	C1866	P1866	3
104 GL, GR, ZR	XW3/108	72.00	1124	75-85	C1866	P1866	3
104 GLS, ZL	XW7, 109	72.00	1124	85-87	C1866	P1866	3
104 GR, S, SR, ZS	XZ5	75.00	1218	80-83	C1665	P1665	17
104 S, SR, SL, ZL, ZS	XW3/108	72.00	1124	75-85	C1866	P1866	3
104 Style Z, Z Plus	XW7, 109	72.00	1124	82-87	C1866	P1866	3
106	TU1JP	72.00	1124	1996	C5420	P5420	5
106	TU3JP	75.00	1360	96-01	S5265 <sup>+</sup>		11
106 1.4D (Diesel)	TUD3	75.00	1361	92-96	S5117 <sup>+</sup>		10
106 1.5D (Series 1 & 2) (Diesel)	TUD5	77.00	1527	1994	S5182 <sup>+</sup>		24
106 1.6i Griffe	TU5JP/J2	78.50	1587	93-96	S5149 <sup>+</sup>		29
106 Rallye	TU2J2/Z	75.00	1294	94-96	C1865	P1865	18
106 XN	TU9/C1/H1	70.00	954	87-ON	C1824	P1824	2
106 XR, 205 CJ, GL. GT (Diesel)	TU3A/AN/S/M/2/2K	75.00	1361	1991	C5119	P5119	21
106 XR, XN	TU1/H1A	72.00	1124	1992	C1902	P1902	4
106, 206, 307, 308, 1007, Berlingo, Partner, Xsara, C3, 110 Saxo 1.6i 16V	TU5JP4	78.50	1587	00-ON	S5313		30
1100	XW7, 109	72.00	1124	85-87	C1866	P1866	3
1300 Fourgon (Diesel)	CRD93	93.00	2499	83-85	S5157 <sup>+</sup>		66
2008	EP6	77.00	1598	2013	S5389 <sup>+</sup>		25
2008 1.6 HDi (Diesel)	9HP	75.00	1560	13-On	S5422 <sup>+</sup>		13
203	TM, MT, Q3A, D3A	75.00	1130	57-59	C5113		9
204	TM, MT, Q3A, D3A	75.00	1130	65-75	C5113		9
204	XK5	78.00	1127	75-77	C1649 <sup>A</sup>	P1649 <sup>A</sup>	26
205	XU5J/JA	83.00	1580	84-88	C1271 <sup>A</sup>	P1271 <sup>A</sup>	44
205 A, XL, XR, XA	XW7, 109	72.00	1124	80-87	C1866	P1866	3
205 Automatic	XU5	83.00	1580	84-93	C1864	P1864	46
205 D, GLD, GRD, SRDXLD, (Diesel)	XUD7	80.00	1768	84-93	C1862		33
205 D, GLD, GRD, XLD (Diesel)	XED9/S/B/L/Y	83.00	1905	87-98	C1974 <sup>+</sup>	P1974 <sup>+</sup>	47
205 GE, GL, GR, L, XE, XR	XV8	70.00	954	83-87	C5121 <sup>+</sup>		1
205 GL, GR	XW7, 109	72.00	1124	85-87	C1866	P1866	3
205 GL, GR, XL, XR	TU1/H1A	72.00	1124	87-93	C1902	P1902	4
205 GR,GT, SR, XR	XY7	75.00	1768	83-87	C1665	P1665	15
205 II 1.1 XA	E1	74.00	1118	87-88	C1377	P1377	8
205 II 1.2	F1	74.00	1118	87-90	C1377	P1377	8
205 Junior	TU9/C1/H1	70.00	954	87-ON	C1824	P1824	2
205 Rallye	TU24	75.00	1294	87-92	C1865	P1865	18
205 Rallye (Diesel)	TU2.4	75.00	1294	1988	C5119	P5119	20
205 X5, XT	XY8	75.00	1360	83-87	C1665	P1665	16
205 XA Espagne	E1/E1A	74.00	1118	1988	S5105 <sup>+</sup>		7
205 XAD, XRD, XTD	XUD7	80.00	1768	84-93	C1768 <sup>+</sup>		32
205 XRA	G1E	76.70	1294	87-88	C1481	P1481	23
205, 309 GRD, SRD, SXD, 405 GRD, GTD, SRD (Diesel)	XUD7/T/TE	80.00	1769	88-93	S5116		34
205XS, GR, SR, XR	TU3	75.00	1360		C1865	P1865	19
206	TU1JP	72.00	1124	1998	C5420	P5420	5
206	TU3JP	75.00	1360	98-02	S5265 <sup>+</sup>		11
206 (Diesel)	DV6TED4	75.00	1560	2003	S5421 <sup>+</sup>		12

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# PEUGEOT

Application	Engine	Cyl		Years	Set Number		Line No
	Model	Bore	CC		Chrome	Plain	
206 1.6i	TU5JP/J2	78.50	1587	98-00	S5149 <sup>+</sup>		29
206 1.9D, 206 LD, 306 1.9D, 306 Break, Expert 1.9D, Partner (Diesel)	DW8/B	82.20	1868	98-01	C5069	P5069	36
206, 206 CC, 206 SW	EW10J4	85.00	1997		S5219 <sup>+</sup>		54
206, 307 (1.4 TD) (Diesel)	DV4TD	73.70	1399	2002	S5247 <sup>+</sup>		6
206, 307 (1.4 TD) (Diesel)	DV4TED	73.70	1399	2002	S5247 <sup>+</sup>		6
207	EP6	77.00	1598	2007	S5389 <sup>+</sup>		25
207 (Diesel)	DV6TED4, DV6ATED4	75.00	1560	2006	S5421 <sup>+</sup>		12
207 1.6 HDi (Diesel)	9HP	75.00	1560	09-On	S5422 <sup>+</sup>		13
207 1.6 HDi (Diesel)	9HR	75.00	1560	09-On	S5422 <sup>+</sup>		13
208	EP6	77.00	1598	2012	S5389 <sup>+</sup>		25
208 1.6 HDi (Diesel)	9HK	75.00	1560	13-On	S5422 <sup>+</sup>		13
208 1.6 HDi (Diesel)	9HP	75.00	1560	12-On	S5422 <sup>+</sup>		13
20J, 205 XL, XR, XE, GL	TU9/C1/H1	70.00	954	87-ON	C1824	P1824	2
3008	EP6	77.00	1598	2009	S5389 <sup>+</sup>		25
3008 1.6 HDi (Diesel)	9HR	75.00	1560	09-On	S5422 <sup>+</sup>		13
301 1.6 HDI 90 (Diesel)	9HF (DV6DTEd)	75.00	1560	12-On	S5422 <sup>+</sup>		13
304	XL3	76.00	1288	69-75	C1408	P1408	22
304	XK5	78.00	1127	76-80	C1649 <sup>A</sup>	P1649 <sup>A</sup>	26
304	XL5	78.00	1290	72-75	C1649 <sup>A</sup>	P1649 <sup>A</sup>	27
305	XL5	78.00	1290	77-82	C1649 <sup>A</sup>	P1649 <sup>A</sup>	27
305	XR5	78.00	1472	77-82	C1649 <sup>A</sup>	P1649 <sup>A</sup>	28
305	XU9J2	83.00	1905	83-86	C1271 <sup>A</sup>	P1271 <sup>A</sup>	45
305 D, 309 D, 405 D (Diesel)	XUD9/A	83.00	1905	1983	C1974 <sup>+</sup>	P1974 <sup>+</sup>	47
305 D, 309 D, 405 D, gld, grd (Diesel)	XUD9/A/B/L/Y	83.00	1905	82-88	C1974 <sup>+</sup>	P1974 <sup>+</sup>	47
305 GL, GLS, GR, GT SR	XU5	83.00	1580	82-88	C1864	P1864	46
305 GLD, GRD (Diesel)	XUD7	80.00	1768	1987	C1862		33
306 1.6i XR, XT Auto	TU5JP/J2	78.50	1587	94-00	S5149 <sup>+</sup>		29
306 1.9TD (Diesel)	XUD9TE	83.00	1905	1993	S5147 <sup>+</sup>		38
306, 406 16V	XU7JP4	83.00	1762	1995	S5158 <sup>+</sup>		40
307 (Diesel)	DV6TED4, DV6ATED4	75.00	1560	2005	S5421 <sup>+</sup>		12
307 HDi (Diesel)	DW10ATED	85.00	1998	2001	S5150 <sup>+</sup>		53
307, 307 SW	EW10J4	85.00	1997		S5219 <sup>+</sup>		54
307Affaire, XR	TU3JP	75.00	1360	01-On	S5265 <sup>+</sup>		11
308	EP6	77.00	1598	2007	S5389 <sup>+</sup>		25
308 (Diesel)	DV6TED4, DV6ATED4	75.00	1560	2007	S5421 <sup>+</sup>		12
308 1.6 HDi (Diesel)	9HP	75.00	1560	09-On	S5422 <sup>+</sup>		13
308 1.6 HDi (Diesel)	9HR	75.00	1560	09-On	S5422 <sup>+</sup>		13
309 (Diesel)	XUD7	80.00	1768	88-89	C1862		33
309 GE, GL, GR, XE, XL, XS	XU5	83.00	1580	85-93	C1864	P1864	46
309 GE, GL, XE	E1/E1A	74.00	1118	86-89	S5105 <sup>+</sup>		7
309 GE, XE, Chorus	TU1/H1A	72.00	1124	89-92	C1902	P1902	4
309 GR, 309 Green, 309 Profil	G1/A	76.70	1294	85-89	C1481	P1481	23
309 GTi 16V	XU9J4	83.00	1905	1987	S5158 <sup>+</sup>		41
309 I 1.1	E1	74.00	1118	85-89	C1377	P1377	8
309 SR Automatic	XU5	83.00	1580	85-93	C1864	P1864	46
309 SR/GR	XU9JA/J1/JAZ/M	83.00	1905	1983	C1271 <sup>A</sup>	P1271 <sup>A</sup>	43
309 SX, XR	XU5	83.00	1580	88-93	C1864	P1864	46
403	TM, MT, Q3A, D3A	75.00	1130	60-66	C5113		9
403	TN	80.00	1468	55-66	C1104	P1104	35
404	XB	80.00	1468	63-69	C1104	P1104	35
404	XC	84.00	1618	60-70	C1204	P1204	49
404	XM	84.00	1796	68-71	C1369	P1369	50
404 D (Diesel)	XD88	88.00	1948	63-73	C1441		57

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# PEUGEOT

Application	Engine	Cyl			Set Number		Line No
	Model	Bore	CC	Years	Chrome	Plain	
405	XU9 2C/S	83.00	1905	1983	C1271 <sup>A</sup>	P1271 <sup>A</sup>	43
405	XU5	83.00	1580	87-88	C1864	P1864	46
405Mi 16V	XU9J4	83.00	1905	1987	S5158 <sup>+</sup>		39
405SR	XU7	83.00	1761	1993	S5158 <sup>+</sup>		42
405SRi/STi/BREAK	XU10	86.00	1998	1989	C5047	P5047	56
406	EW7J4.6FZ	82.70	1749	00-On	S5239 <sup>+</sup>		37
406 1.9TD, Expert 1.9D (Diesel)	XUD9SD/TF	83.00	1905	96-98	S5147 <sup>+</sup>		38
406 2.1TD (Diesel)	XUD11ATE/L	85.00	2088	1995	S5118 <sup>+</sup>		52
406 Break	EW7J4.EURO3	82.70	1749	00-On	S5239 <sup>+</sup>		37
406, 406 Break, 406 Coupe	EW10J4	85.00	1997		S5219 <sup>+</sup>		54
407 (Diesel)	DV6TED4	75.00	1560	2003	S5421 <sup>+</sup>		12
5008 1.6 HDi (Diesel)	9HR	75.00	1560	10-On	S5422 <sup>+</sup>		13
504	KF5/6, XM/1	84.00	1796	1970	C5178 <sup>+</sup>		48
504	XM	84.00	1796	68-70	C1369	P1369	50
504	ZM	88.00	2664	74-81	C1440 <sup>A</sup>	P1440 <sup>A</sup>	59
504 (Diesel)	XD2XD2P	94.00	2304	76-82	C1860		69
504 D (Diesel)	XD90	90.00	2112	74-76	C1462 <sup>A</sup>	P1462 <sup>A</sup>	61
504 D (Diesel)	XD2	94.00	2304	77-81	C1463 <sup>+</sup>		68
504 E, GL, S (Diesel)	XC6A, XMA7	85.00			C1891 <sup>A</sup>		51
504 GL, SL	XN	88.00	1971	71-86	C1370 <sup>A</sup>	P1370 <sup>A</sup>	58
505	XN	88.00	1971	80-87	C1370 <sup>A</sup>	P1370 <sup>A</sup>	58
505	ZDJ	88.00	2165	88-91	C1598	P1598	60
505 (Diesel)	XD2XD2P	94.00	2304	76-82	C1860		69
505 (Diesel)	XD3XD3P	94.00	2498	82-92	C1860		70
505 D (Diesel)	XD2	94.00	2304	77-82	C1463 <sup>+</sup>		68
505 G5, GL, GR, SR, SX	XM7A	84.00	1796	85-86	C5178 <sup>+</sup>		48
505 SRD Turbo, 604 GRD Turbo (Diesel)	XD2S	94.00	2304	78-86	S5114 <sup>+</sup>		71
505 SRD Turbo, 604 GRD Turbo (Diesel)	XD3T/TE	94.00	2498	83-93	S5114 <sup>+</sup>		72
505 T	ZEJ	88.00	2165	79-88	C1598	P1598	60
508	EP6	77.00	1598	2010	S5389 <sup>+</sup>		25
508 (Diesel)	DV6TED4	75.00	1560	2010	S5421 <sup>+</sup>		12
508 1.6 HDi (Diesel)	9HR	75.00	1560	10-On	S5422 <sup>+</sup>		13
604	ZM	88.00	2664	75-77	C1440 <sup>A</sup>	P1440 <sup>A</sup>	59
604	ZNV	91.00	2849	77-88	C1515 <sup>A</sup>	P1515 <sup>A</sup>	62
605 2.1TD SRDT, SVDT (Diesel)	XUD11ATE/L	85.00	2088	89-94	S5118 <sup>+</sup>		52
605 SLD, SRD (Diesel)	XUD1A/L	86.00	2138	1990	S5120 <sup>+</sup>		55
806	EW10J4	85.00	1997		S5219 <sup>+</sup>		54
806 HDi (Diesel)	DW10ATED	85.00	1998	99-02	S5150 <sup>+</sup>		53
B4 (Diesel)	XD3XD3P	94.00	2498	1982	C1860		70
Berline (Diesel)	XD3XD3P	94.00	2498	82-92	C1860		70
Boxer (Diesel)	XUD9/A/B/L/Y	83.00	1905	99-02	C1974 <sup>+</sup>	P1974 <sup>+</sup>	47
Boxer 2.5D (Diesel)	DJ5	92.00	2446	94-02	S5173 <sup>+</sup>		64
Boxer, 605, 806 (Diesel)	DK5ATE, DJ5T	92.00	2446	93-99	S5170 <sup>+</sup>		63
Break GLD, GRD, SRD (Diesel)	XD3XD3P	94.00	2498	82-92	C1860		70
EXPERT Kasten (VF3A, VF3U, VF3X) 1.6 HDi90 8V (Diesel)	9HH, 9HM	75.00	1560	07-On	S5422 <sup>+</sup>		13
EXPERT Tepee (VF3V) 1.6 HDi 90 8V (Diesel)	9HH, 9HM	75.00	1560	07-On	S5422 <sup>+</sup>		13
Evasion, Expert Combi, Expert Tole	EW10J4	85.00	1997		S5219 <sup>+</sup>		54
Familiale D, GLD, GRD, SRD (Diesel)	XD3	94.00	2498	81-90	C1463 <sup>+</sup>		67
Fourgon 1900 (Diesel)	XD3	94.00	2498	1981	C1463 <sup>+</sup>		67
J5 (Diesel)	CRD93	93.00	2499	83-85	S5157 <sup>+</sup>		66
J5, 1000K, 1300K (Diesel)	CRD93	93.00	2500	1981	S5115 <sup>+</sup>		65
J7 B, BD, PX, PY, PZXD 2P (Diesel)	XD2XD2P	94.00	2304	1976	C1860		69

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# PEUGEOT

Application	Engine	Cyl			Set Number		Line
	Model	Bore	CC	Years	Chrome	Plain	No
J9 (Diesel)	XD2XD2P	94.00	2304	1976	<b>C1860</b>		69
J9 (Diesel)	XD3XD3P	94.00	2498	1982	<b>C1860</b>		70
Junior	XV8	70.00	954	83-87	<b>C5121<sup>+</sup></b>		1
PARTNER Kasten 1.6 HDi 90 (Diesel)	9HP	75.00	1560	10-On	<b>S5422<sup>+</sup></b>		13
PARTNER Tepee 1.6 HDi 90 (Diesel)	9HP	75.00	1560	10-On	<b>S5422<sup>+</sup></b>		13
Partner	TU1JP	72.00	1124	1996	<b>C5420</b>	<b>P5420</b>	5
Partner	TU3JP	75.00	1360	97-On	<b>S5265<sup>+</sup></b>		11
Partner	EP6	77.00	1598	2010	<b>S5389<sup>+</sup></b>		25
Partner (Diesel)	XUD9/A/B/L/Y	83.00	1905	1996	<b>C1974<sup>+</sup></b>	<b>P1974<sup>+</sup></b>	47
Partner (Diesel)	DW10TD	85.00	1998	1999	<b>S5150<sup>+</sup></b>		53
Xsara	EW10J4	85.00	1997		<b>S5219<sup>+</sup></b>		54
Z1100 GL, GR	XW7, 109	72.00	1124	80-87	<b>C1866</b>	<b>P1866</b>	3

Line No	Application		CC	Set No	Cyl	Bore Diameter		Ring Size	
						Inch	MM	Comp	Oil
1	104 GL, GR, L, Z, ZA, ZL, ZR Junior 205 GE, GL, GR, L, XE, XR	(1.0L)	954	<b>C5121<sup>+</sup></b>	4	2.756	70.00	4 - 2.00 4 - 2.00	4 - 4.00
2	106 XN 20J, 205 XL, XR, XE, GL 205 Junior	(1.0L)	954	<b>P1824</b> <b>C1824</b>	4	2.756	70.00	4 - 1.50 4 - 1.50	4 - 3.00
3	104 Coupe ZS Berline GLS 6 104 GL, GR, ZR 104 S, SR, SL, ZL, ZS 104 GLS, ZL 104 GL, GR, Z, ZA ZR 104 Style Z, Z Plus 1100 205 A, XL, XR, XA 205 GL, GR Z1100 GL, GR	(1.1L)	1124	<b>P1866</b> <b>C1866</b>	4	2.835	72.00	4 - 1.50 4 - 2.00	4 - 4.00
4	309 GE, XE, Chorus 205 GL, GR, XL, XR 106 XR, XN	(1.1L)	1124	<b>P1902</b> <b>C1902</b>	4	2.835	72.00	4 - 1.50 4 - 2.00	4 - 3.00
5	Partner 106 206	(1.1L)	1124	<b>P5420</b> <b>C5420</b>	4	2.835	72.00	4 - 1.50 4 - 1.50	4 - 2.50
6	206, 307 (1.4 TD) (Diesel)	(1.4L)	1399	<b>S5247<sup>+</sup></b>	4	2.901	73.70	4 - 2.50 <sup>FK</sup> 4 - 1.95	4 - 2.50
7	205 XA Espagne 309 GE, GL, XE	(1.1L)	1118	<b>S5105<sup>+</sup></b>	4	2.913	74.00	4 - 1.75 4 - 2.00	4 - 4.00
8	309 I 1.1 205 II 1.2 205 II 1.1 XA	(1.1L)	1118	<b>P1377</b> <b>C1377</b>	4	2.913	74.00	4 - 1.75 4 - 2.00	4 - 4.00
9	204 203 403	(1.1L)	1130	<b>C5113</b>	4	2.953	75.00	4 - 2.00 4 - 2.00	4 - 4.50
10	1.4XAD/ ND (Diesel) 106 1.4D (Diesel)	(1.4L)	1361	<b>S5117<sup>+</sup></b>	4	2.953	75.00	4 - 2.25 4 - 1.75	4 - 3.00
11	106 206 307Affaire, XR Partner	(1.4L)	1360	<b>S5265<sup>+</sup></b>	4	2.953	75.00	4 - 1.50 4 - 1.50	4 - 2.50
12	508 (Diesel) 206 (Diesel)	(1.6L)	1560	<b>S5421<sup>+</sup></b>	4	2.953	75.00	4 - 3.00 <sup>FK</sup> 4 - 1.95	4 - 2.50

**Continued On Next Page**

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# PEUGEOT

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size	
					Inch	MM	Comp	Oil
	< Continued > 207 (Diesel) 307 (Diesel) 308 (Diesel) 407 (Diesel)							
13	301 1.6 HDi 90 (Diesel) (1.6L) EXPERT Kasten (VF3A, VF3U, VF3X) 1.6 HDi90 8V (Diesel) EXPERT Tepee (VF3V) 1.6 HDi 90 8V (Diesel) 208 1.6 HDi (Diesel) 2008 1.6 HDi (Diesel) 207 1.6 HDi (Diesel) 308 1.6 HDi (Diesel) PARTNER Kasten 1.6 HDi 90 (Diesel) PARTNER Tepee 1.6 HDi 90 (Diesel) 207 1.6 HDi (Diesel) 3008 1.6 HDi (Diesel) 208 1.6 HDi (Diesel) 308 1.6 HDi (Diesel) 5008 1.6 HDi (Diesel) 508 1.6 HDi (Diesel)	1560	<b>S5422</b> <sup>+</sup>	4	2.953	75.00	4 - 2.00 4 - 2.50	4 - 2.00
14	104 2e Model ZS Berline GL 6 (1.2L)	1219	<b>P1665</b> <b>C1665</b>	4	2.953	75.00	4 - 1.75 4 - 2.00	4 - 4.00
15	205 GR,GT, SR, XR (1.8L)	1768	<b>P1665</b> <b>C1665</b>	4	2.953	75.00	4 - 1.75 4 - 2.00	4 - 4.00
16	205 X5, XT (1.4L)	1360	<b>P1665</b> <b>C1665</b>	4	2.953	75.00	4 - 1.75 4 - 2.00	4 - 4.00
17	104 GR, S, SR, ZS (1.2L)	1218	<b>P1665</b> <b>C1665</b>	4	2.953	75.00	4 - 1.75 4 - 2.00	4 - 4.00
18	106 Rallye (1.3L) 205 Rallye	1294	<b>P1865</b> <b>C1865</b>	4	2.953	75.00	4 - 1.75 4 - 2.00	4 - 3.00
19	205XS, GR, SR, XR (1.4L)	1360	<b>P1865</b> <b>C1865</b>	4	2.953	75.00	4 - 1.75 4 - 2.00	4 - 3.00
20	205 Rallye (Diesel) (1.3L)	1294	<b>P5119</b> <b>C5119</b>	4	2.953	75.00	4 - 1.75 4 - 2.00	4 - 3.00
21	106 XR, 205 CJ, GL. GT (Diesel) (1.4L)	1361	<b>P5119</b> <b>C5119</b>	4	2.953	75.00	4 - 1.75 4 - 2.00	4 - 3.00
22	304 (1.3L)	1288	<b>P1408</b> <b>C1408</b>	4	2.992	76.00	4 - 1.75 4 - 2.00	4 - 4.00
23	205 XRA (1.3L) 309 GR, 309 Green, 309 Profil	1294	<b>P1481</b> <b>C1481</b>	4	3.020	76.70	4 - 1.75 4 - 2.00	4 - 4.00
24	106 1.5D (Series 1 & 2) (Diesel) (1.5L)	1527	<b>S5182</b> <sup>+</sup>	4	3.031	77.00	4 - 2.00 4 - 1.75	4 - 3.00
25	Partner (1.6L) 2008 207 208 3008 308 508	1598	<b>S5389</b> <sup>+</sup>	4	3.031	77.00	4 - 1.20 4 - 1.50	4 - 2.00
26	204 (1.1L) 304	1127	<b>P1649</b> <sup>A</sup> <b>C1649</b> <sup>A</sup>	4	3.071	78.00	4 - 1.75 4 - 2.00	4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# PEUGEOT

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
27	304 305	(1.3L)	1290	P1649 <sup>A</sup> C1649 <sup>A</sup>	4	3.071	78.00	4 - 1.75 4 - 2.00	4 - 4.00
28	305	(1.5L)	1472	P1649 <sup>A</sup> C1649 <sup>A</sup>	4	3.071	78.00	4 - 1.75 4 - 2.00	4 - 4.00
29	106 1.6i Griffe 206 1.6i 306 1.6i XR, XT Auto	(1.6L)	1587	S5149 <sup>+</sup>	4	3.091	78.50	4 - 1.50 4 - 1.50	4 - 3.00
30	106, 206, 307, 308, 1007, Berlingo, Partner, Xsara, C3, 110 Saxo 1.6i 16V	(1.6L)	1587	S5313	4	3.091	78.50	4 - 1.20 4 - 1.50	4 - 2.50
31		(1.6L)		S5451 <sup>+N</sup>	4	3.091	78.50	4 - 1.00 4 - 1.00	4 - 1.50
32	205 XAD, XRD, XTD	(1.8L)	1768	C1768 <sup>+</sup>	4	3.150	80.00	4 - 1.20 4 - 1.20	4 - 3.00
33	205 D, GLD, GRD, SRDXLD, (Diesel) 305 GLD, GRD (Diesel) 309 (Diesel)	(1.8L)	1768	C1862	4	3.150	80.00	4 - 2.00 4 - 2.00	4 - 3.00
34	205, 309 GRD, SRD, SXD, 405 GRD, GTD, SRD (Diesel)	(1.8L)	1769	S5116	4	3.150	80.00	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 3.00
35	403 404	(1.5L)	1468	P1104 C1104	4	3.150	80.00	4 - 2.00 4 - 2.00	4 - 4.50
36	206 1.9D, 206 LD, 306 1.9D, 306 Break, Expert 1.9D, Partner (Diesel)	(1.9L)	1868	P5069 C5069	4	3.236	82.20	4 - 2.00 4 - 2.00	4 - 3.00
37	406 406 Break	(1.8L)	1749	S5239 <sup>+</sup>	4	3.256	82.70	4 - 1.20 4 - 1.50	4 - 2.00
38	406 1.9TD, Expert 1.9D (Diesel) 306 1.9TD (Diesel)	(1.9L)	1905	S5147 <sup>+</sup>	4	3.268	83.00	4 - 3.50 <sup>FK</sup> 4 - 2.00	4 - 3.00
39	405Mi 16V	(1.9L)	1905	S5158 <sup>+</sup>	4	3.268	83.00	4 - 1.50 4 - 1.50	4 - 3.00
40	306, 406 16V	(1.8L)	1762	S5158 <sup>+</sup>	4	3.268	83.00	4 - 1.50 4 - 1.50	4 - 3.00
41	309 GTi 16V	(1.9L)	1905	S5158 <sup>+</sup>	4	3.268	83.00	4 - 1.50 4 - 1.50	4 - 3.00
42	405SR	(1.8L)	1761	S5158 <sup>+</sup>	4	3.268	83.00	4 - 1.50 4 - 1.50	4 - 3.00
43	309 SR/GR 405	(1.9L)	1905	P1271 <sup>A</sup> C1271 <sup>A</sup>	4	3.268	83.00	4 - 1.50 4 - 1.50	4 - 4.00
44	205	(1.6L)	1580	P1271 <sup>A</sup> C1271 <sup>A</sup>	4	3.268	83.00	4 - 1.50 4 - 1.50	4 - 4.00
45	305	(1.9L)	1905	P1271 <sup>A</sup> C1271 <sup>A</sup>	4	3.268	83.00	4 - 1.50 4 - 1.50	4 - 4.00
46	205 Automatic 305 GL, GLS, GR, GT SR 309 GE, GL, GR, XE, XL, XS 309 SR Automatic 309 SX, XR 405	(1.6L)	1580	P1864 C1864	4	3.268	83.00	4 - 1.75 4 - 1.75	4 - 4.00
47	205 D, GLD, GRD, XLD (Diesel) 305 D, 309 D, 405 D, gld, grd (Diesel) Boxer (Diesel) Partner (Diesel) 305 D, 309 D, 405 D (Diesel)	(1.9L)	1905	P1974 <sup>+</sup> C1974 <sup>+</sup>	4	3.268	83.00	4 - 2.00 4 - 2.00	4 - 3.00
48	504 505 G5, GL, GR, SR, SX	(1.8L)	1796	C5178 <sup>+</sup>	4	3.307	84.00	4 - 1.50 4 - 2.00	4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# PEUGEOT

Line No	Application	CC	Set No	Cyl	Bore Diameter		Ring Size		
					Inch	MM	Comp	Oil	
49	404	(1.6L)	1618	P1204 C1204	4	3.307	84.00	4 - 2.00 4 - 2.00	4 - 4.50
50	404 504	(1.8L)	1796	P1369 C1369	4	3.307	84.00	4 - 1.50 4 - 2.00	4 - 4.00
51	504 E, GL, S (Diesel)			C1891 <sup>A</sup>	4	3.346	85.00	4 - 2.00 4 - 2.00	4 - 4.50
52	406 2.1TD (Diesel) 605 2.1TD SRDT, SVDT (Diesel)	(2.1L)	2088	S5118 <sup>+</sup>	4	3.346	85.00	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 3.00
53	307 HDi (Diesel) 806 HDi (Diesel) Partner (Diesel)	(2.0L)	1998	S5150 <sup>+</sup>	4	3.346	85.00	4 - 3.50 <sup>FK</sup> 4 - 2.00	4 - 3.00
54	406, 406 Break, 406 Coupe 806 Evasion, Expert Combi, Expert Tole 206, 206 CC, 206 SW 307, 307 SW Xsara	(2.0L)	1997	S5219 <sup>+</sup>	4	3.346	85.00	4 - 1.20 4 - 1.50	4 - 2.50
55	605 SLD, SRD (Diesel)	(2.2L)	2138	S5120 <sup>+</sup>	4	3.386	86.00	4 - 2.50 4 - 2.00	4 - 3.00
56	405SRi/STi/BREAK	(2.0L)	1998	P5047 C5047	4	3.386	86.00	4 - 1.50 4 - 1.75	4 - 3.00
57	404 D (Diesel)	(2.0L)	1948	C1441	4	3.465	88.00	4 - 2.00 4 - 2.00 4 - 2.00	4 - 4.50
58	504 GL, SL 505	(2.0L)	1971	P1370 <sup>A</sup> C1370 <sup>A</sup>	4	3.465	88.00	4 - 1.50 4 - 2.00	4 - 4.00
59	504 604	(2.7L)	2664	P1440 <sup>A</sup> C1440 <sup>A</sup>	6	3.465	88.00	6 - 1.50 6 - 2.00	6 - 4.00
60	505 505 T	(2.1L)	2165	P1598 C1598	4	3.465	88.00	4 - 1.75 4 - 2.00	4 - 4.00
61	504 D (Diesel)	(2.1L)	2112	P1462 <sup>A</sup> C1462 <sup>A</sup>	4	3.543	90.00	4 - 2.00 4 - 2.00 4 - 2.00	4 - 4.50
62	604	(2.8L)	2849	P1515 <sup>A</sup> C1515 <sup>A</sup>	6	3.583	91.00	6 - 1.50 6 - 2.00	6 - 4.00
63	Boxer, 605, 806 (Diesel)	(2.5L)	2446	S5170 <sup>+</sup>	4	3.622	92.00	4 - 3.00 <sup>FK</sup> 4 - 1.75	4 - 3.50
64	Boxer 2.5D (Diesel)	(2.5L)	2446	S5173 <sup>+</sup>	4	3.622	92.00	4 - 2.25 4 - 2.00	4 - 3.00
65	J5, 1000K, 1300K (Diesel)	(2.5L)	2500	S5115 <sup>+</sup>	4	3.661	93.00	4 - 2.50 4 - 2.00	4 - 4.00
66	J5 (Diesel) 1000 Fourgon (Diesel) 1300 Fourgon (Diesel)	(2.5L)	2499	S5157 <sup>+</sup>	4	3.661	93.00	4 - 2.00 4 - 2.00	4 - 4.00
67	Fourgon 1900 (Diesel) Familiale D, GLD, GRD, SRD (Diesel)	(2.5L)	2498	C1463 <sup>+</sup>	4	3.701	94.00	4 - 2.00 4 - 2.00	4 - 4.00
68	504 D (Diesel) 505 D (Diesel)	(2.3L)	2304	C1463 <sup>+</sup>	4	3.701	94.00	4 - 2.00 4 - 2.00	4 - 4.00
69	504 (Diesel) 505 (Diesel) J7 B, BD, PX, PY, PZXD 2P (Diesel) J9 (Diesel)	(2.3L)	2304	C1860	4	3.701	94.00	4 - 2.00 4 - 2.00	4 - 4.00
70	505 (Diesel) B4 (Diesel)	(2.5L)	2498	C1860	4	3.701	94.00	4 - 2.00 4 - 2.00	4 - 4.00

**Continued On Next Page**

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone

# PEUGEOT

Line		CC	Set No	Cyl	Bore Diameter		Ring Size	
No	Application				Inch	MM	Comp	Oil
	< Continued > Berline (Diesel) Break GLD, GRD, SRD (Diesel) J9 (Diesel)							
71	505 SRD Turbo, 604 GRD Turbo (Diesel) (2.3L)	2304	<b>S5114</b> <sup>+</sup>	4	3.701	94.00	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 4.00
72	505 SRD Turbo, 604 GRD Turbo (Diesel) (2.5L)	2498	<b>S5114</b> <sup>+</sup>	4	3.701	94.00	4 - 3.00 <sup>FK</sup> 4 - 2.00	4 - 4.00

+ = Contains Ductile Or Steel Ring(s) N = New Number A = Standard Only FK = Full Keystone HK = 1/2 Keystone